IRON BALTIC

Helping to make your vehicle all it can be!

ATV & UTV ACCESSORIES







IRON BALTIC



Iron Baltic Ltd is active in producing and supplying ATV / UTV accessories. Iron Baltic's main products are skid plates, snow plows and coupling devices for ATVs and UTVs. Total of 70% of the products the company offers are Iron Baltic own manufactured products, while a further 30% of them are imported, supplied elsewhere. Iron Baltic's company vision and objective is to offer wide range of accessories and coupling devices for ATVs / UTVs and promote the use of ATVs / UTVs for just about any operation possible.



IB products are designed by keeping in mind the specific needs of Northern European countries, they are well known for their excellent quality and ingenious solutions. Our main products include skid plates, snow plows, and various coupling devices.





ECO - products are imported, improved, and packaged by Iron Baltic. A more affordable line of products for a budget conscious user. The main products in this area include various forms of coupling device, plus luggage and cargo baskets.



QUADOVATOR

Ouadivator - innovative ATV and UTV products made in Canada. Products are designed for simple installation and ease of use. Quadivator products include agricultural implements as cultivators, tandem discs, harrows, snow blowers, rakes and mowers. Iron Baltic have exclusive sales rights for Quadivator products in Europe.



CONTENT

SKID PLATES		FLIP OVER DISC	64
ALUMINIUM SKID PLATES	2	ATV TANDEM DISC	65
PLASTIC SKID PLATES	8	CULTIVATOR	66
		UTV CULTIVATOR	68
WINTER		UTV TANDEM DISC	69
MID-MOUNT PLOW SYSTEM	14	UTV HARROW	70
FRONT-MOUNT PLOW SYSTEM	16	LANDSCAPE RAKE	71
UTV FRONT-MOUNT PLOW SYSTEM	18	TWO-BOTTOM PLOW	72
MID-MOUNT V-PLOW SYSTEM G2	26		
FRONT-MOUNT V-PLOW SYSTEM G2	28	FORESTRY	
PLOW BUCKETS	32	TIMBER TRAILER IB 1000	74
SAND SPREADER G2-500 PRO	34	TIMBER TRAILER COMBO 1000	76
UNIVERSAL SPREADER / SEEDER	35	LOG HAULER	80
ROTARY BROOM	36	KINETIC LOG SPLITTER	82
SNOW BLOWER	38	WOOD CHIPPER	83
SKI TRACK MAKER	40	LEAF VACUUM	84
CLASSIC TRACK SETTER	41		
TRAILER SKIS	42	ACCESSORIES	
CARGO SLED	43	HYDRAULIC POWER UNIT	86
SKI SLED	44	ELECTRO-HYDRAULIC CYLINDER	88
TIMBER SLED	45	HITCH RECEIVER RACK	90
		CHAINSAW HOLDER	91
FARMING		QUICK RELEASE CLAMPS	92
TRAILER BASIC 500	46	ECCENTRIC CLAMP	94
TRAILER IB-165 OFFROAD	47	WINCH ROPE FAIRLEAD	94
TRAILER IB-165 EU STREET LEGAL	48	LOADING RAMPS	94
TRAILER OFFROAD PRO 1000	50	BED WALL EXTENDERS	95
TRAILER ECO 300	52	FRONT PROTECTIONS	96
TRAILER ECO 1000	53	CAN-AM G2 RENEGADE	
TRAILER ECO 1500 3-WAY	54	LUGGAGE RACK	96
BALE TRAILER	55	EQUIPMENT BOX	97
SWEEPER COLLECTOR	56	FRONT AND REAR BASKETS	98
FLAIL MOWER	58	CARGO BOXES	99
GRADER / ROAD SCRAPER	60		
DRAG HARROW	62	ADAPTERS	
LEVELER	63	MODEL SPECIFIC MOUNTING KITS	100



ALUMINIUM SKID PLATES



Material Corrosion resistant, brushed marine aluminium

Thickness 4mm

Info Full protection of bottom and the front part of the ATV

Openings for mud draining and washing

Holes for oil changing

Holes for plow mounting kits

Fasteners and instructions are enclosed

Iron Baltic aluminium skid plate kits are made from marine grade aluminium, which is the hardest aluminium that can still be mechanically processed. The aluminium is shaped using CNC cutting, the sides are then CNC bent, and the corners of the bent sides TIG welded. The outcome is a structurally rigid skid plate that is strong and durable even in extreme conditions. Iron Baltic skid plate kits come complete with arm guards and full mounting hardware required for installation.

Access	Code
AX 700	02.11400
AX 600/700/800 U (short model)	02.25300
Arctic Cat	Code
500/550/700	02.9400
550/700 Limited	02.11800
Alterra 550 / 700	02.20700
1000 XT	02.2000
TRV 500 / 550 / 700 / TRV Alterra	02.6600
TRV 1000 / TRV 1000 Alterra	02.11200
Wildcat (-2016)	02.9800



BRP Can-Am	Code
Outlander G1	02.6300
Outlander G1 MAX	02.6000
Outlander G2 L	02.15800
Outlander G2 L MAX	02.16400
Outlander G2 (-2016)	02.8400
Outlander G2 MAX (-2016)	02.10000
Outlander G2 450/570 (2017+)	02.15800
Outlander G2 450/570 MAX (2017+)	02.16400
Outlander G2 (2017–2018) *	02.18800
Outlander G2 (2019+) *	02.23100
Outlander G2 MAX (2017–2018) *	02.19200
Outlander G2 MAX (2019+) *	02.23600
Outlander 6x6 (-2016)	02.20300
Outlander 6x6 (2017–2018)	02.21100
Outlander 6x6 (2019+)	02.24800
Outlander 6x6 MAX (2017-2018)	02.22900
Outlander 6x6 MAX (2019+)	02.25100
Outlander X MR 650/800/850 (-2016)	02.8400
Outlander X MR 650/850 (2017– 2018)	02.18800
Outlander X MR 650/850 (2019+)	02.23100
Outlander X MR 1000 (-2016)	02.10000
Outlander X MR 1000 (2017-2018)	02.19200
Outlander X MR 1000 (2019+)	02.23600
Renegade G1	02.6900
Renegade G2 (-2016)	02.8200
Renegade G2 (2017-2018)	02.20100
Renegade G2 (2019+)	02.23800
Renegade X MR (-2016)	02.18200
Renegade X MR (2017-2018)	02.19000
Renegade X MR (2019+)	02.23400
Commander (-2014)	02.8900
Maverick (-2014)	02.12200
Traxter/Defender	02.21300
Cectek	Code
500 Gladiator	02.2200
500 Quadrift	02.2200
500 KingCobra	02.3020

^{*} Except for the "L" series equipment (without front bumper).







СFМОТО	Code
CFORCE 450/520-S	02.17000
CFORCE 450/520-L	02.17200
500-2	02.1080
500-2A	02.1070
CFORCE X5/X6	02.6400
CFORCE X5A/X6A	02.6100
CFORCE 550	02.15000
CFORCE 600 (-2019)	02.15000
CFORCE 600 Touring (2020+)	02.25700
CFORCE 800/820 (X8)	02.8700
CFORCE 800 LUX (X8 LUX)	02.9200
CFORCE 850/1000	02.20900
ZFORCE 550 EX (Z5 EX)	02.13600
ZFORCE 600 (Z6)	02.5700
ZFORCE 600 EX (Z6 EX)	02.14100
ZFORCE 800 EX (Z8 EX)	02.13600
ZFORCE 1000	02.13600
ZFORCE 1000 Sport	02.26100
UFORCE 550	02.10700
UFORCE 800	02.10700
UFORCE 1000	02.24600
Dinli	Code
600 Prime	02.4400
DL 700	02.1980
DL 702	02.4400
DL 702L	02.7200
DL 704	02.2500
DL 703	02.6500
GOES	Code
520	02.7900
520 MAX	02.7800
525/625	02.5100
525/625 MAX	02.5000
725	02.14300
Cobalt/Iron	02.19800
Cobalt/Iron MAX	02.19600
Hisun	Code
400	02.1300
700	02.8600
Tactic 550/750 2-UP	02.21600









Honda	Code
TRX 420 FA (-2013)	02.3100
TRX 420 FE/FM (-2013)	02.1200
TRX 420 FA/FE/FM (2014+)	02.13000
TRX 420 FA6 (IRS)	02.16000
TRX 500 FA	02.900
TRX 500 FA (IRS)	02.16000
TRX 500 FE (-2011)	02.900
TRX 500 FE (2012-2013)	02.7400
TRX 500 FE (2014+)	02.13400
TRX 650	02.1010
TRX 680 (-2014)	02.1010
TRX 680 (2015+)	02.16200
Kawasaki	Code
KVF 650 Rigid	02.450
KVF 650/750 BruteForce	02.400
Keeway (Leone Mastiff)	Code
XY 500-S	02.10300
Kymco	Code
MXU 500	02.1180
MXU 700	02.22000
Linhai	Code
400	02.3550
400 IRS	02.5250
500	02.24200
550	02.12000
M550L	02.25500
600	02.12700
600 ODES	02.12700 Code
ODES ODES 800	Code 02.21800
ODES ODES 800 SMC	Code 02.21800 Code
ODES ODES 800 SMC J-MAX 700	Code 02.21800 Code 02.15200
ODES ODES 800 SMC	Code 02.21800 Code









Polaris	Code
ACE 325/570	02.14500
Sportsman 400 (2011+)	02.5600
Sportsman 450/570/ETX	02.12500
Sportsman 500 (-2010)	02.2300
Sportsman 500 (2011+)	02.5600
Sportsman 550	02.1520
Sportsman 800 (-2010)	02.1400
Sportsman 800 (2011+)	02.5600
Sportsman 850 (-2014)	02.1520
Sportsman 850 (2015+)	02.16600
Sportsman 1000 (-2016)	02.16600
Sportsman 1000 (2017+)	02.19400
Sportsman 1000 S (2020+)	02.25900
Sportsman X2 800	02.1600
Sportsman Touring 550	02.5500
Sportsman Touring 570 / X2	02.13900
Sportsman Touring 850 (-2014)	02.5500
Sportsman Touring 850 (2015+)	02.18000
Sportsman Touring 1000 (-2017)	02.18000
Sportsman Touring 1000 (2018+)	02.24000
Scrambler 850/1000 (-2014)	02.10200
Scrambler 850/1000 (2015+)	02.16800
RZR 570	02.17800
RZR 800	02.4000
RZR 800 S	02.4200
RZR 900 XP (-2014)	02.7500
RZR 1000 XP	02.14200
RZR 1000 XP Turbo	02.14200
Big Boss 570	02.18500
Big Boss 800	02.9600
Ranger 400/EV	02.7000
Ranger 570 (-2014)	02.12900
Ranger 570 (2015+)	02.18400
Ranger 900 XP	02.12300
Ranger 900 Diesel	02.8000
Ranger 1000 Diesel	02.12300
Ranger 1000 2018+	02.23300
Polaris General 1000	02.20000







Suzuki	Code
Eiger 400	02.200
KingQuad 450/500/700/750 (-2018)	02.800
KingQuad 500/750AXi (EPS)	02.4800
KingQuad 500/750AXi 2019+	02.4800
SYM	Code
600	02.1190
TGB	Code
425 Blade	02.4600
550 Blade	02.14800
600 Blade	02.22200
600 LT Blade	02.22400
1000 Blade	02.20500
1000 LTX Blade (2019+)	02.20500
Тгаррег	Code
Trapper 550/750	02.21600
Yamaha	Code
Grizzly 450 (2006-2008)	02.1000
Grizzly 450 (2009-2010) non EPS	02.3120
Grizzly 550	02.700
Grizzly 660	02.500
Grizzly 700 (-2013)	02.700
Grizzly 700 (2014-2015)	02.13100
Grizzly 700 (2016+)	02.17400
Kodiak 700	02.17600
Kodiak 450 (2017+)	02.21400
Wolverine 700	02.22800











PLASTIC SKID PLATES



Material Plastic (PE HWU)

Thickness 10mm

Info Full protection of bottom and front part of the ATV.

Openings for mud draining and washing.

Holes for oil changing.

Holes for plow mounting kits.

Fasteners and instructions are enclosed.

Iron Baltic plastic skid plate kits are made from high density polyethylene HDPE (PE-HWU), which does not dent like aluminium, has excellent sliding properties and high chemical and UV resistance. The material remains very tough even at low temperatures (even at -50°C/-58°F) but is still flexible enough not to deform and regain its shape after an impact. Plastic skid plates are structurally rigid and durable with low friction properties offering easy and safe operations even in extreme conditions. Iron Baltic skid plate kits come complete with arm guards and full mounting hardware required for installation.

Access	Code
AX 700	02.11500
AX 600/700/800 U (short model)	02.25400
Arctic Cat	Code
500/550/700	02.9500
550/700 Limited	02.11900
Alterra 550 / 700	02.20800
1000 XT	02.9100
TRV 500 / 550 / 700 / TRV Alterra	02.11100
TRV 1000 / TRV 1000 Alterra	02.11300



BRP Can-Am	Code
Outlander G1	02.13800
Outlander G1 MAX	02.13700
Outlander G2 L	02.15900
Outlander G2 L MAX	02.16500
Outlander G2 (-2016)	02.8500
Outlander G2 MAX (-2016)	02.10100
Outlander G2 450/570 (2017+)	02.15900
Outlander G2 450/570 MAX (2017+)	02.16500
Outlander G2 (2017-2018) *	02.18900
Outlander G2 (2019+) *	02.23200
Outlander G2 MAX (2017-2018) *	02.19300
Outlander G2 MAX (2019+) *	02.23700
Outlander 6x6 (-2016)	02.20400
Outlander 6x6 (2017-2018)	02.21200
Outlander 6x6 (2019+)	02.24900
Outlander 6x6 MAX (2017-2018)	02.23000
Outlander 6x6 MAX (2019+)	02.25200
Outlander X MR 650/800/850 (-2016)	02.8500
Outlander X MR 650/850 (2017-2018)	02.18900
Outlander X MR 650/850 (2019+)	02.23200
Outlander X MR 1000 (-2016)	02.10100
Outlander X MR 1000 (2017-2018)	02.19300
Outlander X MR 1000 (2019+)	02.23700
Renegade G1	02.1610
Renegade G2 (-2016)	02.8300
Renegade G2 (2017-2018)	02.20200
Renegade G2 (2019+)	02.23900
Renegade X MR (-2016)	02.18300
Renegade X MR (2017-2018)	02.19100
Renegade X MR (2019+)	02.23500
Traxter/Defender	02.21300





* Except for the "L" series equipment (without front bumper).

Cectek	Code
500 Gladiator	02.4700
500 Quadrift	02.4700
500 KingCobra	02.9000
СЕМОТО	Code
CFORCE 450/520-S	02.17100
CFORCE 450/520-L	02.17300
500-2	02.1140
500-2A	02.1130
CFORCE X5/X6	02.2850
CFORCE X5A/X6A	02.2800
CFORCE 550	02.15100
CFORCE 600 (-2019)	02.15100
CFORCE 600 Touring (2020+)	02.25800
CFORCE 800/820 (X8)	02.8800
CFORCE 800 LUX (X8 LUX)	02.9300
CFORCE 850/1000	02.21000
ZFORCE 550 EX (Z5 EX)	02.13600
ZFORCE 600 (Z6)	02.5900
ZFORCE 600 EX (Z6 EX)	02.14100
ZFORCE 800 EX (Z8 EX)	02.13600
ZFORCE 1000	02.13600
ZFORCE 1000 Sport	02.26100
UFORCE 550	02.10800
UFORCE 800	02.10800
UFORCE 1000	02.24500
Dinli	Code
600 Prime	02.4500
DL 700	02.3150
DL 702	02.4500
DL 703	02.7300
GOES	Code
520	02.10500
520 MAX	02.10900
525/625	02.6200
525/625 MAX	02.11000
725	02.14400
Cobalt/Iron	02.19900
Cobalt/Iron MAX	02.19700







Hisun	Code
Tactic 550/750 2-UP	02.21700
Honda	Code
TRX 420 FA (-2013)	02.3400
TRX 420 FE/FM (-2013)	02.1800
TRX 420 FA/FE/FM (2014+)	02.13300
TRX 420 FA6 (IRS)	02.16100
TRX 500 FA	02.1120
TRX 500 FA (IRS)	02.16100
TRX 500 FE (-2011)	02.1120
TRX 500 FE (2012-2013)	02.7700
TRX 500 FE (2014+)	02.13500
TRX 650	02.1110
TRX 680 (-2014)	02.1110
TRX 680 (2015+)	02.16300
John Deere	Code
Gator XUV865	02.24700
Kawasaki	Code
KVF 650 Rigid	02.480
KVF 650/750 BruteForce	02.1150
Keeway (Leone Mastiff)	Code
XY 500-S	02.10600
Kymco	Code
MXU 500	02.1850
MXU 700	02.22100
Linhai	Code
400	02.3500
400 IRS	02.5200
500	02.24300
550	02.12100
600	02.12800
M550L	02.25600
ODES	Code
ODES 800	02.21900









Polaris	Code
ACE 325/570	02.14600
Sportsman 400 (2011+)	02.5800
Sportsman 450/570/ETX	02.12600
Sportsman 500 (-2010)	02.2350
Sportsman 500 (2011+)	02.5800
Sportsman 550	02.1540
Sportsman 800 (-2010)	02.1410
Sportsman 800 (2011+)	02.5800
Sportsman 850 (-2014)	02.1540
Sportsman 850 (2015+)	02.16700
Sportsman 1000 (-2016)	02.16700
Sportsman 1000 (2017+)	02.19500
Sportsman 1000 S (2020+)	02.26000
Sportsman X2 800	02.1650
Sportsman Touring 550	02.5400
Sportsman Touring 570 / X2	02.14000
Sportsman Touring 850 (-2014)	02.5400
Sportsman Touring 850 (2015+)	02.18100
Sportsman Touring 1000 (-2017)	02.18100
Sportsman Touring 1000 (2018+)	02.24100
Scrambler 850/1000 (-2014)	02.10400
Scrambler 850/1000 (2015+)	02.16900
RZR 570	02.17800
RZR 800	02.4100
RZR 800 S	02.4300
RZR 900 XP (-2014)	02.7600
RZR 1000 XP	02.14200
RZR 1000 XP Turbo	02.14200
RZR 900S / 1000S	02.25000
Big Boss 570	02.18600
Big Boss 800	02.9700
Ranger 400/EV	02.7100
Ranger 570 (-2014)	02.12900
Ranger 570 (2015+)	02.18400
Ranger 900 XP	02.12400
Ranger 900 Diesel	02.8100
Ranger 1000 Diesel	02.12400
Ranger 1000 2018+	02.23300
Polaris General 1000	02.20000







SMC	Code
J-MAX 700	02.15300
J-MAX 700L (T3)	02.15500
MBX 700	02.15700
Suzuki	Code
KingQuad 450/500/700/750 (-2018)	02.1160
KingQuad 500/750AXi (EPS)	02.4900
KingQuad 500/750AXi 2019+	02.4900
SYM	Code
600	02.1890
TGB	Code
550 Blade	02.14900
600 Blade	02.22300
600 LT Blade	02.22500
1000 Blade	02.20600
1000 LTX Blade (2019+)	02.20600
Trapper	Code
Trapper 550/750	02.21700
Yamaha	Code
Grizzly 450 (2006-2008)	02.1960
Grizzly 450 (2009-2010) non EPS	02.3010
Grizzly 550	02.1170
Grizzly 660	02.2900
Grizzly 700 (-2013)	02.1170
Grizzly 700 (2014-2015)	02.13200
Grizzly 700 (2016+)	02.17500
Kodiak 700	02.17700
Kodiak 450 (2017+)	02 21500







MID-MOUNT PLOW SYSTEM




Mid-mount plow system for snow removal or soil planning. The plow mounts under the vehicle with a model specific or universal mounting adapter. The mid-mount plow system is available in many configurations - with different type and size of plow blades or as a push broom instead. Wide selection of optional accessories are available for the mid-mount plow - side extensions, marker antennas, rubber lips for the plow blades and hydraulic or electro-hydraulic control and movement kits for the plow system, see plow accessories on page 21–23.



Push tubes	Code
Mid-mount standard	04.200
Mid-mount / tracks fitted machines	04.700
Standard blades	Code
Blade 1280mm	04.100
Blade 1500mm	04.300
Blade 1800mm	04.800
High-Throw blades	Code
High-Throw blade 1500mm	20.7200
High-Throw blade 1800mm	20.7300
Push brooms	Code
Push broom 1500mm	20.1000
Adapters	Code
Audpters	Code

Model specific adapters seen in the "Mid-mount adapters" table, page 100–108.





FRONT-MOUNT PLOW SYSTEM




Front-mount plow system for snow removal or soil planning. The plow mounts with a model specific adapter on front of the vehicle using a self-locking quick attach system. Front-mount system completes with different type and size of plow blades, or a push broom. With variety of optional accessories available, it can also be turned into a bucket or use with hydraulic or electro-hydraulic control and movement kits, see plow accessories on page 21–23.



Push tubes	Code
Front-mount, standard	20.6200
Front-mount, narrow	20.6400
Standard blades	Code
Blade 1280mm	04.100
Blade 1500mm	04.300
High-Throw blades	Code
High-Throw blade 1500mm	20.7200
Push brooms	Code
Push broom 1500mm	20.1000
Adapters	Code

Fitment information on model specific adapter and matching push tube version (standard/narrow), find from the table "front mounting adapters" on page 100–108.






UTV FRONT-MOUNT PLOW SYSTEM



A front-mounted plow system with reinforced coupling / locking mechanism for mounting the equipment with a model specific adapter on UTV-s or other larger side-by-side vehicles. UTV front mount plow system completes with different size of standard plow blades and high-throw plow blades or a push broom. Additional accessories such as blade extensions or rubber lips, bucket conversion kits and hydraulic or electro-hydraulic control and movement kits are available, see plow accessories on page 21–23.



	Code	
UTV Front-mount	20.7400	=
Standard blades	Code	
Blade 1280mm	04.100	
Blade 1500mm	04.300	7
3lade 1800mm	04.800	
High-throw blades	Code	
High-throw blade 1500mm	20.7200	
High-throw blade 1800mm	20.7300	
Push brooms	Code	
Push broom 1500mm	20.1000	
Adapters	Code	
CFMOTO / UFORCE 1000	03.10600	
POLARIS GENERAL	03.7900	
POLARIS RZR 900S / 1000S	03.7900	
POLARIS RZR 900 XP	03.7000	
POLARIS RANGER 400/570/800/900D/EV	03.7000	
POLARIS RANGER 1000 (2018+)	03.9800	

STANDARD PLOW BLADES

The standard construction plow blades are suitable for snow removal or soil planning. Optional accessories include a blade extension, a bucket attachment, or a rubber blade.

Working height 450mm Working width 1280mm / 1500mm / 1800mm

Standard blades	Code
Blade 1280mm	04.100
Blade 1500mm	04.300
Blade 1800mm	04.800



HIGH-THROW BLADES

High-throw, curved asymmetrical plow blades are designed for faster snow clearing, the top mounted plastic extension prevents snow being thrown over the upper edge and directs it to higher on sideways instead. Perfect tool for snow removal from a roadway.

Working height 410 - 660mm Working with 1500mm / 1800mm

High-throw blades	Code
High-throw blade 1500mm	20.7200
High-throw blade 1800mm	20.7300





PUSH BROOM

Push Broom is suitable for the toughest sweeping needs, cleaning agricultural, commercial and industrial debris, rubbish, leaves and even snow, withstanding water and industrial spills. Perfect for maintaining hard surface trails, sidewalks, driveways and sweeping out storage sheds or pole buildings. Push broom is equipped with easily replaceable polypropylene brushes.

Working height 300mm Working width 1500mm

Product	Code
Push broom 1500mm	20.1000



ACCESSORIES FOR PLOWS

HYDRAULIC CONTROL

Hydraulically controlled turning and lifting / down pushing of the plow allows also the ground soil planning works in addition to the usual snow pushing purpose. Additional information about hydraulic power unit page 86-87.

Turning	Code
Hydraulic Power Unit	71.0000
Turning cylinder hardware kit	71.2600
Hydraulic cylinder with hoses	71.3100

Lifting	Code
Hydraulic Power Unit	71.0000
Hydraulic cylinder with hoses	71.3100
Model specific lifting cylinder adapter see	page 100–108.

Turning and lifting	Code
Hydraulic Power Unit	71.0000
Turning cylinder hardware kit	71.2600
2 x Hydraulic cylinder with hoses	71.3100
Model specific lifting cylinder adapter see page 100–108.	

Hose extensions (UTV)	Code
Hydraulic hose extensions 3500mm	71.100

HYDRAULIC POWER UNIT

MODEL SPECIFIC LIFT CYLINDER ADAPTER

HYDRAULIC CYLINDER WITH HOSES

TURNING CYLINDER HARDWARE KIT

HYDRAULIC CYLINDER WITH HOSES



ELECTRO-HYDRAULIC CONTROL

Electro-hydraulically controlled turning and lifting / down pushing of the plow allows also the ground soil planning works in addition to the usual snow pushing purpose.

Iron Baltic offer electro-hydraulic cylinders by KYB (Japan) and JDR (China), as well as different sets of control panels with power cables. Additional information about electrohydraulic cylinders page 88-89.

Turning	Code
Cylinder KYB/JDR	70.1000 / 70.500
Turning cylinder hardware kit	71.2600
Cable set (1-cylinder control)	70.2500

Lifting	Code
Cylinder KYB / JDR	70.1000 / 70.500
Cable set (1-cylinder control)	70.2500
Model specific lifting cylinder adapter see page 100–108.	

Turning and lifting	Code
Cylinder KYB / JDR (2tk)	70.1000 / 70.500
Turning cylinder hardware kit	71.2600
Cable set (2-cylinder control)	70.2600
Model specific lifting cylinder adapter see page 100–108.	



BUCKET CONVERSION KITS

Suitable for mounting on 1280mm or 1500mm standard plow blades and to complete the kit with front-mount system push tubes. For more

information on plow buckets see pages 32-33.

Product	Code
Bucket conversion kit 1280mm	20.6600
Bucket conversion kit 1500mm	20.6650
Mechanical tilt kit	20.6620
Hydraulic tilt kit *	71.10200


^{* 71.0000} Hydraulic Power Unit is required for hydraulic tilt assembly.



RUBBER BLADES

The 80mm wide rubber blades made from durable 10mm thick polyurethane (PU) sheet are suitable for installing on standard and high throw blades. Rubber blades, instead of steel lips, are used fitted on plows to prevent damages on the pavement.

Product	Code
Rubber blade 1280mm	20.6510
Rubber blade 1500mm	20.6520
Rubber blade 1800mm	20.6530



BLADE EXTENSIONS

Side extensions fitted on standard blades increase working width 150mm.

Product	Code
Blade extensions	04.600VP



PLOW SIDE MARKERS

The plastic plow side markers are suitable for mounting on standard blades.

Product	Code
Blade side antenna markers	20.4000



Snatch blocks help the plow to be lifted higher and extend the working cycle of the winch cable.

Product	Code
Snatch block	14.10200



SPARE PARTS FOR PLOWS

Spare parts	Code	
Rod kit	20.6270	
Rod point, set	20.6275	
Latches, pair	20.6280	
Latches, pair (heavy-duty, UTV)	20.7450	
Locking pin	20.6285	
Handler, set	20.6290	
Regulators	20.6295	
Height adjuster, pair	20.750	20.104 (1280 mi 20.806 (1500 mi
Blade 1280mm	20.104	20.2007 (1800 mi
Blade 1500mm	20.806	
Blade 1800mm	20.2007	
Extension spring 7x50x200	OT.11.01.010	\mathcal{L}
Extension spring 8x50x200 (heavy-duty)	OT.11.01.050	
20.6270		
20.6270		
20.6270	20.6285	20.6295 20:





MID-MOUNT V-PLOW SYSTEM G2



The mid-mount V-plow version is a professional snow removal tool which is mounted bottom of the vehicle using a model specific adapter. The plow has two independently adjustable wings. The steel parts of both wings are equipped with spring-loaded resistor dampers to avoid damage to the plow or vehicle in case of running it into objects on the road. The mid-mount V-plow kit can be assembled with 1500mm or 1800mm wide blades. Optional accessories like rubber extensions, rubber shields, rubber blades or electric / hydraulic plow movement control sets are available additionally.



Push tubes	Code
Mid-mount, standard	34.2200
Mid-mount, extended, track fitted / high clearance vehicles.	34.2900
Blades	Code
V-Blade 1500mm	34.3500
V-Blade 1800mm	34.3800
Blades	Code
Universal mid-mount adapter	03.4000
Model specific adapters in the "Mid-mount adapters" table, see page 100–108.	








FRONT-MOUNT V-PLOW SYSTEM G2



The front-mount V-plow version is a professional snow removal tool. The plow mounts via self-locking, quick attach coupling system to the front of the vehicle using a vehicle model specific mounting adapter. The plow has two independently adjustable wings. The steel parts of both wings are equipped with spring-loaded resistor dampers to avoid damage to the plow or vehicle in case of running it into objects on the road. The front-mounted V-plow can be used with 1500mm wide blades. Optional accessories like rubber extensions, rubber shields, rubber blades or electric / hydraulic plow movement control sets are available additionally.

- Working height 400 600mm
- Working width 1500mm
- Self-locking fastening system (quick and easy installation)
- Different working positions (V position, straight, A position)






Push tubes	Code
Front mount, standard	34.3400
Front mount, narrow	34.3600
Blades	Code
V-Blade 1500mm	34.3500
Adapters	Code
En	:6: 1 : 1

Fitment information on model specific adapter and matching push tube version (standard/narrow), find from the table "front mounting adapters" on page 100–108.







V-PLOW ACCESSORIES

HYDRAULIC TURNING

The hydraulic turning kit allows you to adjust the working angles of both wings without leaving the driver's seat. Read more about the hydraulic power unit on page 86-87.

Turning	Code
Hydraulic Power Unit	71.0000
Hydraulic cylinder with hoses G2 V-Plow 1500mm (2 x 71.10000)	71.10000
Hydraulic cylinder with hoses G2 V-Plow 1800mm (2 x 71.3100)	71.3100

Extension hoses (UTV)	Code
Extension hoses 3500mm	71.100



HYDRAULIC CYLINDER WITH HOSES

RUBBER BLADES

10mm thick rubber blades made of polyurethane (PU) sheet to replace the original steel blades. The rubber blade is double sided. Flip the blade around to other side when one side is worn.

Rubber blades	Code
Rubber blade G2 1500mm	34.3700
Rubber blade G2 1800mm	34.3100

RUBBER EDGES

Rubber edges made of polyurethane sheet increase working width by 200mm and simplify cleaning of curbs and squares with curbs.


Rubber edges / extensions	Code
Side wings, pair	34.3200

DEFLECTOR KIT

Deflector kit to prevent snow from throwing over the top edge of the blade.

Deflectors	Code
Deflector kit, set G2 1500mm	34.3900
Deflector kit, set G2 1800mm	34.3300





V-PLOW SPARE PARTS


			_	
Spare part		Code		
Blades G2 1500mm		34.3540		
Blades G2 1800mm		34.2050		
Adjustment tube G	2 1500mm	34.3550		
Adjustment tube G	2 1800mm	34.2040		
Blade holder G2 150	00mm	34.3425		
Blade holder G2 180	00mm	34.2550		do
Sides connector		34.2150		Ö
Compression spring	9	34.2850	34.3420	
Handle		34.3415	j	
Rubber cover		34.3420		Ġ
Height adjuster, pai	r	20.750	34.2850	
Rod kit		20.6270		
Latches, pair		20.6280		
2050 (1800 mm) 3540 (1500 mm)			line .	20.6270
20.7	34.2550 (1800 34.3425 (1500		34.2550 (1800 mi 34.3425 (1500 mi	
2050 (1800 mm) 3540 (1500 mm)				→ 34.34.
20.750	34.2550 (1800 mm) 34.3425 (1500 mm)		34.2040 (1800 mm) 34.3550 (1500 mm)	34.215



PLOW BUCKETS



Light material buckets are designed for the removal of snow, sawdust, wood chips, manure, peat and other lightweight materials. The bucket set completes from a front-mounted standard blade with a width of 1280mm or 1500mm (see p. 16–19) and an additional bucket conversion kit which forms the base and sides of the bucket around the plow blade. Dumping / tilting the bucket works with a mechanical dumping release (only bucket 1280 mm) or hydraulically.



Mechanical bucket 1280mm	Code
Bucket conversion kit 1280mm	20.6600
Mechanical dump / tilting kit	20.6620


Hydraulic bucket 1280mm	Code
Bucket conversion kit 1280mm	20.6600
Hydraulic power unit	71.0000
Hydraulic / dump tilting kit	71.10200
Hydraulic cylinder including hoses	71.3100
Model specific lifting cylinder adapter see page 100-108.	

Hydraulic bucket 1500mm (UTV)	Code
Bucket conversion kit 1500mm	20.6650
Hydraulic power unit	71.0000
Hydraulic dump / tilting kit	71.10200
Hydraulic cylinder including hoses	71.3100
Model specific lifting cylinder adapter see page 100–108.	

Hydraulic hose extension	Code
Hose extension 3500mm	71.100









SAND SPREADER G2-500 PRO



The towable, larger, increased capacity G2-500 PRO sand, salt and gravel spreader is a practical and economical piece of equipment suitable for winter maintenance of yards, walking paths and driveways. The spreader shaft is driven by a mechanical transmission from the spreader wheels. The wheels are equipped with clutches that allow driving without spreading, if necessary.

- Working (spread) width 1028mm
- Wheel transmission
- Adjustable spread rate
- Shaft for breaking and mixing bulk material
- For bulk materials (sand, gravel, salt) with a fraction up to 8mm
- Hub locks for adjusting the working and transport position
- Durable 8mm thick natural rubber parts.

Product	Code
Sand spreader G2-500 PRO	52.5000
Accessories	Code
PVC Cover	52.5100
Towing eye 360 degree turning for pin type hitch	22.050S
Spare parts	Code
Rubber band front	52.5029
Rubber band rear	52.5030
Wheel clutch lock	OT.51.01.010








UNIVERSAL SPREADER / SEEDER

QUADIVATOR

Universal spreader with simple construction is an effective tool for winter slippery roads control or summer agricultural work. Suitable for spreading sand, salt, seeds, feed, fertilizer and other materials. With the supplied mounting accessories, the spreader can be mounted on the luggage rack of the vehicle or into a 50mm (2") hitch receiver.

· Capacity 57L



Adjustable spread rate
 Adjustable spread rate





ROTARY BROOM



The rotary broom is an efficient tool for removing snow, fallen leaves, sand, debris etc., from roads, streets, walking paths and squares. The broom, that functions with a petrol motor, has a shaft fitted with replaceable polyurethane brush discs which, while rotating, will successfully clean different surfaces. The broom has two supporting wheels which, depending on the work conditions, can be installed in front of, to the sides of or to the rear of the broom. Front mounting the support wheels allows for the easy cleaning of pavement edges, and side mounting assists the brushes in plowing the surface. The supporting wheels also regulate the working height. The work and transport position are adjustable with the front winch of the vehicle. The broom is mounted to the vehicle via model specific mid mount adapter.

Product	Code
Rotary broom 6,5hp (Briggs&Stratton)	48.0000
Rotary broom 4,8hp (Honda GX160)	48.0000A
Accessories	Code
Extended push tube for tracks fitted ATV	04.700S
Spare parts	Code
Brush disk 1pc (broom has total 43 discs)	OT.22.02.010

 Model specific mid-mount adapter required for installation, see page 100–108.







- Working width 1270mm
- Rotation speed 250-450 rpm
- Replaceable polypropylene bristles (450mm diameter)
- Adjustable working angle in 5 different positions











• Adjustable support wheel position







• Transport and working position adjustable with vehicle winch



• Adjustable working height







SNOW BLOWER



A snow blower is the most efficient tool for snow removal. It is possible, with a blower, to move snow many metres away with very little effort, best suited for Nordic and also mountains areas with larger amounts of snow. It is best suited for the winter maintenance of roads and squares.

Iron Baltic snow blowers range vary in between different working widths and engine options. Low powered (13hp/14hp) versions are designed foremost for lighter snow removal works. We recommend using snow blowers with a stronger engine (18hp) for the removal of thicker layers of snow and the wet snow.

The universal adjustable telescope coupling frame allows for the quick and easy attachment of the snow blower to most ATVs or UTVs that have rear ball type hitch fitted. The coupling frame is attached to the rear towing hook and to front suspension arms via tension adjustable chains. The installation time, depending on vehicle and experience could be as less as 5 minutes.

An ATV front winch (min 1500lbs) and towing hook are required for installation!

- Working width 1250mm / 1800mm
- · Working height 500mm
- Ejection distance approx. 15 meters
- Electric motor adjustment the ejection tube via on board control panel
- Telescopic mounting frame adjustable to machine length
- Transport position and working position (adjustable with ATV winch)
- Safety bolts to prevent damages from obstructions



SNOW BLOWER 1250MM (ATV)

Product	Code
Snow blower 1250mm 13hp (Honda GX390)	30.1000
Snow blower 1250mm 14hp (B&S 2100 series)	30.3000
Snow blower 1250mm 18hp (B&S V-Twin Vanquard)	30.2000
Snow blower 1250mm 18hp with electric starter (B&S V-Twin Vanquard)	30.2000A
Accessories	Code
Snow blower extensions (working width +200mm / working height +100mm)	30.100
Spare parts	Code
Safety bolts	30.0001S





SNOW BLOWER 1800MM (UTV / 6X6)

Product	Code
Snow blower 1800mm 18hp (B&S V-Twin Vanquard)	30.10000
Snow blower 1800mm 18hp width electric starter (B&S V-Twin Vanquard)	30.10000A
Accessories	Code
Mounting tube, long (6x6 models)	30.10101
Spare parts	Code
Safety bolts	30.0001S





SKI TRACK MAKER



The ski track maker is suitable for preparing and maintaining ski tracks. It is suitable for coupling the ATV and UTV (with snow tracks fitted recommended) or snowmobile. It is possible to prepare a 2.3-metre-wide freestyle track by compressing the snow with the ski track maker, a classic style track can be made by fitting an additional classic track setter to the rear of the ski track maker unit.

- Working width 2300mm
- · Classic track width 230mm
- 3 positions to fit the classic track setter (sides and center)
- Possible to add ballast weight (sandbags, etc.) on classic track setter for more efficient compression of snow



 Support wheels for transport position. In transport position the device is lifted 200mm above the ground

Product	Code
Ski track maker (includes classic track setter 1pc)	47.0000
Accessories	Code
Classic track setter	47.1000
Spare parts	Code
Middle plastic blade	47.026
Left plastic blade	47.029
Right plastic blade	47.030





CLASSIC TRACK SETTER



The classic track setter is a simple construction design, reliable product for preparing classic ski tracks. It can be coupled an ATV, UTV, snowmobile or a small tractor. Possible to add ballast weight (sandbags, etc.) on classic track setter for more efficient compression of snow.

- Working width 1100mm
- Classic track width 230mm
- Adjustable tow bar length
- Set includes coupling for a 50mm ball hitch and towing eyelet for a pin type hitch.

Product	Code	
Classic track setter	47.2000	
Spare parts	Code	
Left plastic blade	47.029	
Right plastic blade	47.030	



TRAILER SKIS



Trailer skis make it possible to convert your trailer into a sled with a very little effort. The skis are suitable for attaching to trailers with wheel width up to 185mm. They feature a strong steel construction, plastic sliding surface and simple installation with straps.

- Length 1440 / 2100mm
- Width 250mm
- Height 220mm
- Plastic guides to prevent skidding
- Fastening straps for ski installation

Product	Code
Trailer skis for 1 axel trailer	29.100S
Trailer skis for 2 axel trailer	29.200S





CARGO SLED



The cargo sled is a well-constructed sled with a large base bed area suitable for transporting large, bulky and heavy loads. The sled is made of 8mm thick PE-HWU plastic, which is light, UV resistant, slippery and durable even at temperatures as low as -50C.

- Length 2900mm
- Width 1200mm
- Height 200mm
- · Eyelets for securing the load
- · Anti-slip guides
- Set includes coupling for a 50mm ball hitch and towing eyelet for a pin type hitch connection

Product	Code
Cargo sled	22.000





SKI SLED



A ski sled is a sled intended to use coupled with an ATV, UTV, snowmobile or a small tractor. The sled has a galvanised, powder coated steel construction frame and a humidity-resistant plywood platform ensuring durability even in damp winter conditions. High clearance, special wavy ski profile, plastic sliding surface and spring suspension ensure good pastability and stability. It features removable spacers and platform guards for fastening and transporting different goods.

- Platform dimensions 800 x 2250mm
- Platform height 300mm off the ground
- Ski dimensions 180 x 1750mm (2 skis)
- Galvanized and powder coated steel construction
- Waterproof plywood platform
- · Spring shock absorbers on skis
- Plastic ski slides
- Removable struts
- Load restraint guards
- Set includes coupling for a 50mm ball hitch and towing eyelet for a pin type hitch connection

Product	Code
Ski sled	41.0000
Spare parts	Code
Ski kit	41.1000
Shock absorber	41.007



TIMBER SLED



A sled with skis for transporting logs up to 5 metres. The sled consists of two swivel jointed freight frames with an adjustable gap allowing for the adjustment of the sled length according to the length of the transportable logs. Removable spacers facilitate the loading of the cargo. Suitable for use coupled with an ATV, UTV, snowmobile or small tractor.

- Frame dimensions 750 x 850mm (2 frames)
- Ski dimensions 180 x 1750mm (4 skis)
- Adjustable distance between frames 2500-2900mm
- Suitable for transporting logs up to 5 meters in length
- Galvanized and powder coated steel construction
- Plastic ski slides
- · Removable struts
- Set includes coupling for a 50mm ball hitch and towing eyelet for a pin type hitch connection
- · Load straps included

Product	Code	
Timber sled	42.0000	



TRAILER BASIC 500



The BASIC 500 is a simple heavy-duty trailer for domestic use. Leaf, soil, firewood, debris, etc. can be transported in a tilting transport box. If the front and rear boards are removed, the trailer can also successfully transport logs up to 2.5 meters.

- · Load capacity 500kg
- Off-road tires 22x11-8"
- Tiltable cargo box
- Removable front and back boards
- Removable cargo box side extension boards
- Cargo box dimensions 1480 x 1100 x 650mm

Product	Code
Trailer BASIC 500	61.1000
Accessories	Code
Swivel hitch	23.1120
Towing eye 360 degree turning for pin type hitch	22.050S
Adjustable support leg	61.3000






TRAILER IB-165 OFFROAD



The IB-165 Offroad trailer is a platform trailer to use with small tractors and off-road vehicles. The trailer's wide, high clearance off-road style tyres ensure good off-road passage and capability. The tiltable cargo box with completely removable side boards allows the platform trailer to be used for transporting bulk spread or heating materials (e.g. firewood), pallets and boxes etc. Available additionally are gas spring, hydraulic and electro-hydraulic as tilting accessories, and the cargo box board extenders and PVC cover.

- Load capacity 500kg
- Track width 960mm
- Off-road tires 22x12-8 "60F
- Manual tilting of the cargo box
- Removable front, rear and side hatches
- Moisture resistant plywood bottom platform
- Cargo box dimensions 1197 x 348 x 1605mm
- Tie down anchors for cargo straps







TRAILER IB-165 EU STREET LEGAL (R1A)



The IB-165 trailer is a street-legal (R1A) platform trailer to use with small tractors and off-road vehicles. The trailer's wide, high clearance off-road style tyres ensure good off-road passage and capability. The tiltable cargo box with completely removable side boards allows the platform trailer to be used for transporting bulk spread or heating materials (e.g. firewood), pallets and boxes etc. Standard equipment of street-legal platform trailers includes a 360 degrees swivel hitch coupling, adjustable support leg and humidity-resistant plywood cargo box bed. Available additionally are gas spring, hydraulic and electro-hydraulic as tilting accessories, and the cargo box board extenders and PVC cover.

- Load capacity 500kg
- Track width 960mm
- Off-road style tires 22x12-8 "60F
- Swivel hitch coupler
- Adjustable support leg
- Manual tilting of the transport box
- Removable front, rear and side hatches
- Moisture resistant plywood bottom platform
- Cargo box dimensions 1197 x 348 x 1605mm
- Tie down anchors for cargo straps
- Taillights (including turn signals / indicators, stop lights, license plate lights)
- Standard 7-pin connector for powering the trailer lights





Product	Code
Trailer IB-165 EU STREET LEGAL (R1A)	74.1000
Accessories	Code
Cargo box extensions (+310mm)	74.2000
Waterproof PVC cover	74.3000
Gas spring	74.4000
Electro-hydraulic lift kit	70.8000
Electro-hydraulic lift kit (does not include hydraulic power unit 71.0000, see page 86)	71.8000





TRAILER OFFROAD PRO 1000



The Off-road PRO 1000 trailer, featuring a sturdy construction, is intended for large-scale household works. The compact solution, tandem axle and wide off-road tyres ensure good off-road capability, accessible to places where oversized equipment would not fit. The 850-litre cargo box with removable height extenders is suitable for transporting a load up to a mass of 1000 kg. The trailer can successfully transport logs up to 3 metres long when the front and back hatch are removed. It can be converted into a timber trailer using the timber transportation module (see timber trailer IB 1000 page 74-75) as an additional accessory (32.1000S).

Optionally available manual or electric winch fitted cargo box tilting crane.

- Load capacity 1000 kg
- Off-road Tires 22x12-8"
- 360° swivel hitch coupler
- Adjustable support leg
- Tiltable cargo box
- Removable front and back hatches
- Removable cargo box elevations
- Cargo box dimensions 2000 x 1100 x 650mm











TRAILER ECO 300



The ECO 300 is a trailer with a simple, compact construction, which can reliably be used for different household tasks. The tiltable cargo box can be used for transporting leaves, soil, firewood, rubbish etc. Removing the front and rear hatch allows the trailer to be loaded with longer branches or logs. The cargo box can be extended by adding net height extenders. The trailer can be pulled by all vehicles fitted with a 50mm/2" hitch ball. The trailer can also be used with a lawn tractor or other pin type hitch connection fitted vehicles when fitted with a towing eye (22.050S) provided as an accessory.

- Load capacity 300kg
- Off-road tires 22x11-8"
- Tiltable cargo box
- Removable front and back hatches
- Cargo box dimensions 1300 x 950 x 450mm

Product	Code
Trailer ECO 300	40.0000
Accessories	Code
Cargo box extensions (+300mm)	40.1000
Pullbar extension / Swivel hitch	40.3000
Towing eye 360 degree turning for pin type hitch	22.050S
Adjustable support leg	61.3000







TRAILER ECO 1000



The ECO 1000 is a large capacity multifunctional trailer. The compact solution, tandem axle and wide off-road tyres ensure good off-road capability and passage, giving accessibility to places where oversized equipment does not allow access. The load surface with a capacity of 1.35 cbm, with removable extenders, can be used for transporting loads with a mass of 1000 kg. A base frame for a water tank with watering pipe is available as an accessory that can be used for placing a standard IBC container on the trailer.

- · Load capacity 1000kg
- Tandem axle / 4 wheels
- Off-road tires 22x11-8"
- Tiltable cargo box with manual winch fitted crane
- Removable front and back hatches
- Removable cargo box extenders (+ 300mm
- Cargo box dimensions are 1750 x 1250 x 850mm

Product	Code
Trailer ECO 1000	38.0000
Accessories	Code
Carrier frame for water tank	38.1000
IBC Container 1000 L (IBC container)	38.2000
Pullbar extension / Swivel hitch	40.3000
Adjustable support leg	61.3000







TRAILER ECO 1500 3-WAY



The ECO 1500 3-WAY tiltable hydraulic trailer is a high-capacity, 1500 kg platform trailer to use with light tractors and off-road vehicles. The high ground clearance of the trailer and the wide all terrain tires ensure good accessibility and off-road capability. The hydraulically three-way tiltable – to back and to left & ride side - carrier and removable hatches allow the platform trailer to haul and tilt various materials to a suitable location. The power supply for the tilting hydro-electric power station (supplied) comes from the vehicle's electrical system or from a separate battery (not included) installed to the trailer.

- Load capacity 1500 kg
- Tandem axle with four wheels
- Off-road Tires 22x11-10"
- 360° swivel hitch coupler
- Cargo box is hydraulically tiltable three-way
- Removable side and tailgate
- Cargo box dimensions 2000 x 1300 x 400mm

Product	Code
Trailer ECO 1500 3-way	62.10000
Accessories	Code
Adjustable support leg with a wheel	62.0050
Cargo box extensions	62.1000







BALE TRAILER



The compact design of the hay bale trailer and wide off-road tyres ensure good passage, off-road capability, for smaller jobs around the property, allowing the fast and easy transportation the bales of hay from fields to a storage or direct to animal stables, barns and feeding places. Trailer makes no notable damage to the terrain of fields and is easily maneuverable between trees, over ditches, through narrow or low doorways and in tight indoor spaces allowing access to places outside the reach of larger rigs.

The bale is loaded by backing the trailer to the roll, lowering the spikes using the manual winch, backing the trailer spikes into the roll and using the winch again to lift the bale. Unloading is just as simple and only requires lowering the bale with the winch and driving away.

The trailer can be pulled by all vehicles fitted with a 50mm/2" hitch ball. The trailer can also be pulled by a lawn tractor or other pin connection vehicles when fitted with a coupling eye (22.050S) provided as an accessory.

Product	Code
Bale trailer	43.0000
Accessories	Code
Towing eye 360 degree turning for pin type hitch	22.050S
/ Lane	



SWEEPER COLLECTOR



Sweeper Collector is an easy to use paddock cleaner, the perfect tool to keep the paddocks free of horse droppings but also great to clean/collect the dead grass, leaves, woodchips or cut grass. Sweeper brushes/bristles have grooming effect on the grass surface, keeping the grass fresh and healthy looking.

The sweeper is powered by an efficient 6.5hp Vanguard engine, rotary broom is fitted with durable OMNILINE polypropylene brushes/bristles, designed to operate in all different kind of cleaning conditions. Large capacity roll-over hopper collects up to 0.75m³ of material (220kg max load) and is very easy to empty with the aid of the winch, after which the well-balanced hopper returns into a working position automatically itself. Adjustable height spring tines rake helps to pre-loosen and spread the hardened/dry droppings etc. before the collection by the brushes to ensure clean result after.

Working height of the brushes is manually adjustable by default but the electric-hydraulic working height adjuster is also available as an option, allowing comfortable adjustments when operating the tool without leaving the seat. Sweeper/collector tool is an ideal product for private horse owners and small animal farms and zoos, equestrian centers, horse riding schools as well as the public area (parks, city streets, etc.) maintenance and facility management companies.

Sweeper Collector is a tow behind tool that installs to an ATV, UTV or any other vehicle with 50mm (2") ball type hitch fitted, makes the cleaning of large areas like paddocks, parking lots or parks quick and easy.





- Capacity (collector) 0.75m3/max 220kg
- Working width 1200mm
- B&S Vanquard 6.5hp engine
- Replaceable OMNILINE polypropylene bristles
- Spring tine rake before the brushes to pre-loosen bigger pieces or hardened material for easier collecting
- Height adjustment with manual lifting mechanism or electro-hydraulic cylinder (optional)

Product	Code
Sweeper collector	78.0000
Accessories	Code
Electro-hydraulic cylinder KYB/JDR	70.1000 / 70.500
Cable kit (1-cylinder control)	70.2500
Spare parts	Code
Brush strip 1200m (1 broom contains 4 brush strips)	OT.22.03.010





FLAIL MOWER



A sturdily constructed, towable flail mower for mowing large lawns, meadows or roadsides. Mowers with different engine versions are available, depending on expected work conditions. Lower powered (13hp-15hp) versions are foremost meant for mowing smaller areas and shorter grass on regularly maintained fields and areas. We recommend mowers with diesel engine and larger V2 gasoline engines for larger areas, thicker and wilder grass and uneven surfaces. The mowers are fitted with Y-blades intended for mowing / rough cutting the thicker wilder grass by default. Hammer blades are available as an accessory and are suitable for mowing regularly maintained grounds with shorter grass.

- Working width 1150mm
- Cutting height 0–120mm
- Operating speed 2–10 km / h
- Easy to adjust cutting height
- Adjustable working position (behind the vehicle or offside to the sideways)
- Anti scalp rear roller to prevent cutting blades penetrating into ground on uneven surfaces
- Y blades for thicker grass or hammer blades for lawn mowing

Product	Code
Flail mower 13hp (Honda GX390)	27.1000
Flail mower 14hp (B&S XR2100)	27.4000
Flail mower 14hp (Loncin G420F)	27.2000
Flail mower 14hp (B&S XR2100) with electric starter	27.8000
Flail mower 18hp (B&S V-Twin Vanquard, HEAVY DUTY)	27.3000
Flail mower 18hp (B&S V-Twin Vanquard with electric starter, HEAVY DUTY)	27.5000
Flail mower DIESEL (Loncin D460F with electric starter, HEAVY DUTY)	27.7000





Spare parts	Code
Y blades (Complete set) (56 blades, bolts, nuts, washers, bushes)	27.026
Hammer blades (Complete set) (28 blades, bolts, nuts, washers, bushes)	27.027
Y-blade, 1 pc	27.001
Hammer blade, 1 pc	27.002
Centrifugal clutch 1", set	27.003
Centrifugal clutch 25mm, set	27.003B
Centrifugal clutch 1" HEAVY DUTY	27.003HD
Toothed belt BX41,5 Li1060	27.013A
Belt tensioner wheel, set	27.006
Wheel & Tyre 16,5x6,5, 1pc	27.008
Bearings for rotor UC207 RH/LH with housing, set	27.012
Bearing set for rear roller UC205 with housing, set	27.019
Tension spring, 1pc	27.020
Axle sleeve, 1pc	27.021
Wheel holder, 1pc	27.007
Stone guards, set	27.009
Height adjust handle, set	27.010
Hub cap, 1pc	27.015
Plastic cap (wheel protection tube), 1pc	27.030









GRADER / ROAD SCRAPER



A towable road scraper for gravel road levelling and surface planning. Road scraper is equipped with a frame for a 600x800mm pallet on to which a ballast weight can be placed - stones, sandbags etc. The transportation and working height positions are easily adjustable using support wheels. Electric or hydraulic control sets are available as accessories, these allow for the road scraper to be set into the transportation position without leaving the driver's seat.

- Working width 1800mm
- Double-sided toothed blade
- Frame for mounting ballast weight
- Adjusting in between transport and working position via support wheels
- Optional 12V DC electric or hydraulic height adjustment from driver's seat


Product	Code
Grader / Road scraper	44.0000
Spare parts	Code
Blade (steel S355, 10mm)	44.1017
Blade (Hardox 400, 8mm)	44.1017A



ELECTRO-HYDRAULIC CONTROL

Further information on electro-hydraulic cylinders see page 88–89.

Electric control	Code
Adjustable towbeam	71.5000
Cylinder KYB/JDR	70.1000 / 70.500
Cable set (1-cylinder control)	70.2500



HYDRAULIC CONTROL

Further information on Hydraulic power unit see page 86-87.

Hydraulic control	Code	
Adjustable towbeam	71.5000	
Hydraulic Power Unit	71.0000	
Hydraulic cylinder with hoses	71.5100	
		HYDRAULIC POWER UNIT (71.0000)
		CYLINDER WITH HOSES (71.5100)
	A AN	01 <u>2</u> 1112 <u>2</u> 11 11111111223 (7110100)
		?
	Transport of the second	
	THE PARTY OF THE P	
	The state of the s	
ADJUST	ABLE TOWBEAM	
(71.5000		47
	R / ROAD	
SCRAPE	R (44.0000)	



DRAG HARROW



A harrow for breaking up soil or planning the surface. It is suitable to use with ATV and UTV off-road vehicles, small tractors or lawn tractors. Cutting or smoothing work position according on to which side down the harrow is pulled.

- Working width 1200mm
- Working depth 100mm
- Wire diameter 12mm
- Cutting or smoothing working position

Product	Code
Drag harrow	59.1000










LEVELER



A leveller is a simple steel net piece of equipment for levelling and planning large areas. It is suitable to use with ATV and UTV off-road vehicles, small tractors or lawn tractors. The leveller is suitable for preparing fields, lawns and prior- or post-processing the soil when seed planting. It is also suited for levelling light gravel and sand beds.

- Working width 1500mm
- Frame for mounting extra weight

Product	Code
Leveler	59.2000









FLIP OVER DISC



A disc harrow with a simple and strong construction for breaking up turf and weeds, as well as other soil-improving works. The transportation and working position are switched in between by turning the disc cultivator around. It is possible to add extra weight for ballast (sandbags etc.) to improve work effectiveness / cutting depth of the discs. The disc harrow is suitable to use with ATV and UTV off-road vehicles, small tractors or other vehicles fitted with a 50mm / 2" hitch ball.

- Working width 1500mm
- Working angle of 20 degrees
- Cutting depth 150–180mm
- Adjustable drawbar height (3 positions)
- Spherical discs 460mm in diameter (8 discs)

Product	Code
Flip over disc	51.1000





ATV TANDEM DISC

QUADIVATOR

The tandem disc harrow is an effective tillage tool for use in small and medium-sized agricultural production. The disc harrow is light and easily manoeuvrable, which makes it well suitable for wet or boggy ground and tight areas. The cut depth is adjusted with a manual lifting mechanism fitted by default or a 12V electrical cylinder available as an optional accessory. The tandem disc harrow can be used with vehicles equipped with a 50mm / 2" hitch ball or coupled to small tractors and other vehicles with pin type hitch connections.

- Working width 1200mm
- 340mm spherical discs (8 + 8 discs)
- The drawbar position is adjustable to match your vehicle hitch height
- Hitch coupler for 50mm hitch and eye for pin type hitch connection
- Working depth adjustment with manual lift mechanism (default) or electric cylinder (optional)

Product	Code	
ATV Tandem disc	64.0000	
Accessories	Code	
Electric lift kit 12V with switch and power cable	63.200	
	TOP	



CULTIVATOR

QUadovator

A multifunctional tool for different agricultural and landscaping works. The cultivator is light and easy to manoeuvre, which makes it well suited to wet and boggy ground as well as in tight areas. The working depth is adjusted with a manual lifting mechanism (fitted by default) or a 12V electrical cylinder installed as an optional accessory. The cultivator can be pulled by all vehicles equipped with a 50mm/2" hitch ball or coupled to small tractors and other vehicles with pin connections. Different accessories are available that expand the possibilities for different jobs of the cultivator unit.

- Working width 1200mm (1500mm with extensions)
- Working depth 150mm
- Leveling rake with spring tines
- Adjustable S-shaped tines (3 rows / 7pcs)
- The drawbar position is adjustable to the height of the vehicle

Product	Code
Cultivator "The Quadivator"	63.0000
Accessories	Code
Electric lift kit 12V with switch and power cable	63.200
Tandem disc assembly	63.1000
Hilling Moldboards	63.3000
Potato digger	63.4000
Cultivator extensions, pair	63.5000
Box scraper / Leveler	63.6000
Barb wire dispenser	63.7000
Lawn irrigation plow	63.8000
Lawn Aerator (spike roller)	63.9000
Lawn Roller	63.10000

TANDEM DISC ASSEMBLY

Ideal for use in heavy weed-infested or high stubble/trash areas, and for disking autumn garden vegetation.



POTATO DIGGER

Potatoes or other vegetables ride up the adjustable fingers to the surface for an easy harvest.



BARB WIRE DISPENSER

Dispenses 2 rolls of barb wire at a time. Its unique design prevents the spools from freewheeling.



LAWN IRRIGATION PLOW

Install up to 1" irrigation pipe or wire, fast and effectively. This uniquely designed plow cuts with minimal sod damage.



HILLING MOLDBOARDS

A set of two blades straddles the rows to form hills for your potatoes, corn, etc.



CULTIVATOR EXTENSIONS

Extends the working width by 300mm.



BOX SCRAPER / LEVELER

Ideal for maintaining driveways, arenas, beaches, or other landscaping chores.



LAWN ROLLER

Fill with water to provide the right weight for creating a smooth and even surface.



LAWN AERATOR

Water filled Aerator. The drum spikes easily penetrate the toughest ground to create a healthier lawn.





UTV CULTIVATOR



Larger size cultivator for use in small and medium-sized agricultural production. The working depth and transporting position are adjusted with a manual lifting mechanism (fitted by default) or a 12V electrical cylinder installed as an optional accessory. Suitable to use with a UTV / side by side vehicles and larger ATV-s, small tractor or other vehicles equipped with a 50mm hitch ball.

- Working width 1800mm
- Working depth 150mm
- Spring cage leveling rail (optional)
- Adjustable S-shaped tines (3 rows / 12pcs)
- The drawbar position is adjustable to the height of the vehicle
- Pull lock for working depth limit

Product	Code
UTV Cultivator	66.0000
Accessories	Code
Electro-hydraulic cylinder KYB	70.1000
Electro-hydraulic cylinder JDR	70.500
Cable set (1-cylinder control)	70.2500
Leveling rake	66.1000
Leveling rake	66.1000





UTV TANDEM DISC

Larger, high efficiency tow behind tandem disc unit with spherical discs for breaking up dried grass, turf and other soil cultivation tasks. Discs can be adjusted to 5 different angled positions for cutting and mixing the soil. The working depth and transporting position are adjusted with a manual lifting mechanism (fitted by default) or a 12V electrical cylinder installed as an optional accessory. Suitable to use with a UTV / side by side vehicles and larger ATV-s, small tractor or other vehicles equipped with a 50mm hitch ball.

- Working width 1800mm
- 425mm spherical discs (10 + 10 discs)
- Adjustable blade working angle (10-23 degrees)
- The drawbar position is adjustable to the height of the vehicle hitch
- Pull lock for working depth limiting

Product	Code
UTV tandem disc	67.0000
Accessories	Code
Electro-hydraulic cylinder KYB	70.1000
Electro-hydraulic cylinder JDR	70.500
Cable set (1-cylinder control)	70.2500
Weight Kit set 46kg	67.2000



UTV HARROW

QUADIVATOR

Sturdily constructed tool for high efficiency tillage. The harrow has three individual sections that cut into the ground, forming a work width of total 3600 mm, whereas when folded together into the transport position, the harrow has a total width of 1500 mm. The working depth and transporting position is adjusted with a manual lifting mechanism (fitted by default) or a 12V electrical cylinder installed as an optional accessory. Suitable to use with a UTV / side by side vehicles and larger ATV-s, small tractor or other vehicles equipped with a 50mm hitch ball.

- Working width 3600 mm (3x1200 mm)
- Transport width 1500 mm
- Cutting depth 100 mm

Product	Code
UTV Harrow	59.3000
Accessories	Code
Electro-hydraulic cylinder KYB	70.1000
Electro-hydraulic cylinder JDR	70.500
Cable set (1-cylinder control)	70.2500



LANDSCAPE RAKE

A landscape rake for tillage and planning the surface. Suitable for planning driveways and parking lots, the maintenance of riding grounds and animal shelters and for raking off the larger stones off the field. The working depth and transporting position is adjusted with a manual lifting mechanism (fitted by default) or a 12V electrical cylinder installed as an optional accessory. Suitable to use with a UTV / side by side vehicles and larger ATV-s, small tractor or other vehicles equipped with a 50mm hitch ball.

- Working width 1800mm
- Tine height 380mm
- Heat treated steel spring tines 380mm high (36pcs)
- 5 pivoting positions to adjust the working angle (-30 / -15 / 0/15/30)
- Rear mounted wheels have pinned axles allowing 4 different mounting positions on both sides, allowing to adjust the rake offset / diagonally to ground

Product	Code
Landscape rake	69.0000
Accessories	Code
Electro-hydraulic cylinder KYB	70.1000
Electro-hydraulic cylinder JDR	70.500
Cable set (1-cylinder control)	70.2500



TWO-BOTTOM PLOW QUADLUATERS

This towable plow with two one-sided blades is a professional agricultural tool for virgin soil or conventional plowing.

The plow has many settings. The position, work height, cutting angle and the drawbar position can be set, depending on the traction unit and plowing conditions. It is possible to set the position of the supporting wheels such that one wheel is in the furrow. It is possible, when plowing virgin soil, to place soil cutting disks in front of the blades and in the case of harder surfaces, it is possible to fix additional weight to the plow to ensure a better plowing result. The setting of the transportation position and work depth is done with a manual lifting mechanism or a 12V electrical cylinder installed as an accessory.

Suitable to use with a UTV / side by side vehicles and larger ATV-s, small tractor or other vehicles equipped with a 50mm hitch ball.

- Plowing width 300mm
- Adjustable furrow depth
- Exchangeable plow blades
- The drawbar position is adjustable according to the height of the traction unit
- The position of the plow is adjustable according to the traction unit track
- The position of the supporting wheels is adjustable for riding in the furrow
- Adjustable soil cutting disk





Product	Code
UTV Two-bottom plow	68.0000
Accessories	Code
Electro-hydraulic cylinder KYB	70.1000
Electro-hydraulic cylinder JDR	70.500
Cable set (1-cylinder control)	70.2500
Weight Kit set 46kg	67.2000











TIMBER TRAILER IB 1000



The IB 1000 is a compact timber trailer to use with small tractors or ATV / UTV off-road vehicles. The compact solution, tandem axle and wide off-road tyres ensure good off-road passage, allowing access to areas not accessible with larger vehicles. The adjustable length of the trailer allows for transporting logs up to 3 metres long. The timber trailer has rotatable and easily removable bolsters, which significantly simplifies the loading and unloading of the carriage.

Install a crane on the trailer to simplify the loading works. The telescopic support legs will keep the trailer securely on the ground, even when loading and unloading a larger log. It is possible to adjust the length and height of the crane boom according to requirements. The IB 1000 crane can be fitted with electric winch that helps to pull the logs in when loading the carriage.

It is possible to add, as an accessory to the trailer, an 860L volume cargo box with removable height extensions on the sides and front and rear hatches, as well as a manual or electrical winch powered tilting crane solution.

- Load capacity 1000kg
- Crane lifting capacity 300kg
- Tandem axle with four wheels
- Off-road Tires 22x12-8"
- 360 ° swivel hitch
- Adjustable support
- Adjustable trailer length
- Foldable and removable log bolsters

Product	Code
Timber trailer IB 1000	23.0000
Accessories	Code
Cargo box	23.2000
Crane	23.3000
Electric winch kit	23.3100
Manual winch set (for cargo box crane)	OT.13.01.010
Lifting tongs / log grapple	23.3070
Lifting Crane for cargo box	23.4000
Additional log bolsters, pair	23.1050S





TIMBER TRAILER COMBO 1000 ECO



A multifunctional trailer for transporting logs, with additional accessories the trailer may also be used as a road scraper, boat trailer, water container or other goods carrier. A tandem axle and wide off-road tyres ensure good off-road passage allowing access to places often not accessible with larger vehicles...

- Load capacity 1000kg
- · Tandem axle with four wheels
- Off-road Tires 22x12-8"
- 360° swivel switch
- Rotatable and removable log bolsters

Product	Code
Timber Trailer COMBO 1000	79.1000



Accessories	Code
Cargo box	39.1000
Crane	79.2000
Electric winch kit	23.3100
Manual winch kit	OT.13.01.010
Boat carrier frame	79.3000
Road grader	79.5000
Water tank carrier frame	38.1000
Water tank 1000L (IBC container)	38.2000
Log support	79.2200
Log grapple / lifting tongs	23.3070
Log Bolsters, an extra pair	79.4000
Accessories box	79.7000
Adjustable support leg	61.3000



CRANE

Lifting capacity 150kg Boom length 1200 ... 2200mm Adjustable boom height Adjustable support leg





CARGO BOX

Dimensions 1950x1000x550mm Removable front and rear hatches



ROAD GRADER

Using the crane to adjust transport and working positions.
Working width 1500mm

BOAT CARRIER

Adjustable roller frame for towing a boat up to 4.5 meters. Comes with a hand winch for loading



WATER TANK CARRIER

Carrier frame for a standard 1000L IBC container. Spray bar with piping for road watering included



LOG SUPPORT

Crane boom-mounted support frame to facilitate log loading





LOG BOLSTERS

Additional pair of log bolsters for shorter log transport



SUPPORT LEG

Adjustable support leg Capacity 300kg



LIFTING TONGS / LOG GRAPPLE

Lifting tongs for moving logs up to 350mm in diameter



Load capacity 725kg Steel wire 5mm x 10m





ACCESSORIES BOX

Accessory box with a chain saw holder, mounted on the log guard grille



ELECTRIC WINCH

Load capacity 1134kg Synthetic rope 5mm x 10m



LOG HAULER



The log hauler hitched to an ATV, UTV or any other kind of off-road vehicle forms a light and compact, easy-to-use transportation solution which can be used for hauling long logs out of the woods. It is easy to manoeuvre between trees and pass through wet areas and ditches with it towed behind the off-road vehicle and haul the logs out from areas where access with larger and heavier vehicles is restricted or would be more difficult.

A wheeled rear support allows to lift the rear end of the log so that it can be transported cleanly, without damaging the forest ground with the dragging log and without further damages to the log itself. The logs can be pulled and lifted clean into the hanging position with the choice of either a manual or electrical winch set.

The log hauler set includes a hanging system for transporting logs with a larger diameter. A rotating carrier frame for smaller logs is available as an additional accessory. The carrier frame is for loading the smaller logs, branches, brush etc.

- Load capacity 500kg (1000kg combined capacity with the rear support used)
- Strong, rigid steel square tube frame 50 x 50 x 3 mm construction.
- Maximum log diameter 50 cm / 20"
- Off-road Tires 22x12-8"
- 360 ° swivel hitch
- Hand winch or electric winch option to pull logs out of the forest
- Chains for hanging logs and carabiners for fastening
- Optional rotating carrier frame for transporting smaller logs
- Optional rear support

Product	Code
Log hauler	31.0000
Rear support	31.5000



Accessories	Code
Electric winch kit	31.3000
Manual winch kit	31.4000
Rotating carrier frame	31.6000



HAND WINCH

Pull force 725kg Steel wire 5mm x 10m



ELECTRIC WINCH

Pull force 1134kg Cord 5mm x 10m



ROTATING CARRIER FRAME

For transporting smaller logs or twigs



KINETIC LOG SPLITTER



The kinetic log splitter is an effective tool for splitting many logs rapidly, either for one's own use or also for commercial aims. The rotating flywheels provide enough inertia to chop logs up to 610mm long and with a diameter of 750mm in 3 seconds, using generated force of 34 tons. The automatic ram / wedge retraction system leaves your hands free ensuring quick loading and allows for splitting wood up to 10 times faster than with any conventional hydraulic log splitter.

Product	Code
Kinetic log splitter	75.0000

- Max force 34 tons
- Quick working cycle of just 3 seconds
- Maximum length of wood 6010mmHeight of splitting wedge 200mm





WOOD CHIPPER



The wood chipper is an ideal assistant for making chips out of branches and trees with smaller diameters that can be used for covering pathways, for mulch, heating or other uses. The compact size of the chipper ensures that, coupled to an off-road vehicle, it is easy to manoeuvre between trees and other difficult to access places without damaging the surface. This makes it suitable for smaller forestry works as well as for the maintenance of parks and real estate.

- Productivity 4-6 cbm/h
- Wood max diameter 120mm
- Engine 14hp (B&S 2100 XR Series)
- 360 ° swivel turning ejection tube

Product	Code
Wood chipper	76.0000
Spare parts	Code
Belt	76.0001
Clutch kit	76.0002
Cutting blades kit	76.0003





LEAF VACUUM



The leaf vacuum trailer is for personal, domestic use or public, communal service providers to clean and maintain the yards, parks, squares and roads from leaves, to collect grass, litter etc. The equipment allows quick and easy cleaning of large areas by collecting the leaves or mowed grass into the trailer's cargo box and transporting them to the desired location for unloading.

The leaf vacuum is equipped with a reliable 6hp Briggs & Stratton engine that is used to run a durable turbine 4 blade impeller made from Hardox 400 steel, with a productivity of $70\text{m}^3\text{/h}$. The product is equipped with a suction tube with a diameter of 180mm and a length of 3.5m, with a light and convenient wheeled nozzle.

The product set consists of the BASIC 500 (61.1000) modified trailer and the leaf vacuum module (81.2500) attached to it. The leaf vacuum module (vacuum, load surface grille, PVC cover) is easy to install onto the trailer and can easily be removed for the off-season period so that the trailer may be used for other purposes as well if desired.

- Cargo box capacity 1.2m³
- Vacuum productivity 70m³/min
- Load capacity 500kg
- Engine 6hp Briggs & Stratton
- Off-road tires 22x11-8"
- Flexible suction tube diameter 180mm / length 3.5m
- Oils and biological acids resistant suction tube materials
- Tiltable cargo box
- Removable PVC cover and hatches
- Adjustable support leg



Product	Code
Leaf Vacuum Trailer	81.2000





HYDRAULIC POWER UNIT



The compact, electric motor-powered hydraulic unit is for ATV / UTV coupling devices. The hydraulic station has two ¼" quick release hydraulic couplers, to which it is possible to attach cylinders for turning and lifting the snow plow, controlling the bucket or setting the working positions of other coupled equipment. The unit is controlled via a radio remote control which can be mounted to the vehicle's control panel or any other convenient location using the supplied mounting bracket. The electrical power for the equipment to be taken from the electrical system of the vehicle.

- Productivity 2.8 I / min (0.45cm3 / rev)
- Operating pressure 120 bar
- Motor 500W / 12V DC
- Oil tank 1 liter

Product	Code
Hydraulic Power Unit	71.0000
Hydraulic cylinder & hoses sets	Code
Hydraulic hose extensions 3500mm	71.100
Hydraulic cylinder with hoses 250/1400	71.3100
Hydraulic cylinder with hoses 250/1600	71.5100
Hydraulic cylinder with hoses 178/1400	71.10000



Usage places

Standard plow turning and lifting, page 21

V-plow turning, page 30

Bucket lifting / tilting, page 32-33

Adjusting the working position of the grader, page 61

Trailer IB-165 cargo box tilting, page 47–49



HYDRAULIC CYLINDER WITH HOSES 250/1400

- Cylinder diameter 32mm
- Mounting size min 380mm
- Cylinder stroke 250mm
- Hose length 1400mm

Mid-mount and front-mount system plow turning.

V-plow G2 1800 Blade turning.

Mid-mount, front-mount and V-plow system plows and buckets lifting $\slash\,$ suppressing



HYDRAULIC CYLINDER WITH HOSES 250/1600

- Cylinder diameter 32mm
- Mounting size min 380mm
- Cylinder stroke 250mm
- Hose length 1600mm
- Quick connection 1/4 "

Adjusting the working and transport position of the grader.



HYDRAULIC CYLINDER WITH HOSES 178/1400

- Cylinder diameter 32mm
- Mounting size min 300mm
- Cylinder stroke 178mm
- Hose length 1400mm
- Quick connection 1/4 "

V-plow G2 1500 blade turning.



HYDRAULIC HOSE EXTENSIONS 3500MM

- Hoses length 3500mm
- Quick connection ½ "





ELECTRO-HYDRAULIC CYLINDER

Compact electro-hydraulic cylinders are intended for exterior use, for setting the work and transport positions of different products. The product can easily be transferred from one piece of equipment to the other. The 12V DC power it requires to operate, taken from the electrical system of the vehicle. The selection includes KYB (Japan) and JDR (China) cylinders as well as different sets of control panels with power cables.

- Pull force 1800lbs (816kg)
- Cylinder rod diameter 20mm
- Mounting eye diameter 16mm
- Mounting gap min 380mm
- Stroke 250mm
- Power supply 12V DC

Product	Code	
Electro-hydraulic cylinder KYB	70.1000	
Electro-hydraulic cylinder JDR	70.500	
Accessories	Code	
One cylinder control kit	70.2500	
Two cylinder control kit	70.2600	
Usage places		
Standard plow turning and lifting, page 22		
Adjusting the working position of the grader, page 61		
Trailer IB-165 cargo box tilting, page 47–49		
Adjusting the working position of Quadivator products, page 68–73		



KYB MMP4-B1B250BB-DHR



JDR FY023-250



ONE CYLINDER CONTROL KIT

Control panel set with power cables and mounting devices for controlling one electro-hydraulic cylinder.



TWO CYLINDERS CONTROL KIT

Control panel set with power cables and mounting devices for controlling two electro-hydraulic cylinders.





HITCH RECEIVER RACK

B

The hitch receiver rack is an easy to use accessory for transporting trimmers, shovels, rakes or other tools. The product can easily be attached to vehicles with a $50 \, \text{mm} / 2$ " hitch receiver. The rack set includes 2 quick-release clamps that can be used for attaching tools with diameter up to $50 \, \text{mm}$ and weight up to $20 \, \text{kg}$ to the rack. The adjustable height of the rack and $10 \, \text{different}$ positions for installing the quick release clamps allows transporting the tools with different lengths and shapes. The set additionally includes, attached to the rack, a steel wire basket ($468 \times 268 \times 342 \, \text{mm}$) that can be used for transporting a petrol canister or other similar goods.

Product	Code
Hitch receiver rack	14.10870
THE THE CONTROL OF TH	14.10070



CHAINSAW HOLDER



A universal adjustable chain saw holder that is easy to install and remove. The holder, made from durable plastic, has a socket that fits most sizes of chain saw guide plates and does not damage the chain. The chainsaw holder can be attached to the front or rear rack of an ATV or UTV or to other vehicles equipped with a suitable tubular mounting point using U-clamps. The universal bolt connection version is ideally suited for attaching to trailer cargo boxes or cases etc.

Product	Code	
Chainsaw holder (universal connection)	14.7000	
Chainsaw holder (bolted connection)	14.7200	



QUICK RELEASE CLAMPS

B

Universal quick-release clamps for fastening tools with a diameter up to 50mm. The product selection includes clamps for tubular material racks or versions with an anchor connection for attaching to CFMOTO and POLARIS or mounting hole diameter and depth.

Product	Code
Quick release clamps (frame connection)	14.10850
Quick release clamps POLARIS (anchor connection 25mm)	14.10860
Quick release clamps CFMOTO (anchor connection 22mm)	14.11050

TUBULAR FRAME CONNECTION

For installation on round products up to 26mm in diameter







TIE DOWN ANCHOR (POLARIS)

For installation in openings with a diameter of 25 ... 30mm







TIE DOWN ANCHOR (CFMOTO)

mounting on CFMOTO plastic lock & ride luggage racks. Mounting hole 22mm





ECCENTRIC CLAMP



Eccentric clamps with anchor connection for attaching accessories to POLARIS or CFMOTO luggage racks.

Product	Code
Eccentric clamp POLARIS (anchor connection 25mm)	14.10000
Eccentric clamp CFMOTO (anchor connection 2mm)	14.11000



1

ECCENTRIC CLAMP (POLARIS)

For installation in openings with a diameter of 25 ... 30mm

ECCENTRIC CLAMP (CFMOTO)

mounting on CFMOTO plastic lock & ride luggage racks. Mounting hole 22mm

WINCH ROPE FAIRLEAD



Aluminum alloy winch synthetic rope slider for mounting on winches with a pulling power up to 3500lbs. Mounting hole spacing 124mm.

Dimensions 160x55mm

Product	Code
Winch rope fairlead	14.001



LOADING RAMPS

Aluminium foldable loading ramps Load capacity 550kg / pair Length 2200mm Width 280mm

	d
Loading ramp 01.50	00



BED WALL EXTENDERS



Bed wall extenders ensure stability and safety, even in case of higher loads. The front part of the extender has a steel net heightened safety barrier that protects the driver from possibility of shifting loads in the case of sharp braking or accidents.

BRP Can-Am	Code
Bed wall extender Can-Am Outlander 6x6	14.10700
Polaris	Code
Bed wall extender Polaris 6x6 BigBoss 800	14.8000
Bed wall extender Polaris 6x6 BigBoss 570	14.10600



FRONT PROTECTIONS



The aluminum alloy front cover provides extra protection to the front of the ATV and reduces the impact damages of plastic parts, lights, radiator, etc. in the event of a collision

СFМОТО	Code
CFORCE 850 / 1000	09.800
Kawasaki	Code
KVF 650 Rigid	09.700
KVF 650/750 BruteForce	09.700
Yamaha	Code
550 Grizzly	09.300
700 Grizzly (-2015)	09.300



CAN-AM G2 RENEGADE LUGGAGE RACK



The luggage rack, constructed for Can-Am Renegade models, consists of a 15mm thick plastic grille with a carrier frame made from strong aluminium alloy. This setup forms a light rack kit that is still extremely durable. The rack is suitable for all Can Am G2 Renegade models and is attached to the ATV using four bolts. It is possible to attach additional accessories, such as the Iron Baltic universal baskets and cases to the rack.

BRP Can-Am	Code
Renegade G2 500/570/800/850	14.1200



EQUIPMENT BOX



The steel made equipment box with a universal design solution is for installation on POLARIS SPORTSMAN models but is suitable for attaching to front and rear racks of other ATV models as well. The product's separating inner walls have adjustable locations and the bottom is covered with a rubber that prevents slipping. The box is attached to the rack using U-clamps that come with the set or with eccentric clamps that can be ordered as an additional accessory.

The equipment box can be ordered, if desired, together with the universal chainsaw holder. The holder, made from durable plastic, has a socket that fits all sizes of saw chain quide plates.

A PVC cover for the equipment box, which protects the box contents from rain, snow or dirt, is available as an optional accessory.

Product	Code	
Equipment box	56.5000	
Equipment box with chainsaw holder	56.6000	
Accessories	Code	
PVC cover	56.5100	
Eccentric clamp POLARIS	14.10000	
Eccentric clamp CFMOTO	14.11000	

FRONT AND REAR BASKETS



Steel net baskets that attach to the front and rear racks provide significant additional space for transporting goods. The baskets are attached using the U-clamps that are included with the set or using eccentric clamps that can be ordered as an accessory.

Product	Dimensions (mm)	Code
Front basket	920x440x160	56.7100
Rear basket	1040x750x160	56.7200
Rear drop basket	1050x680x320	56.8000
Accessories		Code
Eccentric clamp POLARIS (anchor connection 25mm)		14.10000
Eccentric clamp CFMOTO (anchor connection 22mm)		14.11000



CARGO BOXES



The plastic (HDPE), weatherproof boxes with lockable lids are attached to the rear rack. The boxes are attached using the U-clamps that that are included with the box or using eccentric clamps that can be ordered as an optional accessory.

Product	Dimensions (mm)	Code
Cargo box 8015	870x520x340	56.2000
Cargo box 8030	970x550x400	56.3000
Cargo box 8050	1000x540x380	56.11000
Accessories		Code
Eccentric clamp		14.10000
(anchor connecti	ON 25MM)	

CARGO BOX 8015





CARGO BOX 8030





CARGO BOX 8050





MODEL SPECIFIC MOUNTING KITS





FRONT-MOUNT ADAPTERS

Model specific adapters for mounting front-mount system.



FRONT WINCH MOUNTING KITS

Model specific adapters for "WARN" or "Bronco" type of ATV winches with mounting pattern of 76x124mm



HITCH BALL MOUNTING KITS

Model specific reinforced design rear hook adapters. Most kits include a 50 mm hitch ball and a 16mm pin connection.



MID-MOUNT ADAPTERS

Model specific adapters for mounting mid-mount system.



REAR WINCH MOUNTING KITS

Model specific adapters for "WARN" or "Bronco" type of ATV winches with mounting pattern of 76x124mm



LIFT CYLINDER ADAPTERS

Model specific adapters for installing hydraulic and electro-hydraulic cylinders for up-down movement of plows, push brooms and buckets.

MODEL SPECIFIC MOUNTING KITS

Access	Mid-mount adapter	Front-mount adapter	Front winch mount	Rear winch mount	Hitch-ball mount	Lift cylinder adapter
AX 700	03.4400					
AX 600/700/800 U/UL	03.4400	03.10900		05.9	05.9400	
Arctic Cat	Mid-mount adapter	Front-mount adapter	Front winch mount	Rear winch mount	Hitch-ball mount	Lift cylinder adapter
500/550/700	03.4600			05.5100		
550/700 Limited	03.4600			05.5100		
Alterra 550 / 700	03.8000	03.8100		05.7800	15.1400	71.9000
1000 XT	03.4500			05.5100		
TRV 500 / 550 / 700	03.4200			05.8000		
TRV 1000	03.4200			05.8000		
BRP Can-Am	Mid-mount	Front-mount	Front winch	Rear winch	Hitch-ball	Lift cylinder
Outlander G1	03.1500		02:800	05.3000	15.300	71.3000
Outlander G1 MAX	03.1500		05.800	05.3000	15.300	71.3000
Outlander G2 L	03.3500.	03.9900		.0005.20	15.1900.	71.3000
Outlander G2 L MAX	03.3500.	03.9900		.0005.20	15.1900.	71.3000
Outlander G2	03.3500	03.6300		05.5000	15.1900	71.3000
Outlander G2 MAX	03.3500	03.6300		05.5000	15.1900	71.3000
Outlander X MR	03.3500	03.6300		05.5000	15.1900	71.3000
Outlander 6x6	03.3500	03.6300			15.1900	71.3000
Renegade G1	03.1500		05.1100	05.3000	15.300 (OE 2")	
Renegade G2	03.3500		05.4800	05.5000	15.1900 (OE 2")	
Renegade X MR	03.3500		05.4800	05.5000	15.1900 (OE 2")	
Commander (-2014)	03.3800					
Maverick (-2014)	03.4700		05.5600			
Traxter / Defender	03.8700	03.8600		05.7900	15.1900	

Cectek	Mid-mount adapter	Front-mount adapter	Front winch mount	Rear winch mount	Hitch-ball mount	Lift cylinder adapter
500 Gladiator	03.1600					
500 Quadrift	03.1600					
500 KingCobra	03.1600		05.4000			
CEMOTO	Mid-mount	Front-mount	Front winch	Rear winch	Hitch-ball	Lift cylinder
	adapter	adapter	mount	mount	mount	adapter
CFORCE 450/520-S	03.6600	03.6500 (narrow)		0089.60		
CFORCE 450/520-L	03.6600	03.6500 (narrow)		0069:50		
500-2	03.1800	03.6400	05.3600	02.4900	15.800	
500-2A	03.1800	03.6400	05.3600	02.4900	15.800	
CFORCE X5/X6	03.1800	03.6400				
CFORCE X5A/X6A	03.1800	03.6400				
CFORCE 550	03.6600	03.5900		05.6700		
CFORCE 600 (-2019)	03.6600	03.5900		05.6700		
CFORCE 600 (2020+)	03.11300	03.11400		02.9600	15.1400	71.10700
CFORCE 600 Touring (2020+)	03.11300	03.11400		02.9600	15.1400	71.10700
CFORCE 800/820 (X8)	03.3700	03.5900				
CFORCE 800 LUX (X8 LUX)	03.3700	03.5900				
CFORCE 850/1000	03.8500	03.8400		05.7700	15.1400	71.10400
ZFORCE 550 EX (Z5 EX)	03.5200			05.6300	15.1700	
ZFORCE 600 (Z6)	03.2900		05.3700			
ZFORCE 600 EX (Z6 EX)	03.5200		05.3700			
ZFORCE 800 EX (Z8 EX)	03.5200			05.6300	15.1700	
ZFORCE 1000	03.5200			05.6300	15.1700	
ZFORCE 1000 Sport	03.11700	03.11800*		05.9700	15.1300 / 15.1400	

					1 1	
UFORCE 550	03.4100				15.1300	
UFORCE 800	03.4100				15.1300	
UFORCE 1000	03.10000	03.10600*		05.9300	15.1300 / 15.1400	71.10300 + 71.7030
::-:-	Mid-mount	Front-mount	Front winch	Rear winch	Hitch-ball	Lift cylinder
Dinii	adapter	adapter	mount	mount	mount	adapter
600 Prime	03.2500			05.2500	15.100	
DL 700	03.2500			05.2500	15.100	
DL 702	03.2500			05.2500	15.100	
DL 702L	03.2500			05.2500	15.100	
DL 703	03.2500			05.2500	15.100	
DL 704	03.2500			05.2500	15.100	
COEC	Mid-mount	Front-mount	Front winch	Rear winch	Hitch-ball	Lift cylinder
	adapter	adapter	mount	mount	mount	adapter
520	03.1800	03.6800		05.4900	15.800	
520 MAX	03.1800	03.6800		05.4900	15.800	
525/625	03.1800	03.6800	05.5500	05.3400	05.3400	
525/625 MAX	03.1800	03.6800	05.5500	05.3400	05.3400	
725	03.4400					
UTX 520	03.3000					
Cobalt / Iron	03.6600	03.6800		05.7200		
Cobalt / Iron MAX	03.6600	03.6800		05.7200		
Hisun	Mid-mount adapter	Front-mount adapter	Front winch mount	Rear winch mount	Hitch-ball mount	Lift cylinder adapter
400						
700	03.3600					
Tactic 550/750 2-UP	03.9000	03.8900		05.8200		71.3000

Honda	Mid-mount adanter	Front-mount adanter	Front winch mount	Rear winch mount	Hitch-ball mount	Lift cylinder adanter
TRX 420 FA (-2013)	03.900		05.5400			
TRX 420 FE/FM (-2013)	03.900		05.5400		15.1100	
TRX 420 FA/FE/FM (2014+)	03.3200	03.6000 (narrow)	05.6100		15.1100	
TRX 420 FA6 (IRS)	03.3200	03.6000 (narrow)	05.6100	02.6800	15.2000	
TRX 450 ES/S			05.1900			
Honda	Mid-mount adapter	Front-mount adapter	Front winch mount	Rear winch mount	Hitch-ball mount	Lift cylinder adapter
TRX 500 FA	03.1300		05.600			
TRX 500 FA (IRS)	03.3200	03.6000 (narrow)	05.6100	05.6800	15.2000	
TRX 500 FE (-2011)	03.1300		05.600			
TRX 500 FE (2012-2013)	03.3200		05.4300			
TRX 500 FE (2014+)	03.3200	03.6000 (narrow)	05.6100		15.1100	
TRX 650 / 680	03.1200	03.7500	05.500	05.3200	05.3200	
John Deere	Mid-mount adapter	Front-mount adapter	Front winch mount	Rear winch mount	Hitch-ball mount	Lift cylinder adapter
XUV 590M	03.10400				15.1400	
XUV 865	03.10700					
HPX 815E	03.10800					
Kawasaki	Mid-mount adapter	Front-mount adapter	Front winch mount	Rear winch mount	Hitch-ball mount	Lift cylinder adapter
KVF 360	03.2300		05.1800			
KVF 650 Rigid	03.300	03.7600	05.100			
KVF 650/750 BruteForce	03.300	03.7600	05.100	05.2800	05.2800	

	Mid monet	People mount	Peach minch	dociment.	History Last	1 ich anlindar
Keeway (Leone Mastiff)	adapter	adapter	mount	mount	mount	adapter
XY 500-S	03.1000					
XY 500-L	03.1000					
KUBOTA	Mid-mount adapter	Front-mount adapter	Front winch mount	Rear winch mount	Hitch-ball mount	Lift cylinder adapter
RTV-X900	03.10200					
Kymco	Mid-mount adapter	Front-mount adapter	Front winch mount	Rear winch mount	Hitch-ball mount	Lift cylinder adapter
MXU 250	03.2600					
MXU 300	03.2600					
MXU 500	03.1120					
MXU 700	03.9400	03.9300		0058'50		71.3000
UXV 500	03.2700					
Linhai	Mid-mount	Front-mount	Front winch	Rear winch	Hitch-ball	Lift cylinder
002	03 200	land non	modific	SUBOUL	modific	land pop
400	03.200					
400 IRS	03.2800		05.3500			
500	03.2800	03.10100 (narrow)		02:9200		
M550 / M550L	03.2800	03.11100	05.9500	05.9200		
550	03.2800		05.5700			
009	03.2800					
ODES	Mid-mount	Front-mount	Front winch	Rear winch	Hitch-ball	Lift cylinder
ODES 800	03.9100	03.9200 (narrow)		05.8400		71.3000

	Mid-mount	Front-mount	Front winch	Post winch	Hed-dail.	1 ift cylinder
Polaris	adapter	adapter	mount	mount	mount	adapter
ACE 325/570/900	.03.5600.	03.7100.	.005.6500		15.1200	
Sportsman 400 (2011+)			05.3900	0025:30		
Sportsman 450/570/ETX/SP	03.5000	03.5700		05:5300	15.1200	71.4000
Sportsman 500 (-2010)	03.1560		05.1200	02.6000		
Sportsman 500 (2011+)	03.1560		05.3900	05:5300	15.1200	
Sportsman 550	03.1700		05.3100	05.2700	15.1200	
Sportsman 800 (-2010)	03.1100		05.1200			
Sportsman 800 (2011+)	03.1560		05.3900	05.5300	15.1200	
Sportsman 850 (-2014)	03.1700		05.3100	05.2700	15.1200	
Sportsman 850 (2015+)	03.1700	03.6200	05.3100	05.2700	15.1200	
Sportsman 1000 (-2016)	03.1700	03.6200	05.3100	05.2700	15.1200	
Sportsman 1000 (2017+)	03.1700	03.7700	05.3100	05.2700	15.1200	71.6000
Sportsman 1000 S (2020+)	03.11500	03.11600		02.9800	15.1300 / 15.1400	71.6000
Sportsman X2 500	03.2200					
Sportsman X2 800	03.1900					
Sportsman Touring 550	03.1700		05.3100	05.2700	15.1200	
Sportsman Touring 570 / X2 / Nordic LE	03.5400	03.5700		05.5300	15.1200	71.4000 / 71.6000
Sportsman Touring 850 (-2014)	03.1700		05.3100	05.2700	15.1200	
Sportsman Touring 850 (2015+)	03.1700	03.6200	05.3100	05.2700	15.1200	
Sportsman Touring 1000 (-2017)	03.1700	03.6200	05.3100	05.2700	15.1200	
Sportsman Touring 1000 (2018+)	03.1700	03.6200	05.3100	05.2700	15.1200	
Scrambler 850/1000 (-2014)	03.1700			05.2700	15.1200	
Scrambler 850/1000 (2015+)	03.1700	03.6200		05.2700	15.1200	
RZR 570	03.7200	03.7300	05.1700	05.7100	15.3000	
RZR 800	03.2100	03.7300	05.1700	05.2400		

NDAPTERS

RZR 800 S	03.2100	03.7300	05.1700	05.2400		
RZR 900 XP (-2014)	03.3300	03.7000*	05.4400	05.4500		
RZR 1000 XP	03.5500		05.6400		15.1800	
RZR 1000 XP Turbo	03.5500		05.6400		15.1800	
RZR 900S / 1000S	03.5500	03.7900*	05.6400		15.1200	71.10500
Big Boss 570	03.5400	03.5700	05.3900	05.7400 05.9100	15.1200	71.4000
Big Boss 800	03.1100		05.3900		15.1200	
Ranger 400/EV	03.3100	03.7000*	05.4200	05.4100	15.1400	71.7000
Ranger 570 (-2014)	03.5100	03.7000*	05.4200	05.6200	15.1400	71.7000
Ranger 570 (2015+)	03.5100	03.7000*	05.4200	05.6200	15.1400	71.7000
Ranger 800 6x6		03.7000*	05.4200		15.1400	71.7000
Ranger 800 Crew		03.7000*	05.4200		15.1400	71.7000
Ranger 900 XP	03.4800		05.5900	05.5800	15.1400	71.7000
Ranger 900 Diesel	03.3400	03.7000*	05.4200	05.4600	15.1400	71.7000
Ranger 1000 Diesel (2019+)	03.4800	03.9800*	05.5900	05.5800	15.1400	71.7000
Ranger 1000 (2018+)	03.4800	03.9800*	05.5900	05.5800	15.1400	71.3500
Polaris General 1000	03.7800	03.7900*		05.7300	05.7300	71.3500
U.W.	Mid-mount	Front-mount	Front winch	Rear winch	Hitch-ball	Lift cylinder
	adapter	adapter	mount	mount	mount	adapter
J-MAX 700	03.5800					
J-MAX 700L (T3)	03.5800					
MBX 700	03.5800					
Suzuki	Mid-mount	Front-mount	Front winch	Rear winch	Hitch-ball	Lift cylinder
NO.	adapter	adapter	mount	mount	mount	adapter
Eiger 400	03.200		05.1600			
KingQuad 450/500/700/750	03.200	03.6100 (narrow)	05.300	05.2600	15.200	71.3000
KingQuad 500/750AXi (EPS)	03.200	03.6100 (narrow)	05.300	05.2600	15.200	71.3000
KingQuad 500/750AXi (2019+)	03.200	03.6100 (narrow)	05.8900	05.9000	15.1400	71.10100

SYM	Mid-mount	Front-mount	Front winch	Rear winch	Hitch-ball	Lift cylinder
	adapter	adapter	mount	mount	mount	adapter
009	03.1110		02:300			
9 1	Mid-mount	Front-mount	Front winch	Rear winch	Hitch-ball	Lift cylinder
901	adapter	adapter	mount	mount	mount	adapter
425 Blade	03.2400					
550 Blade	03.2400	03.8300	02.6600		15.1400	
600 Blade	03.2400	03.8300		05.7600	15.1400	71.3000
600 LT Blade	03.2400	03.8300		02.7600	15.1400	71.3000
1000 Blade	03.8200	03.8300		0092'50	15.1400	71.3000
1000 LTX Blade (2019+)	03.8200	03.11000		05.7600	15.1400	
	Mid-mount	Front-mount	Front winch	Rear winch	Hitch-ball	Lift cylinder
паррег	adapter	adapter	mount	mount	mount	adapter
Trapper 550/750	03.9000	03.8900		05.8200		71.3000
Vameha	Mid-mount	Front-mount	Front winch	Rear winch	Hitch-ball	Lift cylinder
	adapter	adapter	mount	mount	mount	adapter
Grizzly 450 (2006-2008)	03.2000		05.1400			
Grizzly 450 (2009-2010) not EPS	03.600		05.1400			
Grizzly 550	03.600	03.7400	05.200		15.1500	71.3000
Grizzly 660	03.600		05.1300			71.3000
Grizzly 700 (-2013)	03.600	03.7400	05.200		15.1500	71.3000
Grizzly 700 (2014-2015)	03.11200	03.7400	05.200		15.1500	71.3000
Grizzly 700 (2016+)	03.11200	03.6900	05.7000		15.1500 15.2100	71.3000
Kodiak 700	03.11200	03.6900	05.7000		15.1500 15.2100	71.3000
Kodiak 450 (2017+)	03.11200	03.8800 (narrow)		05.8100	15.2200	71.3000
Rhino 700	03.700					
Wolverine 700	03.9600		05.8700	02.8800	15.1400	71.3600

* Adapters for UTV heavy duty push tubes (20.7400), see page 18–19.





































































HITCH RECEIVER RACK



NOTES



