



# IRON BALTIC

Iron Baltic is known as a leading manufacturer of accessories and towing equipment for off-road vehicles. Our vision is that the ATV / UTV can be an even more valuable and versatile machine.

We see an ATV as a versatile machine, so our goal is to help people to get the most out of their ATVs. That is why we offer accessories that make the off-road vehicle a more capable and more attractive machine with a wider scope of use.

We are committed to the development and production of top-level accessories for off-road vehicles, consistently investing in finding the best solutions. We not only want to create high-quality products, but also want to be a reliable partner who is always ready to support our customers.

We are constantly looking for new distributors and partners around the world to bring products closer to users. Feeling that our products can provide added value to customers, you are welcome to contact us at sales@ironbaltic.com to discuss.

We also encourage you to contact your local dealer for consultation and additional information. Find out more about our products and find your local dealer on our website:

#### www.ironbaltic.com











## IRON BALTIC – GET MORE OUT OF YOUR ATV OR UTV

At Iron Baltic, we don't just make accessories - we help turn your ATV or UTV into a capable, do-it-all machine. Whether you're working hard, heading out for a ride, or doing both in the same day, our products are made to boost performance, add functionality, and help you get more done.

#### WHERE IT ALL STARTED

Back in 2006, in a small corner of Northern Europe, two friends - both engineers - saw something special in ATVs. Tiit Norak and Andrus Rints believed these machines could do more than just recreation. They saw potential. So they teamed up, started designing, and haven't looked back since.

It began with skid plates for the most common ATV models. From there, the lineup kept growing - now including attachments, accessories, and smart solutions for over 200 different models. Today, Iron Baltic is trusted worldwide for products that help riders and workers alike get more out of their machines.

## WHAT WE STAND FOR A CLEAR MISSION

We want to help you get the most from your offroad vehicle - making it stronger, more durable, and far more useful. Our gear is built to turn your ride into a reliable tool that works as hard as you do - whether it's hauling, plowing, clearing trails, or just having fun.

#### **OUR VALUES**

We take pride in what we build - and why we build it.

**Focus:** Off-road vehicle accessories are our thing. It's all we do, and we're all-in.

**Quality:** Every product is designed with realworld use in mind. If it doesn't hold up in tough conditions, it doesn't leave our factory.

**Trust**: We aim to be more than just a supplier. We're here to support you, answer your questions, and make sure our products actually make a difference.

#### SMART DESIGN, BUILT TO LAST

We're constantly improving - tweaking designs, testing materials, listening to customers, and building smarter. Our in-house team uses top-of-the-line CAD/CAM systems, and we test our products thoroughly before anything goes to production.

What makes the difference? We take feedback seriously. If a partner or end user has a great idea, we run with it. Many of our best improvements have come directly from people using our gear out in the field.

#### MADE IN-HOUSE, MADE RIGHT

We do as much as we can right here at our headquarters in Estonia. It helps us keep quality high and lead times short. Our manufacturing setup lets us move fast, adapt when needed, and deliver the kind of product we'd want to use ourselves.

#### WE'RE EVERYWHERE YOU NEED US

Iron Baltic products are available worldwide through our network of dealers and distributors. We've got warehouses in both Europe and the U.S., so orders ship quickly no matter where you are.

Interested in working with us? We're always looking for like-minded partners. Drop us a line at sales@ironbaltic.com or fill out the form on our distributor application page - we'd love to chat.

#### **LOOKING AHEAD**

What started as a simple idea - to help people do more with their ATVs - has grown into something much bigger. Iron Baltic is now a global brand, but our mindset hasn't changed. We're still driven by that same passion for solving problems, improving performance, and building things that last.

With Iron Baltic, your vehicle becomes more than just a machine - it becomes a real tool. One that works hard, holds up, and helps turn every task or ride into something better.

# **Table of Contents**



## **SKID PLATES**

SKID PLATE KITS

6



## **WINTER**

MID-MOUNT PLOW SYSTEM	10
FRONT-MOUNT PLOW SYSTEM	12
UTV FRONT-MOUNT PLOW SYSTEM	14
MID-MOUNT V-PLOW SYSTEM G2	22
FRONT-MOUNT V-PLOW SYSTEM G2	24
PLOW BUCKETS	28
2-IN-1 MODULAR PLOW BUCKET	30
SAND SPREADER G2-500 PRO	32
UNIVERSAL SPREADER / SEEDER	33
ROTARY BROOM	34
SNOW BLOWER	36
SNOW ROLLER / SKI TRACK GROOMER	38
SKI TRACK MAKER	42
CLASSIC TRACK SETTER	43
CARGO SLED	44
SKI SLED	45
TRAILER SKIS	46



## **FARMING**

TRAILER IB-165 R1A	48
TRAILER OFFROAD 500 / 500 R1A	50
TRAILER OFFROAD PRO 1200 / 1200 R1A	52
FLATBED DUMP TRAILER FD-1200 / FD-1200 R1A	54
PALLET / TANK TRAILER	56
FLAIL MOWER	58
FRONT CUTTER	60
BALE TRAILER	62
SILO & HAY BALE TRAILER	63
SWEEPER COLLECTOR	64
RIDING ARENA LEVELER	66
RECEIVER MOUNT SYSTEM	68
DRAG HARROW	76
LEVELER	77
FLIP OVER DISC	78
LAND ROLLER	79
GRADER / ROAD SCRAPER	80



## **FORESTRY**

TIMBER TRAILER IB 1200 / IB 1200 R1A	82
LOG HAULER	88
LOG SKIDDING PLATE	90
CHAINSAW HOLDER	91
WOOD CHIPPER G3	92
STUMP GRINDER SG-8	94
LEAF VACUUM	96





## **ACCESSORIES**

HYDRAULIC POWER UNIT	98
ELECTRO-HYDRAULIC CYLINDER	100
QUICK RELEASE CLAMPS	102
ECCENTRIC CLAMP	104
WINCH ROPE FAIRLEAD	104
SUSPENSION LOCK	105
SUSPENSION SPRING LOCK	105
MULTI-MOUNT WINCH	106
EQUIPMENT BOX	107



## **PERFORMANCE**

CLUTCH KITS	108
	109
SECONDARY CLUTCH SPRINGS	109
SECONDARY CLUTCH HELIXES	Ü
ENGINE HIGH FLOW INTAKES	110
2. (3 (2.) (2 (	110
CLUTCH TOOLS	111
POWER ECU	
SPEED LIMITED ECLI	112



### **ADAPTERS**

MODEL SPECIFIC MOUNTING KITS

114








## **SKID PLATES**

Iron Baltic aluminium skid plate kits are made from marine grade aluminium, which is the hardest aluminium that can still be mechanically processed. The aluminium is shaped using CNC cutting, the sides are then CNC bent, and the corners of the bent sides TIG welded. The outcome is a structurally rigid skid plate that is strong and durable even in extreme conditions. Iron Baltic skid plate kits come complete with arm guards and full mounting hardware required for installation.




Corrosion resistant, brushed marine aluminium

4 mm

Full protection of bottom and the front part of the ATV Openings for mud draining and washing

Holes for oil changing Holes for plow mounting kits Fasteners and instructions are enclosed

Iron Baltic plastic skid plate kits are made of high density polyethylene HDPE (PE-HWU), which does not dent, has excellent sliding properties and high chemical and UV resistance. The material remains very tough even at low temperatures (even at -50°C / -58°F) but is still flexible enough not to deform and regain its shape after an impact. Plastic skid plates are structurally rigid and durable with low friction properties offering easy and safe operations even in extreme conditions. Iron Baltic skid plate kits come complete with arm guards and full mounting hardware required for installation.



Plastic (PE-HWU)

10 mm

Full protection of bottom and front part of the ATV. Openings for mud draining and washing.

Holes for oil changing. Holes for plow mounting kits. Fasteners and instructions are

Access	Aluminium	Plastic
AX 600/700/800 U (short models)	02.25300	02.25400

AODES	Aluminium	Plastic
AODES 800	02.21800	02.21900
AODES Pathcross 650/850/1000 S (2021+)	02.28300	02.28400
AODES pathcross 650/850/1000 L (2021+)	02.28100	02.28200

Arctic Cat	Aluminium	Plastic
500/550/700	02.9400	02.9500
550/700 Limited	02.11800	02.11900
Alterra 550 / 700	02.20700	02.20800
1000 XT	02.2000	02.9100
TRV 500 / 550 / 700	02.6600	02.11100
TRV 1000	02.11200	02.11300
Wildcat (-2016)	02.9800	

BRP Can-Am	Aluminium	Plastic
Outlander G1	02.6300	02.13800
Outlander G1 MAX	02.6000	02.13700
Outlander G2 L	02.15800	02.15900
Outlander G2 L MAX	02.16400	02.16500
Outlander G2 (2012-2016)	02.8400	02.8500
Outlander G2 MAX (2013-2016)	02.10000	02.10100
Outlander G2 450/570 L (2017+)	02.15800	02.15900
Outlander G2 450/570 L MAX (2017+)	02.16400	02.16500
Outlander G2 (2017-2018)	02.18800	02.18900
Outlander G2 (2019-2024)	02.23100	02.23200
Outlander G2 MAX (2017-2018)	02.19200	02.19300
Outlander G2 MAX (2019-2024)	02.23600	02.23700
Outlander G3 500/700 (2023+)	02.30900	02.31000
Outlander G3 MAX 500/700 (2023+)	02.31100	02.31200
Outlander G3 850/1000 (2025+)	02.33700	02.33600
Outlander G3 MAX 850/1000 (2025+)	02.33500	02.33400
Outlander XXC (2023+)	02.23100	02.23200
Outlander 6x6 (2013-2016)	02.20300	02.20400
Outlander 6x6 (2017-2018)	02.21100	02.21200
Outlander 6x6 (2019+)	02.24800	02.24900
Outlander 6x6 MAX (2017-2018)	02.22900	02.23000
Outlander 6x6 MAX (2019+)	02.25100	02.25200
Outlander 6x6 450 T (2020+)	02.26200	02.26300
Outlander 6x6 450 MAX	02.29200	02.29300
Outlander X MR 650/800/850 (-2016)	02.8400	02.8500
Outlander X MR 650/850 (2017-2018)	02.18800	02.18900
Outlander X MR 650/850 (2019+)	02.23100	02.23200
Outlander X MR 1000 (2013-2016)	02.10000	02.10100
Outlander X MR 1000 (2017-2018)	02.19200	02.19300

BRP Can-Am	Aluminium	Plastic
Renegade G1	02.6900	02.1610
Renegade G2 (2012-2016)	02.8200	02.8300
Renegade G2 (2017-2018)	02.20100	02.20200
Renegade G2 (2019–2022)	02.23800	02.23900
Renegade XXC (2023+)	02.30600	02.30700
Renegade X MR (-2016)	02.18200	02.18300
Renegade X MR (2017-2018)	02.19000	02.19100
Renegade X MR (2019+)	02.23400	02.23500
Commander (-2014)	02.8900	
Maverick (-2014)	02.12200	
Maverick Trail (2018+)		02.33100
Traxter/Defender (-2018)	02.21300	02.21300



СЕМОТО	Aluminium	Plastic
CFORCE 450/520-S (-2021)	02.17000	02.17100
CFORCE 450/520-L (-2021)	02.17200	02.17300
CFORCE 450/520-S (2022+)	02.28800	02.28900
CFORCE 450/520-L (2022+)	02.28600	02.28700
CFORCE 550/600 (-2019)	02.15000	02.15100
CFORCE 625 (-2022)	02.27100	02.27200
CFORCE 625 Touring (-2022)	02.25700	02.25800
CFORCE 625 (2023+)	02.29700	02.29800
CFORCE 625 Touring (2023+)	02.29900	02.30000
CFORCE 850/1000 G2	02.22600	02.22700
CFORCE 850/1000 G3 (2024+)	02.31800	02.31900
CFORCE 1000 Overland G2	02.22600	02.22700
ZFORCE 550 EX (Z5 EX)	02.13600	02.13600
ZFORCE 600 (Z6)	02.5700	02.5900
ZFORCE 600 EX (Z6 EX)	02.14100	02.14100
ZFORCE 800 EX (Z8 EX)	02.13600	02.13600

СЕМОТО	Aluminium	Plastic
ZFORCE 950 Sport (2023+)	02.30500	02.30500
ZFORCE 950 Sport XL (2023+)	02.31300	02.31300
ZFORCE 1000	02.13600	02.13600
ZFORCE 950/1000 Sport	02.26100	02.26100
ZFORCE 950/1000 Sport R	02.29000	02.29000
UFORCE 550	02.10700	02.10800
UFORCE 600	02.28000	02.28000
UFORCE 800	02.10700	02.10800
UFORCE 1000 (-2021)	02.24600	02.24500
UFORCE 1000 (2022+)	02.29500	02.29600
UFORCE 1000 XL (2022+)		02.30800
U10 PRO (2025+)	02.33300	02.33200

GOES	Aluminium	Plastic
725	02.14300	02.14400
Cobalt/Iron	02.19800	02.19900
Cobalt/Iron MAX	02.19600	02.19700
Terrox 500L/Terrox 400	02.32000	02.32100

Hisun	Aluminium	Plastic
UTV 550 EFI	02.32900	02.32900
700 UTV	02.8600	
Tactic 550/750 2-UP	02.21600	02.21700

Honda	Aluminium	Plastic
TRX 420 FA (-2013)	02.3100	02.3400
TRX 420 FE/FM (-2013)	02.1200	02.1800
TRX 420 FA/FE/FM (2014+)	02.13000	02.13300
TRX 420 FA6 (IRS)	02.16000	02.16100
TRX 500 FA (-2011)	02.900	02.1120
TRX 500 FA (IRS)	02.16000	02.16100
TRX 500 FE (-2011)	02.900	02.1120
TRX 500 FE (2012-2013)	02.7400	02.7700
TRX 500/520 FE (2014+)	02.13400	02.13500
TRX 520 FA (IRS) (2015+)	02.16000	02.16100
TRX 650	02.1010	02.1110
TRX 680 (-2014)	02.1010	02.1110
TRX 680 (2015+)	02.16200	02.16300

John Deere	Aluminium	Plastic
Gator XUV865		02.24700

Kawasaki	Aluminium	Plastic
KVF 650 Rigid	02.450	02.480
KVF 650/750 BruteForce	02.400	02.1150



Кутсо	Aluminium	Plastic
MXU 500	02.1180	02.1850
MXU 700 (-2019)	02.22000	02.22100
MXU 700 (2020+)	02.27300	02.27400

Linhai	Aluminium	Plastic
400	02.3550	02.3500
500	02.24200	02.24300
550	02.12000	02.12100
M550L	02.25500	02.25600
600	02.12700	02.12800

Loncin	Aluminium	Plastic
XWolf 550	02.30100	02.30200
XWolf 700	02.30100	02.30200
XWolf 550 L / 700 L	02.30300	02.30400
XWolf 1000	02.34600	02.34700

Polaris	Aluminium	Plastic
ACE 325/570	02.14500	02.14600
Sportsman 400 (2011+)	02.5600	02.5800
Sportsman 500 (-2010)	02.2300	02.2350
Sportsman 500 (2011+)	02.5600	02.5800
Sportsman 550	02.1520	02.1540
Sportsman 550 Touring	02.5500	02.5400
Sportsman 570/450/ETX (-2020)	02.12500	02.12600
Sportsman 570 (2021+)	02.26900	02.27000
Sportsman 570 SP (2021+)	02.26700	02.26800
Sportsman 570 Touring / X2 (-2023)	02.13900	02.14000
Sportsman 570 Touring (2024+)	02.32300	02.32200



Polaris	Aluminium	Plastic
Sportsman 570 X2 Nordic Pro (2024+)	02.32400	02.32500
Sportsman 800 (-2010)	02.1400	02.1410
Sportsman 800 (2011+)	02.5600	02.5800
Sportsman 800 X2	02.1600	02.1650
Sportsman 850 (-2014)	02.1520	02.1540
Sportsman 850 Touring (-2014)	02.5500	02.5400
Sportsman 850 (2015-2016)	02.16600	02.16700
Sportsman 850 Touring (2015+)	02.18000	02.18100
Sportsman 1000 (-2016)	02.16600	02.16700
Sportsman 1000 (2017+)	02.19400	02.19500
Sportsman 1000 S (2020+)	02.25900	02.26000
Sportsman 1000 Touring (-2017)	02.18000	02.18100
Sportsman 1000 Touring (2018+)	02.24000	02.24100
Scrambler 850/1000 (-2014)	02.10200	02.10400
Scrambler 850/1000 (2015-2019)	02.16800	02.16900
Scrambler 1000 S (2020+)	02.26400	02.26500
RZR 570	02.17800	02.17800
RZR 800	02.4000	02.4100
RZR 800 S	02.4200	02.4300
RZR 900 XP (-2014)	02.7500	02.7600
RZR 1000 XP	02.14200	02.14200
RZR 1000 XP Turbo	02.14200	02.14200
RZR 900S / 1000S		02.25000
RZR PRO XP	02.26600	02.26600
Big Boss 570 (-2023)	02.18500	02.18600
Big Boss 570 (2024+)	02.32600	02.32700
Big Boss 800	02.9600	02.9700

Polaris	Aluminium	Plastic
Ranger 400/EV	02.7000	02.7100
Ranger 570 (-2014)	02.12900	02.12900
Ranger 570 (2015–2021)	02.18400	02.18400
Ranger 570 SP / Nordic Pro (2022+)	02.29400	02.29400
Ranger 800 HO	02.8000	02.8100
Ranger 900 XP	02.12300	02.12400
Ranger 900 Diesel	02.8000	02.8100
Ranger 1000 Diesel (-2018)	02.12300	02.12400
Ranger 1000 XP (2018-2020)	02.23300	02.23300
Ranger 1000 (2021+)		02.27900
General	02.20000	02.20000
Segway	Aluminium	Plastic
Snarler AT5 S	02.31400	02.31500
Snarler AT5 L	02.31600	02.31700
Snarler AT6 S	02.27700	02.27800
Snarler AT6 L	02.27500	02.27600
Snarler AT10 L	02.34200	02.34300
Snarler AT10LW	02.34400	02.34500
Fugleman UT10 (-2023)		02.28500
Fugleman UT10 (2024+)		02.32800
Villain SX10 (64") (-2023)	02.29100	02.29100
Suzuki	Aluminium	Plastic
Eiger 400	02.200	
KingQuad 450/500/700/750 (-2018)	02.800	02.1160
KingQuad 500/750AXi (EPS)	02.4800	02.4900
KingQuad 500/750AXi (2019+)	02.4800	02.4900
TGB	Aluminium	Plastic
425 Blade	02.4600	02.5300
550 Blade	02.14800	02.14900
600 Blade	02.22200	02.22300
600 LT/LTX Blade	02.22400	02.22500
1000 Blade	02.20500	02.20600
1000 LTX Blade	02.20500	02.20600
Trapper	Aluminium	Plastic
550/750	02.21600	02.21700
UTV 550 EFI	02.32900	02.32900
Yamaha	Aluminium	Plastic
Grizzly 450 (2006-2008)	02.1000	02.1960
Grizzly 450 (2009-2010) non-EPS	02.3120	02.3010
Grizzly 550	02.700	02.1170
Grizzly 700 (-2013)	02.700	02.1170
Grizzly 700 (2014-2015)	02.13100	02.13200
Grizzly 700 (2016+)	02.17400	02.17500
Kodiak 450 (2017+)	02.21400	02.21500
Kodiak 700	02.17600	02.17700
Wolverine 700 (2017)	02.22800	
		_



## **MID-MOUNT PLOW SYSTEM**

Mid-mount plow system for snow removal or soil planning. The plow mounts under the vehicle with a model-specific or universal mounting adapter. The mid-mount plow system is available in many configurations – with different types and sizes of plow blades or as a push broom instead. Wide selection of optional accessories are available

for the mid-mount plow – side extensions, marker antennas, rubber lips for the plow blades, and hydraulic or electro-hydraulic control and movement kits for the plow system.

- 5-position adjustable working position
- · Spring-loaded resistance absorber
- · Adjustable working angle
- Sliding shoes for height adjustment



**PERFORMANCE** 

Push tubes	Code
Mid-mount standard	04.200
Mid-mount extended / tracks fitted machines	04.700

Standard blades	Code
Blade 1280mm	04.100
Blade 1500mm	04.300
Blade 1800mm	04.800


Plastic blades	Code
Plastic blade 1520mm	20.7700


High-Throw blades	Code
High-Throw blade (plastic) 1500mm	20.8000
High-Throw blade (steel) 1800mm	20.7300

Push brooms	Code
Push broom 1500mm	20.1000

Adapters	Code
Universal mid-mount adapter	03.4000

The model specific adapter can be found at the end of the catalogue, from page 114.





## FRONT-MOUNT PLOW SYSTEM

Front-mount plow system for snow removal or soil planning. The plow mounts with a model-specific adapter on front of the vehicle using a self-locking quick attach system. Front-mount system completes with different type and size of plow blades, or a push broom. With variety of optional accessories available, it can also be turned into a bucket or use with hydraulic or electro-hydraulic control and movement kits.

- 5-position adjustable working position
- · Spring-loaded resistance absorber
- · Adjustable working angle
- · Sliding shoes for height adjustment
- Self-locking fastening system (quick and easy installation)
- · Does not affect vehicle clearance
- · High plow lift



Push tubes	Code
Front-mount, standard	20.6200
Front-mount, narrow	20.6400
Front-mount track fitted ATV standard	20.8100
Front-mount track fitted ATV narrow	20.8200

Standard blades	Code
Blade 1280mm	04.100
Blade 1500mm	04.300


Plastic blades	Code
Plastic blade 1520mm	20.7700

High-Throw blades	Code
High-Throw blade 1520mm (plastic)	20.8000

Push brooms	Code
Push broom 1500mm	20.1000

#### Adapters

Fitment information on model specific adapter and matching push tube version (standard/narrow) can be found at the end of the catalogue, from page 114.






# UTV FRONT-MOUNT PLOW SYSTEM

A front-mounted plow system with reinforced coupling / locking mechanism for mounting the equipment with a model-specific adapter on UTVs or other larger side-by-side vehicles. UTV front-mount plow system completes with different size of standard plow blades and high-throw plow blades or a push broom. Additional accessories such as blade extensions or rubber lips, bucket conversion kits, and hydraulic or electro-hydraulic control and movement kits are available.

- Reinforced construction
- 5-position adjustable working position
- · Spring-loaded resistance absorber
- · Adjustable working angle
- · Sliding shoes for height adjustment
- Self-locking fastening system (quick and easy installation)
- · Does not affect vehicle clearance
- High plow lift



Push tubes	Code
UTV Front-mount	20.7400
Standard blades	Code

Staridard Stades	Couc
Blade 1500mm	04.300
Blade 1800mm	04.800

Plastic blades	Code
Plastic blade 1520mm	20.7700

High-throw blades	Code
High-throw blade 1520mm (plastic)	20.8000
High-throw blade 1800mm	20.7300

Push brooms	Code
Push broom 1500mm	20.1000

Adapters	Code
AODES WORKCROSS 650/1000	03.15600
CAN-AM MAVERICK TRAIL (2018+)	03.16100
CAN-AM TRAXTER (-2021)	03.8600
CFMOTO U10 PRO	03.16300
CFMOTO / UFORCE 600	03.12700
CFMOTO / UFORCE 1000	03.10600
CFMOTO / ZFORCE 950/1000	03.11800
CORVUS / Terrain DX4 (-2020)	03.12100
CORVUS / Terrain DX4 (2021+)	03.13000
KAWASAKI Mule SX 4X4 (2017+)	03.14700
KAWASAKI Mule Pro-DX (2017+)	03.15200
POLARIS GENERAL	03.7900
POLARIS RZR 900S / 1000S	03.7900
POLARIS RZR 900 XP	03.7000
POLARIS RANGER 400/800/900D/EV/570 (-2021)	03.7000
POLARIS RANGER SP 570 (2022+)	03.13500
POLARIS RANGER 570 Nordic Pro (2022+)	03.13800
POLARIS RANGER 1000 (2018+)	03.9800
SEGWAY Fugleman (2021+)	03.13200
SEGWAY Villain SX10 (2021+)	03.13400



#### STANDARD PLOW BLADES

The standard construction plow blades are suitable for snow removal or soil planning. Optional accessories include a blade extension, a bucket attachment, or a rubber blade.

Standard blades	Code
Standard blade 1280mm	04.100
Standard blade 1500mm	04.300
Standard blade 1800mm	04.800

#### **PLASTIC BLADES**

The plastic plow blades produced using a rotational molding method are suitable for snow removal and surface planning. The plow blades are made of special cold-resistant plastic that has excellent gliding properties, corrosion resistance, and chemical durability.

Plastic plows	Code
Plastic blade 1520mm	20.7700
High-throw blade 1520mm	20.8000



#### **HIGH-THROW BLADES**

High-throw, curved asymmetrical plow blades are designed for faster snow clearing. The topmounted plastic extension prevents snow from being thrown over the upper edge and directs it higher or sideways instead. Perfect tool for snow removal from a roadway.

High-throw blades	Code
High-throw blade 1520mm (plastic)	20.8000
High-throw blade 1800mm (steel)	20.7300

#### **PUSH BROOM**

Push Broom is suitable for the toughest sweeping needs, cleaning agricultural, commercial and industrial debris, rubbish, leaves and even snow, withstanding water and industrial spills. Perfect for maintaining hard surface trails, sidewalks, driveways, and sweeping out storage sheds or pole buildings. Push broom is equipped with easily replaceable polypropylene brushes.

Product	Code
Push broom 1500mm	20.1000











PUSH BROOM 1500mm 20.1000





#### **ACCESSORIES FOR PLOWS HYDRAULIC CONTROL**

Hydraulically controlled turning and lifting/down pushing of the plow allows also the ground soil planning works in addition to the usual snow pushing purpose.

Turning	Code
Hydraulic Power Unit	71.0000
Turning cylinder hardware kit	71.2600
Hydraulic cylinder with hoses	71.3100
The model specific adapter can be found at the end of the catalogue, from page 114.	

Lifting	Code
Hydraulic Power Unit	71.0000
Hydraulic cylinder with hoses	71.3100
The model specific adapter can be found at the end of the catalogue, from page 114.	

Turning and lifting	Code
Hydraulic Power Unit	71.0000
Turning cylinder hardware kit	71.2600
2x Hydraulic cylinder with hoses	71.3100
The model specific adapter can be found at the end of the catalogue, from page 114.	

Hose extensions (UTV)	Code
Hydraulic hose extensions 3500mm	71.100

#### **ELECTRO-HYDRAULIC CONTROL**

Electro-hydraulically controlled turning and lifting/down pushing of the plow allows also the ground soil planning works in addition to the usual snow pushing purpose.

Iron Baltic offers electro-hydraulic cylinders by MAP (Korea) and KYB (Japan), as well as different sets of control panels with power cables.

Turning	Code
Cylinder MAP / KYB	70.700 / 70.1000
Turning cylinder hardware kit	71.2600
Cable set (1-cylinder control)	70.2500
The model specific adapter can be found at the end of the catalogue, from page 114.	

Lifting	Code
Cylinder MAP / KYB	70.700 / 70.1000
Cable set (1-cylinder control)	70.2500
The model specific adapter can be found at the end of the catalogue, from page 114.	

Turning and lifting	Code
Cylinder MAP / KYB (2pc)	70.700 / 70.1000
Turning cylinder hardware kit	71.2600
Cable set (2-cylinder control)	70.2600
The model specific adapter can be found at the end of the catalogue, from page 114.	



DEMO VIDEO:



MODEL SPECIFIC LIFT CYLINDER ADAPTER



HYDRAULIC CYLINDER WITH HOSES 71.3100

71.2600

TURNING CYLINDER HARDWARE KIT

71.2600

18

#### **BUCKET CONVERSION KITS**

Suitable for mounting on 1280mm or 1500mm standard plow blades and to complete the kit with front-mount system push tubes.

Code
20.6600
20.6650
20.6620
71.10200

<sup>\*71.0000</sup> Hydraulic Power Unit is required for hydraulic tilt assembly.

Bucket kits	Code
Bucket kit 1280 (20.6600+20.6620+04.100)	20.6600M



BUCKET KIT 1280mm 20.6600M

#### **RUBBER BLADES**

Rubber blades produced from durable 10mm thick sheet polyurethane.

Product	Product compatibility	Code
Rubber blade 1280 mm	04.100	20.6510
Rubber blade 1500 mm	04.300	20.6520
Rubber blade 1520 mm	20.7700 / 20.8000	20.6560
Rubber blade 1800 mm	04.800 / 20.7300	20.6530



#### **BLADE EXTENSIONS**

Side extensions fitted on standard blades increase working width 150mm.

Product	Code
Blade extensions	04.600VP









#### **PLOW SIDE MARKERS**

The plastic plow side markers are suitable for mounting for Iron Baltic blades.

Product	Code
Blade side antenna markers	20.4000

#### **SNATCH BLOCKS**

Snatch blocks help the plow to be lifted higher and extend the working cycle of the winch cable.

Product	Code
Snatch block	14.10200









#### PLOW LIFT STRAP KIT FOR A WINCH


Lifting strap kit that replaces a winch rope or cable. Ideal for use when working with plows, buckets, or other front-mounted devices (when lifting with a winch). The lifting strap has a significantly longer work-life than the wires or ropes originally installed on winches. The set includes a lifting strap and a special large roller strap guide.


Product	Code
Lifting strap with roller	14.11300



#### **SPARE PARTS FOR PLOWS**

Spare parts	Code
Rod kit	20.6270
Rod point, set	20.6275
Latches, pair	20.6280
Latches, pair (heavy-duty, UTV)	20.7450
Locking pin	20.6285
Handler, set	20.6290
Regulators	20.6295
Height adjuster, pair	20.750
Steel blade 1280mm	20.104
Steel blade 1500mm	20.806
Steel blade 1520mm	20.7702
Steel blade 1800mm	20.2007
Plow lifting eye set	34.2180
Extension springs 7x50x200 (2 pcs)	20.500
Extension springs 8x50x200 (2 pcs) heavy duty	20.550







## MID-MOUNT V-PLOW SYSTEM G2

The mid-mount V-plow version is a professional snowremoval tool which is mounted on the bottom of the vehicle using a model-specific adapter. The plow has two independently adjustable wings. The steel parts of both wings are equipped with spring-loaded resistor dampers to avoid damage to the plow or vehicle in case of running into objects on the road.

The mid-mount V-plow kit can be assembled with 1500mm or 1800mm wide blades. Optional accessories like rubber extensions, rubber shields, rubber blades, or electric/hydraulic plow movement control sets are available additionally.

- Working height 400 600mm
- Working width 1500mm / 1800mm
- Different working positions (V position, straight, A position)
- Spring-loaded resistors



Push tubes	Code
Mid-mount, standard	34.2200
Mid-mount, extended, track fitted / high clearance vehicles	34.2900

Blades	Code
V-Blade 1500mm	34.3500
V-Blade 1800mm	34.3800

Adapters	Code
Universal mid-mount adapter	03.4000

The model specific adapter can be found at the end of the catalogue, from page 114.











## FRONT-MOUNT V-PLOW SYSTEM G2

The front-mount V-plow version is a professional snow removal tool. The plow mounts via a self-locking, quick attach coupling system to the front of the vehicle using a vehicle model-specific mounting adapter. The plow has two independently adjustable wings. The steel parts of both wings are equipped with spring-loaded resistor dampers to avoid damage to the plow or vehicle in case of running into objects on the road. The front-mounted V-plow can be used with 1500mm wide blades. Optional accessories like rubber extensions, rubber shields, rubber blades, or electric/hydraulic plow movement control sets are available additionally.

Working height 400 - 600mm

- Working width 1500mm
- Self-locking fastening system (quick and easy installation)
- Different working positions (V position, straight, A position)
- · Spring-loaded resistors
- Adjustable working angle
- Sliding shoes for height adjustment



V-PLOW BLADE 34.3500 / 34.3800

MODEL SPECIFIC ADAPTER

Push tubes	Code
Front mount, standard	34.3400
Front mount, narrow	34.3600
ATV with tracks, narrow	34.4800
ATV with tracks, wide	34.4700
UTV front mount	34.4000


Blades	Code
V-Blade 1500mm	34.3500
V-Blade 1800mm Use only with 34.4000 UTV front mount push tube. Only for UTV-s.	34.3800

Adapters	Code

Fitment information on model-specific adapter and matching push tube version (standard/narrow), find at the end of the catalogue, from page 114.









#### **V-PLOW ACCESSORIES**

#### **HYDRAULIC TURNING**

The hydraulic turning kit allows you to adjust the working angles of both wings without leaving the driver's seat.

Turning	Code
Hydraulic Power Unit	71.0000
Hydraulic cylinder with hoses G2 V-Plow 1500mm (2 x 71.10000)	71.10000
Hydraulic cylinder with hoses G2 V-Plow 1800mm (2 x 71,3100)	71.3100
Hydraulic cylinders kit with solenoid (V-Plow 1800 turning)	71.11850
Hydraulic cylinders kit with solenoid (V-Plow 1500 turning)	71.11860

Extension hoses (UTV)	Code
Extension hoses 3500mm	71.100

#### **RUBBER BLADES**

10mm thick rubber blades made of polyurethane (PU) sheet to replace the original steel blades. The rubber blade is double-sided. Flip the blade around to the other side when one side is worn.

Rubber blades	Code
Rubber blade G2 1500 mm	34.3700
Rubber blade G2 1800 mm	34.3100

#### **RUBBER EDGES**

Rubber edges made of polyurethane sheet increase working width by 200mm and simplify cleaning of curbs and squares with curbs.


Rubber edges / extensions	Code
Side wings, pair	34.3200

#### **DEFLECTOR KIT**


Deflector kit to prevent snow from throwing over the top edge of the blade.

Deflectors	Code
Deflector kit, set G2 1500mm	34.3900
Deflector kit, set G2 1800mm	34.3300





**HOSES** 









#### **V-PLOW SPARE PARTS**

Spare part	Code
Blades G2 1500mm	34.3540
Blades G2 1800mm	34.2050
Adjustment tube G2 1500mm	34.3550
Adjustment tube G2 1800mm	34.2040
Blade holder G2 1500mm	34.3425
Blade holder G2 1800mm	34.2550
Sides connector	34.2150
Plow angle adjuster connector	34.2160
Plow lifting eye set	34.2180
Compression spring	34.2850
Handle	34.3415
Rubber cover	34.3420
Height adjuster, pair	20.750
Rod kit	20.6270
Latches, pair	20.6280
Latches, pair UTV	20.7450







## **PLOW BUCKETS**

Light material buckets are designed for the removal of snow, sawdust, wood chips, manure, peat, and other lightweight materials. The bucket set completes from a front-mounted standard blade with a width of 1280mm or 1500mm and an additional bucket conversion kit which forms the base and sides of the bucket around the plow blade. Dumping/tilting the bucket works with a mechanical dumping release (only bucket 1280mm) or hydraulically.

- Quick and easy installation
- Automatic bucket return & locking system (mechanical tilt)
- · Working width 1280mm / 1500mm
- Capacity 130L / 150L
- Max load 50kg



TILTING KIT 20.6620 PLOW BLADE 04.100 ATV FRONT MOUNT **PUSH TUBES REGULAR MOUNT** 20.6200 NARROW 20.6400 **BUCKET** UTV **CONVERSION KIT** 20.7400 20.6600

**MECHANICAL** 

Mechanical bucket 1280mm	Code
Bucket conversion kit 1280mm	
Mechanical dump / tilting kit	20.6600M
Plow blade 1280mm	
Front mount push tubes standard / narrow	20.6200 / 20.6400
Model specific front mount adapters can be found at the end of the catalogue, from page 114.	


Hydraulic bucket 1280mm	Code
Bucket conversion kit 1280mm	20.6600
Plow blade 1280mm	04.100
Front mount push tubes standard / narrow / UTV	20.6200 / 20.6400 / 20.7400
Model specific front mount adapter can be found at the catalogue, from page 114.	end of the
Hydraulic power unit	71.0000
Hydraulic dump / tilting kit	71.10200
Hydraulic cylinder including hoses	71.3100
Model specific lifting cylinder adapter can be found at the end of the catalogue, from page 114.	

Hydraulic bucket 1500mm (UTV)	Code
Bucket conversion kit 1500mm	20.6650
Plow blade 1500mm	04.300
UTV front mount push tubes	20.7400
UTV front mount adapters can be found at the end of the	ne catalogue
Hydraulic dump / tilting kit	71.10200
Hydraulic cylinder including hoses	71.3100
Model specific lifting cylinder adapter can be found at the	he end of the

Model specific lifting cylinder adapter can be found at the end of the catalogue, from page 114.

Hydraulic hose extension	Code
Hose extension 3500mm	71.100







## 2-IN-1 MODULAR PLOW BUCKET

An effective multi-purpose piece of equipment that can be used for cleaning, planing, and handling. The modular plow bucket combines a LOADER and PLOW in one. This means that when the bucket module is removed, the loader becomes a plow suitable for pushing work. The advantage of this equipment is the openable base of the bucket that allows it to be emptied in a raised position. Emptying the bucket can be done by either tilting a lever by the driver's seat or hydraulically with a hydraulic cylinder (among its accessories).

The installation requires a model specific front mounting system adapter attached to the ATV and a front winch (with a strong wire, rope, or lifting strap) that assists the raising and lowering of the bucket.

- Bucket working width 1 280 mm
- · Bucket capacity 108 litres
- Bucket load capacity 50 kg
- Plow working width 1 280mm (with extenders 1 600 mm)
- · Plow working height 360 mm
- Obstacle dampening with springs
- · Skid shoes to adjust working height
- · Special ball locking, quick coupling pins
- 5 positions of adjustable, plow-working positions
- The working angle and length of the tilting lever are adjustable according to the vehicle

2-in-1 Modular plow bucket (manual)	Code
2-1 Modular plow bucket	20.7600
Front-mount push tubes, wide / narrow	20.6200 / 20.6400
Model specific front mount adapter can be found at the end of the catalogue, from page 114.	

2-in-1 Modular plow bucket (hydraulic)	Code
2-in-1 Modular plow bucket	20.7600
Front-mount push tubes	20.6200 / 20.6400 / 20.7400
Front-mount adapter	
Hydraulic dump kit	20.7650
Hydraulic power unit	71.0000
Hydraulic cylinder with hoses	71.3100
Model specific front mount adapter can be found at the end of the catalogue, from page 114.	

Accessories	Code
Side extensions (2x160mm)	20.7660
Rubber blade 1280mm	20.6510


FRONT-MOUNT
PUSH TUBES
20.6200 / 20.6400

20.7600

2-IN-1 MODULAR PLOW BUCKET



SIDE EXTENSIONS (2X160MM) 20.7660





## SAND SPREADER G2-500 PRO

The towable, larger, increased capacity G2-500 PRO sand, salt, and gravel spreader is a practical and economical piece of equipment suitable for winter maintenance of yards, walking paths, and driveways. The spreader shaft is driven by a mechanical transmission from the spreader wheels. The wheels are equipped with clutches that allow driving without spreading, if necessary.

- Working (spread) width 1028mm
- Wheel transmission
- Adjustable spread rate
- Shaft for breaking and mixing bulk material
- For bulk materials (sand, gravel, salt) with a fraction up to 8mm
- Hub locks for adjusting the working and transport position
- Durable 8mm thick natural rubber parts
- · Works with dry sand and salt



Sand spreader G2-500 PRO	52.5000
Accessories	Code
PVC Cover	52.5100
Towing eye 360-degree turning for pin type hitch	22.050S

Spare parts	Code
Rubber band front	52.5029
Rubber band rear	52.5030
Wheel clutch lock	OT.51.01.010





## UNIVERSAL SPREADER / SEEDER

Universal spreader with simple construction is an effective tool for winter slippery roads control or summer agricultural work. Suitable for spreading seeds, feed, fertilizer, and other materials. With the supplied mounting accessories, the spreader can be mounted on the luggage rack of the vehicle or into a 50mm (2") hitch receiver.

- Capacity 57L
- Working width (spread width) up to 9 meters
- Adjustable spread rate
- 12V DC motor, power cable (2.7m) with switch









## **ROTARY BROOM**

The rotary broom is an efficient tool for removing snow, fallen leaves, sand, debris, etc., from roads, streets, walking paths, and squares. The broom, which functions with a petrol motor, has a shaft fitted with replaceable polyurethane brush discs which, while rotating, will successfully clean different surfaces.

The broom has two supporting wheels which, depending on the work conditions, can be installed in front of, to the sides of, or to the rear of the broom. Front mounting the support wheels allows for the easy cleaning of pavement edges, and side mounting assists the brushes in plowing the surface. The supporting wheels also regulate the working height. The work and transport position are adjustable with the front winch of the vehicle. The broom is mounted to the vehicle via a model-specific mid-mount adapter.

- Working width 1270mm
- Rotation speed 250-450 rpm
- Replaceable polypropylene bristles (450mm diameter)
- Adjustable working angle in 5 different positions
- · Adjustable support wheel position
- Transport and working position adjustable with vehicle winch
- · Adjustable working height
- Use oil Semi-Synthetic 10w-40




Product	Code
Rotary broom 6.5hp (Briggs & Stratton)	48.0000

Accessories	Code
Collector box for rotary broom	48.1000
Extended push tube for tracks fitted ATV	04.700S

Spare parts	Code
Brush discs D450 (43 pcs), set	48.500
Support wheel set	37.500S

# COLLECTOR BOX FOR ROTARY BROOM

48.1000









## **SNOW BLOWER**

A snow blower is the most efficient tool for snow removal. It is possible, with a blower, to move snow many meters away with very little effort, best suited for Nordic and mountainous areas with larger amounts of snow. It is best suited for the winter maintenance of roads and squares.

Iron Baltic snow blowers range varies between different working widths and engine options. Lower-powered (14hp) versions are designed foremost for lighter snow removal works. We recommend using snow blowers with a stronger engine (18hp) for the removal of thicker layers of snow and the wet snow.

The universal adjustable telescopic coupling frame allows for the quick and easy attachment of the snow blower to most ATVs or UTVs that have a rear ball-type hitch fitted. The coupling frame is attached to the rear towing hook and to the front

suspension arms via tension adjustable chains. The installation time, depending on vehicle and experience, could be as little as 5 minutes.

An ATV front winch (min 1500lbs) and towing hook are required for installation!

- Working width 1250mm / 1800mm
- Working height 500mm
- Ejection distance approx. 15 meters
- Electric motor adjustment for the ejection tube via onboard control panel
- Telescopic mounting frame adjustable to machine length
- Transport position and working position (adjustable with ATV winch)
- Safety bolts to prevent damages from obstructions
- Use oil Semi-Synthetic 10w-40




### **SNOW BLOWER 1250MM (ATV)**

Product	Code
Snow blower 1250mm 14hp (B&S 2100 series) electric starter	30.3000A
Snow blower 1250mm 18hp with electric starter (B&S V-Twin Vanguard)	30.2000A

Accessories	Code
Snow blower extensions (working width +200mm / working height +100mm)	30.100

Spare parts	Code
Safety bolts	30.0001S
Support wheel set	37.500s

#### SNOW BLOWER 1800MM (UTV / 6X6)









## SNOW ROLLER / SKI TRACK GROOMER

Snow rollers help to prepare ski and hiking trails by compressing snow. Suitable to use with ATV/UTV (with snow tracks recommended), snowmobile, or a tractor.

Our product range includes snow rollers in two sizes.

Wider groomer / snow roller (2.7m working width) is ideal for making freestyle ski tracks. Up to 2

track setters can be mounted behind this to cut classic style ski tracks.

Narrower groomer / snow roller (1.45m working width) is excellent for tighter conditions, such as between trees. This roller can be fitted with 1 track setter to create classic style ski tracks. It is also useful for packing snow to make hiking/walking trails or fatbike trails.

Both types of ski track groomers can be equipped with an adjustable ice blade module to help maintain frozen ski tracks.





## SNOW ROLLER

- Working width 2.7 meters (snow roller drum width 2.3 meters) or working width 1.45 meters (snow roller drum width 1.05m)
- Drum diameter 680 mm
- Adjustable drawbar height
- Adjustable between transport and working position
- The set includes a hitch coupler for a 50 mm hitch ball and a swivel eyelet for a pin-type connection



## CLASSIC STYLE SKI TRACK SETTER MODULE

- Adjustable between transport and working position
- Track cutting width is adjustable: 190 mm / 270 mm / 290 mm
- Track cutting depth is adjustable: 30 mm / 40 mm / 50 mm



Product	Code
Snow roller / Ski track groomer 1.45m	47.6000
Ski track setter module (1pc)	47.5200
Ice blade module (narrow roller)	47.6200



Product	Code
Snow roller / Ski track groomer 2.7m	47.5000
Ski track setter module (1pc)	47.5200
Ice blade module (wide roller)	47.5300




#### **ICE BLADE MODULE**


- Ice blade with adjustable cutting depth for ski track maintenance
- Strong, specially designed ice blades for cutting and breaking frozen track before rolling a new ski track





47.6200







## SKI TRACK MAKER

The ski track maker is suitable for preparing and maintaining ski tracks. It is suitable for coupling with an ATV, UTV (with snow tracks recommended), or a snowmobile. It is possible to prepare a 2.3-meter-wide freestyle track by compressing the snow with the ski track maker. A classic-style track can be made by fitting an additional classic track setter to the rear of the ski track maker unit.

- Working width: 2300mm
- Classic track width: 230mm
- 3 positions to fit the classic track setter (sides and center)
- Possible to add ballast weight (sandbags, etc.) on the classic track setter for more efficient compression of snow
- Easily adjustable ice blade for ski trail maintenance
- Support wheels for transport position in transport position, the device is lifted 200mm above the ground

Product	Code
Ski track maker (includes classic track setter 1pc)	47.0000
Accessories	Code
Classic track setter	47.1000
Spare parts	Code
Middle plastic blade	47.026
Left plastic blade	47.029
Right plastic blade	47.030





## **CLASSIC TRACK SETTER**

The classic track setter is a simple construction design, reliable product for preparing classic ski tracks. It can be coupled to an ATV, UTV, snowmobile, or a small tractor. Possible to add ballast weight (sandbags, etc.) on the classic track setter for more efficient compression of snow.

Product	Code
Classic track setter	47.2000
Spare parts	Code
Left plastic blade	47.029
Right plastic blade	47.030





## **CARGO SLED**

The cargo sled is a well-constructed sled with a large base bed area suitable for transporting large, bulky, and heavy loads. The sled is made of 8mm thick PE-HWU plastic, which is light, UV resistant, slippery, and durable even at temperatures as low as -50°C.

- · Length: 2900mm
- Width: 1200mm
- Height: 200mm
- · Eyelets for securing the load
- Anti-slip guides
- Set includes coupling for a 50mm ball hitch and towing eyelet for a pin-type hitch connection



Product	Code
Cargo sled	22.000





## **SKI SLED**

A ski sled is designed for use with an ATV, UTV, snowmobile, or small tractor. It features a galvanized, powder-coated steel frame and a humidity-resistant plywood platform, ensuring durability even in damp winter conditions. The sled's high clearance, special wavy ski profile, plastic sliding surface, and spring suspension provide excellent stability and passability. It also includes removable spacers and platform guards for securing and transporting different goods.

Product	Code
Ski sled	41.0000

Spare parts	Code
Ski kit	41.1000
Shock absorber	41.007

- Platform dimensions: 800 x 2250mm
- · Platform height: 300mm off the ground
- Ski dimensions: 180 x 1750mm (2 skis)
- Galvanized and powder-coated steel construction
- Waterproof plywood platform
- Spring shock absorbers on skis
- Plastic ski slides
- · Removable struts
- Load restraint guards
- Set includes coupling for a 50mm ball hitch and towing eyelet for a pin-type hitch connection





## **TRAILER SKIS**

Trailer skis make it easy to convert your trailer into a snow sled. Suitable for installation on trailers with a wheel width of 150 – 260 mm. Strong steel construction, plastic sliding surfaces, and easy installation with fastening straps.

Product	Code
Trailer skis for single axle trailer	29.900S
Trailer skis for double axle trailer	29.800S
Trailer skis for Iron Baltic Offroad 500 trailer (89.1000)	29.700





TRAILER SKIS
FOR SINGLE AXLE
TRAILER
29.900S

TRAILER
OFFROAD 500

89.1000



TRAILER SKIS FOR OFFROAD 500 TRAILER 29.700

TRAILER SKIS
FOR DOUBLE
AXLE TRAILER
29.800S





## TRAILER IB-165 / IB-165 R1A

The IB-165 Offroad trailer is a platform trailer designed for use with small tractors and off-road vehicles. The trailer's wide, high-clearance off-road tires ensure excellent off-road capability.

The tiltable cargo box with completely removable sideboards allows the platform trailer to transport bulk spread, heating materials (e.g., firewood), pallets, and boxes. Additional accessories include gas spring, hydraulic, and electro-hydraulic tilting accessories, as well as cargo box board extenders and a PVC cover.

- Load capacity: 500kg
- Track width: 960mm
- Off-road tires: 22x11-8 "60F
- Manual tilting of the cargo box
- · Removable front, rear, and side hatches
- Moisture-resistant plywood bottom platform
- · Cargo box dimensions: 1197 x 348 x 1605mm
- Tie-down anchors for cargo straps

Product		Code
Trailer IB-165 OF	FROAD	74.1100
Accessories		Code

Accessories	Code
Cargo box extensions (+310mm)	74.2000
Waterproof PVC cover	74.3000
Gas spring	74.4000
Electro-hydraulic lift kit	70.8000
Towbar height adjuster	14.11800
Swivel hitch	23.1120
Adjustable support leg	61.3000







#### TRAILER IB-165 EU STREET LEGAL (R1A)

- Load capacity: 500kg
- Track width: 960mm
- Off-road style tires: 22x11-8 "60F
- Swivel hitch coupler
- Adjustable support leg
- Manual tilting of the transport box
- · Removable front, rear, and side hatches
- Moisture-resistant plywood bottom platform
- · Cargo box dimensions: 1197 x 348 x 1605mm
- Tie-down anchors for cargo straps
- Taillights (including turn signals, indicators, stop lights, license plate lights)
- Standard 7-pin connector for powering the trailer lights



CARGO BOX EXTENSIONS (+310MM)
74.2000



Product	Code
Trailer IB-165 EU STREET LEGAL (R1A)	74.1000

Accessories	Code
Cargo box extensions (+310mm)	74.2000
Waterproof PVC cover	74.3000
Gas spring	74.4000
Electro-hydraulic lift kit	70.8000
Towbar height adjuster	14.11800





ELECTRO-HYDRAULIC LIFT KIT 70.8000



TOWBAR HEIGHT

ADJUSTER

14.11800



## TRAILER OFFROAD 500/500 R1A

**Offroad 500** is a solidly constructed trailer for household use. The tiltable cargo box allows for the transportation of leaves, soil, firewood, waste, etc. After removing the front and rear panels, logs up to 2.5 meters in length can also be successfully transported. Height extenders, PVC covers and various tilting solutions for the cargo box can be attached as accessories.

- Load capacity: 500 kg
- Off-road style street legal tires: 22x11-8"
- Tiltable cargo box
- Removable front and rear panels
- Removable cargo box height extenders (optional accessory)
- · Cargo box dimensions: 1500 x 1100 x 550 mm

**Offroad 500 R1A** is EU type-approved street legal trailer for when you need to take your offroad trailer on the road. This trailer is certified for on-road use in the EU with R1a classification. and approved for road use up to 40 km/h. Comes with lights, VIN and CoC documents, with possibility to apply for number plates.

Product	Code
Trailer Offroad 500	89.1000
Trailer Offroad 500 R1A EU street legal	89.1100

Accessories	Code
Lights kit	86.6100
Cargo box extensions (+300mm)	89.2000
Gas spring	89.3000
Electrohydraulic tilt kit	89.4000
Waterproof PVC Cover	89.6000
Adjustable support leg	61.3000
Towbar height adjuster	14.11800













ELECTROHYDRAULIC TILT KIT 89.4000



## TRAILER OFFROAD PRO

## 1200 / 1200 R1A

**Offroad PRO 1200** is a solidly constructed trailer for larger capacity household work. Its compact design, tandem axle, and wide terrain tires ensure good terrain passage and allow access to places typically inaccessible to larger equipment.

The 1,400 L capacity cargo box with removable height extenders can be used to transport loads up to 1,200 kg. After removing the front and rear panels, it is possible to transport logs up to 3 meters in length.

A tilting crane for the cargo box that can be operated with a manual or electrical winch is available as an accessory.

- Load capacity: 1,200kg
- Off-road style street legal tires: 22x11-8"
- 360° swivel hitch coupler
- Adjustable supporting wheel
- · Tiltable cargo area
- · Removable front and rear panels
- Removable cargo box height extenders (optional accessory)
- Cargo box dimensions: 2,000 x 1,100 x 520 mm (820mm with extenders)

Product	Code
Trailer Offroad PRO 1200	86.10000
Trailer Offroad PRO 1200 R1A EU street legal	86.10100

Accessories	Code
Cargo box extensions (+300mm)	86.2500
Lifting Crane	23.4000
Electric winch kit	06.000
Manual winch	OT.13.01.010
Waterproof PVC cover	86.4000
Luggage container with chainsaw holder	86.3000
Towbar height adjuster	14.11800

**Offroad Pro 1200 R1A** is EU type-approved street legal trailer for when you need to take your offroad trailer on the road. This trailer is certified for onroad use in the EU with R1a classification and approved for road use up to 40 km/h. Comes with lights, VIN and CoC documents, with possibility to apply for number plates.







# FLATBED DUMP TRAILER FD-1200 / FD-1200 R1A

**Flatbed Dump Trailer FD-1200** is designed for use with small tractors and off-road vehicles (ATVs/UTVs). Its tandem axle construction, increased ground clearance, and wide all-terrain tires provide excellent off-road access.

The flatbed cargo box, which can be lifted using an optional crane with a winch, features completely removable sideboards, making it ideal for transporting bulk materials, firewood, pallets, and boxes. Additional accessories include sideboard extensions and a water tank option.

- Load capacity: 1200kg
- Flatbed dimensions: 2080 x 1320 mm (82 x 52 in)
- Track width: 1030mm
- Tandem axle with four wheels
- Off-road style street legal tires 22x11-8"
- 360° swivel hitch coupler
- Adjustable support legs
- Tiltable cargo box
- Easily removable front, back, and side hatches
- Weatherproof plywood flatbed

Product	Code
Flatbed Dump Trailer FD-1200	86.11000
Flatbed Dump Trailer FD-1200 R1A	86.11100

Accessories	Code
Lifting crane	23.4000
Electric winch package	06.000
Manual winch	OT.13.01.010
Flatbed side extensions (+350mm)	86.5200
PVC cover (FD-1200)	86.5400
Water tank installation module / Log Bolsters	86.5300
Water tank 1000L (IBC container)	38.2000
Watering pipe 1400mm	91.1030
Drinking trough 55L	91.1020

**Flatbed Dump Trailer FD-1200 R1A** is EU type-approved street legal trailer for when you need to take your offroad trailer on the road. This trailer is certified for on-road use in the EU with R1a classification. and approved for road use up to 40 km/h. Comes with lights, VIN and CoC documents, with possibility to apply for number plates.





## PALLET / TANK TRAILER

A multipurpose trailer designed for all-terrain vehicles and small tractors. It can transport various loads or a 600-liter IBC container for drinking water, irrigation water, or other liquids. The container is secured to the trailer frame (1200 x 800mm). Watering pipes and drinking troughs for animals can be installed as accessories.

Code
91.1000
Code
91.2000
91.1030
91.1020

- Load capacity: 600kg
- Adjustable support leg
- All-Terrain tires: 22x11-8"

Adjustable support wheel





DRINKING TROUGH 55L 91.1020







WATER TANK 600L **91.2000** 





WATERING PIPE 91.1030



## **FLAIL MOWER**

A sturdy, towable flail mower designed for mowing large lawns, meadows, or roadsides. Different engine versions are available depending on the expected work conditions.

- 14hp versions: Best for mowing smaller areas and shorter grass on regularly maintained fields.
- 18hp V-Twin Vanguard versions: Recommended for larger areas, thicker and wilder grass, and uneven surfaces.

The mower is fitted with Y-blades for cutting thicker grass and hammer blades (optional) for regularly maintained lawns.

Use Semi-Synthetic oil 10w-40

Code
27.4000
27.8000
27.3000
27.5000

Accessories	Code
Electric-hydraulic height adjuster for flail mower	27.9000

#### Features:

- Working width: 1150mm
- Cutting height: 0-120mm
- Operating speed: 2-10 km/h
- · Easy to adjust cutting height
- Adjustable working position (behind the vehicle or to the side)
- Anti-scalp rear roller to prevent cutting blades from penetrating uneven surfaces
- Y-blades for thick grass / Hammer blades for lawn mowing



Spare parts	Code
Y blades (Complete set) (56 blades, bolts, nuts, washers, bushes)	27.026
Hammer blades (Complete set) (28 blades, bolts, nuts, washers, bushes)	27.027
Y-blade, 1 pc	27.001
Hammer blade, 1 pc	27.002
Centrifugal clutch 1", set ECO	27.003
Centrifugal clutch 25mm, set ECO	27.003B
Centrifugal clutch 1" HEAVY DUTY	27.003HD
Toothed belt BX41.5 Li1060	27.013A
Belt tensioner wheel, set	27.006
Wheel & Tyre 16.5x6.5, 1 pc	27.008
Bearings for rotor UC207 RH/LH with housing, set	27.012
Bearing set for rear roller UC205 with housing, set	27.019
Tension spring, 1 pc	27.020
Axle sleeve, 1 pc	27.021
Wheel holder, 1 pc	27.007
Stone guards, set	27.009
Height adjust handle, set	27.010
Hub cap, 1 pc	27.015











## ATV FRONT CUTTER

A powerful front-mounted cutter designed for demanding off-road vegetation management, the Iron Baltic Front Cutter is ideal for clearing brush, hay, bushes, and small trees with diameters up to 100 mm. Built for professional and utility use, this robust implement transforms your ATV into a fully capable land maintenance tool.

Equipped with a reliable 344 cm³ Briggs & Stratton petrol engine and a belt-driven transmission with a simple clutch lever, the unit delivers consistent performance in the toughest terrain. The cutter features six hardened steel blades and a 1.2 m cutting width for efficient clearing. A discharge chute and protective frame enhance safety and usability, while the adjustable cutting height and mounting frame angle allow for precise control.

The cutter can be quickly installed in the front center or left side of the ATV and is easily lifted to transport position using a standard ATV winch. Requires Iron Baltic's mid-mount model-specific or universal adapter for installation (sold separately).

#### Key features:

- · Cuts brush, hay, bushes trees up to Ø100 mm
- 344 cm³ Briggs & Stratton petrol engine
- 1.2 m cutting width with 6 hardened steel blades
- · Belt drive with clutch lever
- · Quick front or side mounting, winch-liftable
- · Adjustable height angle
- Protective frame and discharge chute for safety
- Adapter required for mounting (sold separately)
- Designed & manufactured by Iron Baltic, Estonia (EU)

Code	Spare parts	Code
92.1000	Cutting blades	92.1500
	Drive belt set (XPZ1087)	92.1700
	Drive helt set (XP7a12)	921600

DISCHARGE CHUTE

Product ATV front cutter



344CC B&S PETROL ENGINE Powerful and reliable Briggs & Stratton engine ensures longlasting performance in rough conditions



WINCH-OPERATED LIFT SYSTEM Easily lift and lower the cutter using a standard ATV winch



**ADJUSTABLE** MOUNTING ANGLE Fine-tune the cutter's angle to match terrain or cutting needs



QUICK ATTACH SYSTEM Mounts or detaches in seconds, minimizing downtime in the field

> BELT DRIVE BY A SIMPLE CLUTCH LEVER Smooth and intuitive engagement for reliable and controlled operation

> > PROTECTIVE FRAME Shields the cutter from impact and pushes down branches

**CUTTING WIDTH:** - 1.2 METERS / 47.2 INCHES Wide coverage for faster clearing of large areas with fewer passes

ADJUSTABLE CUTTING HEIGHT Easily modify cutting height for optimal performance across different terrain and vegetation types

 6 STEEL CUTTING BLADES Robust hardened steel blades slice through dense brush and saplings with ease for a clean cut



## **BALE TRAILER**

The compact design of the hay bale trailer and wide off-road tires ensure good passage and off-road capability for smaller jobs around the property. It allows for fast and easy transportation of hay bales from fields to storage, animal stables, barns, and feeding places. The trailer is maneuverable, causing no significant damage to the field terrain, and can easily pass between trees, over ditches, through narrow doorways, and into tight indoor spaces.

Product	Code
Bale trailer with manual winch	43.0000
Accessories	Code
Electric winch package	06.000
Towing eye 360-degree turning for pin-type hitch	22.050S

The trailer can be pulled by any vehicle fitted with a 50mm/2" hitch ball or a pin-type hitch connection (22.050S).

#### Features:

- Load capacity: 500 kg
- Maximum roll diameter: 1200 mm
- All-terrain tires: 22x11-8"



85.1000



## **SILO & HAY BALE TRAILER**

A heavy-duty trailer designed for transporting rolled silage and hay bales. It features a strong construction, tandem axle, and wide terrain tires, ensuring high load capacity and smooth terrain passage for quick transportation to barns, stables, or feeding areas.

The trailer comes with a lifting grip system for easy bale handling and an electric winch (2500 lbs) to simplify loading and unloading.

#### Key Features:

- Load capacity: 1000 kg
- Maximum bale diameter: 1500 mm (60 inches)
- Off-road tires: 22x11-8"
- 360° swivel hitch coupler
- Electric winch for loading/unloading bales (2500 lbs)
- Automatic locking system
- Strap to fasten bales



Silo & Hay Bale Trailer with electric winch



## **SWEEPER COLLECTOR**

Sweeper Collector is an easy to use paddock cleaner, the perfect tool to keep the paddocks free of horse droppings but also great to clean/collect the dead grass, leaves, woodchips or cut grass. Sweeper brushes/bristles have grooming effect on the grass surface, keeping the grass fresh and healthy looking.

The sweeper is powered by an efficient 6.5hp Vanguard engine, rotary broom is fitted with durable OMNILINE polypropylene brushes/bristles, designed to operate in all different kind of cleaning conditions. Large capacity roll-over hopper collects up to 0.75m³ of material (220kg max load) and is very easy to empty with the aid of the winch, after which the well-balanced hopper returns into a working position automatically itself. Adjustable height spring tines rake helps to preloosen and spread the hardened/dry droppings etc. before the collection by the brushes to ensure clean result after. Working height of the brushes is manually adjustable by default but the electrichydraulic working height adjuster is also available

as an option, allowing comfortable adjustments when operating the tool without leaving the seat. Sweeper/collector tool is an ideal product for private horse owners and small animal farms and zoos, equestrian centers, horse riding schools as well as the public area (parks, city streets, etc.) maintenance and facility management companies.

Sweeper Collector is a tow behind tool that installs to an ATV, UTV or any other vehicle with 50mm (2") ball type hitch fitted, makes the cleaning of large areas like paddocks, parking lots or parks quick and easy.



Product	Code
Sweeper collector	78.0000


Accessories	Code
Electro-hydraulic cylinder	70.2800

Spare parts	Code
Brush strip 1200mm (1 broom contains 4 brush strips)	OT.22.03.010

- Capacity (collector): 0.75m³ / max 220kg
- Working width: 1200mm
- B&S Vanguard 6.5hp engine
- Replaceable OMNILINE polypropylene bristles
- Spring tine rake before the brushes to preloosen bigger pieces or hardened material for easier collecting
- Height adjustment with manual lifting mechanism or electro-hydraulic cylinder (optional)
- Use Semi-Synthetic Oil 10W-40







## RIDING ARENA LEVELER

The riding arena plow is intended for leveling and hoeing riding areas. The plow has spring spikes with an adjustable working height for surface hoeing. Adjusting the working angle of the side and rear plow blades allows for the surface at the edges of the riding arena to be shifted back to the middle. There are rubber edges and an adjustable perimeter wheel to protect the walls of a riding arena. The finishing roller compacts the soil, giving it a lovely, polished look.

The riding arena leveler can be towed by all vehicles equipped with a 50 mm / 2" ball hitch unit and with a towing eyelet (22.050S) installed as an optional accessory. The trailer can also be towed by hitching it to other vehicles equipped with a coupling device.

Setting the transportation position and operating depth is done with a manual lifting mechanism or a 12V electrohydraulic cylinder installed as an accessory.






Product	Code
Riding arena leveler with manual lifting	88.1000

Accessories	Code
Towing eye 360 degree turning pin type hitch	22.050S
Electrohydraulic motion kit	70.2800
Cylinder extension cable 1.2m	70.2750
Power extension cable 3m	70.2700
Towbar height adjuster	14.11800








## **RECEIVER MOUNT SYSTEM**

The receiver mount system is a device mounted into a 2" receiver that different tools can be attached to for soil preparation, cleaning, or landscaping work. Setting the transportation position and work depth is done with a manual lifting mechanism or 12V electrohydraulic cylinder. The receiver mount system is suitable for use with UTVs or in ATV 2" (50mm) receiver couplings.



Product	Code
Receiver mount system (manual)	84.1000
Receiver mount system (electric)	84.1050

Attachment	Code
Disc harrow	84.2000
Rear plow	84.3000
Cultivator	84.4000
Landscape rake	84.5000
Tine dethatcher	84.6000
Drag harrow	84.7000
Push broom	84.12000
Equipment box	84.13000
Log support	84.14000
Land roller	84.15000
Reel holder	84.16000
Rake	84.18000
Plug aerator	84.19000
Support wheel	84.21000
Single bottom plow G2	84.22000
Two bottom plow G2	84.23000
Potato plow G2	84.24000

Accessories / Spare parts	Code
Electrohydraulic cylinder kit	70.2800
Hydraulic Power Unit	71.0000
Hydraulic cylinder 250/1400	71.3100
Side mounting adapter	84.22001S
Mouldboard for plough	84.22010S
Blade	84.22011S
Middle mounting adapter	84.22021S
Mounting pins	84.22030
Front upper blade	84.23010s
Front lower blade	84.23011s
Mouldboard for right plough	84.23012S
Mouldboard for potato harvester	84.24005S
Front blade for potato harvester	84.24008S

Mounting kit 2" receiver	Code
AODES Pathcross 650/850/1000 (2021+)	15.2700
CanAm G2 Renegade/Outlander	15.2400
CFMOTO CFORCE 450/520 (2022+)	05.10500
Hisun Tactin 550/700	05.8200
Hisun / Trapper 550 UTV	05.11700
Kawasaki Mule SX (2017+)	15.2500
Loncin XWOLF 550/700 (-2023)	05.10700
Loncin XWOLF 550/700 (2024+)	05.11900
Polaris Sportsman 500/570/800 (2011+)	05.10900
Yamaha Grizzly 550/700	15.1500



#### Support wheel (84.21000)

Support wheel to prevent the plow digging to deep (limiting the cutting depth of the plow).






#### Cultivator (84.4000)

Cultivator for weed removal or mixing soil prior to planting.

Working width 1 450 mm



#### Drag harrow (84.7000)

Drag harrow for surface planning, soil tilling, smoothing and breaking up larger chunks of soil and readying the surface for seed sowing.

- Working width 1 500 mm
- · Working depth 100 mm







#### Single bottom plow (84.22000)

A single bottom plow for plowing fields. By using this, soil is rotated to bring fresh nutrients to the surface while simultaneously burying weeds and previous crop residue in preparation for new sowing and planting.



#### Two bottom plow (84.23000)

A two bottom plow or earthing plow for ridging and earthing work.





#### Potato plow (84.24000)

A potato plow for digging up potatoes. The potato digging plow has metal rods that the soil passes through while the potatoes remain on the surface.






#### Landscape rake (84.5000)

Landscape rake for soil preparation work, surface planing or field maintenance/cleaning.

- Working width 1450 mm
- Working height 350 mm



#### Rear plow (84.3000)

Rear plow for surface planing or cleaning waste, leaves, snow etc., from different areas.

- Working width 1450 mm
- Working height 300 mm
- Working angle adjustable from -16° to 16°



#### Push broom (84.12000)

Push broom to clean driveways, sidewalks, parking areas, squares, warehouses, barns etc., of waste, leaves, snow etc.

- Working width 1500 mm
- Working height 250 mm
- Working angle adjustable from -20° to 20°










#### Rake (84.18000)

The rake is an effective tool for clearing hay, leaves, branches and other debris.

Working width 1500 mm



#### Tine Dethatcher (84.6000)

Tine Dethatcher is used to remove moss in lawn maintenance. Helps improve air circulation, promotes grass growth and gives the lawn a more aesthetic look.


Working width 1500 mm



### Plug aerator (84.19000)

Plug aerator is a tool that creates holes in the surface of the soil, allowing air, water and fertilizers to reach the roots better, helping the lawn to grow.

Working width 1250 mm









### Reel holder (84.16000)

The reel holder is a tool for carrying rolls of wire or twine when building fences. Suitable for up to 4 rolls (maximum diameter 300 mm / width 270 mm).





### Land roller (84.15000)

Land roller for landscaping and agricultural work.

- Diameter 310 mm
- Working width 1350 mm







#### **Disc harrow** (84.2000)

Disc harrow to break up hard soil, dry grass and turf, chop weeds or other soil preparation work.

- Working width 1 400 mm (adjustable)
- Spherical discs Ø 365 mm
- Adjustable disc operating angle from -30° to 30°



### Log support (84.14000)

Log support is a tool for holding logs for cutting or hauling wood out of the forest. We recommend using a suspension lock (14.11600) or a shock absorber lock (14.12200) when using this product.



### Equipment box (84.13000)

Equipment box with a capacity of 70L (1430  $\times$  400  $\times$  170 mm)

Can be used with a chainsaw holder (14.7200).











# **DRAG HARROW**

A harrow for breaking up soil or planning the surface. It is suitable to use with ATV and UTV off-road vehicles, small tractors or lawn tractors. Cutting or smoothing work position according to which side down the harrow is pulled.

- Working width 1200mm
- Working depth 100mm
- Wire diameter 12mm
- · Cutting or smoothing working position

Product	Code
Drag harrow	59.1000










# **LEVELER**

A leveller is a simple steel net piece of equipment for levelling and planning large areas. It is suitable to use with ATV and UTV off-road vehicles, small tractors or lawn tractors. The leveller is suitable for preparing fields, lawns and prior- or post-processing the soil when seed planting. It is also suited for levelling light gravel and sand beds.

- Working width 1500mm
- Frame for mounting extra weight











### **FLIP OVER DISC**

A disc harrow with a simple and strong construction for breaking up turf and weeds, as well as other soil-improving works. The transportation and working position are switched in between by turning the disc cultivator around. It is possible to add extra weight for ballast (sandbags etc.) to improve work effectiveness / cutting depth of the discs. The disc harrow is suitable to use with ATV and UTV off-road vehicles, small tractors or other vehicles fitted with a 50mm / 2" hitch ball.

- Working width 1500mm
- · Working angle of 20 degrees
- Cutting depth 150-180mm
- Adjustable drawbar height (3 positions)
- Spherical discs 460mm in diameter (8 discs)

Product	Code
Flip over disc	51.1000
Accessories	Code
Towbar height adjuster	14.11800







### **LAND ROLLER**

Field or land roller to roll fields after plowing as well as compact after sowing or leveling work. The field roller mounted on an ATV coupling is an easy to maneuver and sufficiently light tool ideally suited for leveling small and medium-sized fields after plowing without the vehicle sinking into the ground and creating tracks. The roller can be filled with water to add weight to further compact and create a smooth and even surface.

Product	Code
Land roller	57.2000

Accessories	Code
Support wheels, pair	57.2050
Towbar height adjuster	14.11800



- Working width 1 500 mm
- Roll diameter 475 mm
- Off-road tires 22x11-8"
- 360° swivel hitch coupler
- Weight 120 kg / 380 kg (when filled with water)







### **GRADER / ROAD SCRAPER**

A towable road scraper for gravel road levelling and surface planning. Road scraper is equipped with a frame for a 600x800mm pallet on to which a ballast weight can be placed - stones, sandbags etc. The transportation and working height positions are easily adjustable using support wheels. Electric or hydraulic control sets are available as accessories, these allow for the road scraper to be set into the transportation position without leaving the driver's seat.

•	Working width 1800mm
---	----------------------

- Double-sided toothed blade
- · Frame for mounting ballast weight
- Adjusting in between transport and working position via support wheels
- Optional 12V DC electric or hydraulic height adjustment from driver's seat


Product	Code
Grader / Road scraper	44.0000

Accessories	Code
Blade (steel S355, 10 mm)	44.1017
Blade (Hardox 400, 8 mm)	44.1017A






### **ELECTRO-HYDRAULIC CONTROL**



### **HYDRAULIC CONTROL**

Hydraulic control	Code
Adjustable towbeam	71.5000
Hydraulic cylinder with hoses	71.5100
Hydraulic Power Unit	71.0000





# TIMBER TRAILER IB 1200 / 1200 R1A

**Timber Trailer IB 1200** is a solidly constructed timber trailer for use with small tractors or off-road vehicles. A compact solution, tandem axle and wide terrain tires ensure good terrain passage, allowing access to places that are typically inaccessible with larger gauge equipment. The adjustable length of the trailer allows logs up to 3 meters long to be transported. The timber trailer has rotatable and easily removable load posts that significantly simplify loading and unloading.

A crane with telescope construction support feet that hold the trailer firmly on the ground can be installed when loading and unloading a larger log to simplify the process. The length and height of the crane boom can be adjusted as required. The IB 1200 uses an electric winch powered by the battery of the vehicle towing it to drag and raise logs.

1400 L cargo box with removable extensions available as an option for the timber trailer. Crane with electric winch for tilting the cargo box.

- Load capacity 1 200 kg
- Crane lifting capacity 300 kg
- · Tandem axle with four wheels
- Off-road style street legal tires 22x11-8"
- 360° swivel hitch coupler
- Adjustable supporting wheel
- · Adjustable trailer length

Product	Code
Timber trailer IB 1200	86.1000
Timber trailer IB 1200 R1A	86.1100

Accessories	Code
Crane	23.3000
Electric winch kit	06.000
Log Grapple – Lifting Tongs	23.3070
Battery box	86.3500
Timber bolsters	86.1010S
Towbar height adjuster	14.11800
Flatbed IB 1200 / PRO-1200	86.5000
Cargo box	86.2000
Luggage container with chainsaw holder	86.3000






**Timber Trailer IB 1200 R1A** is EU type-approved street legal trailer for when you need to take your offroad trailer on the road. This trailer is certified for on-road use in the EU with R1a classification. and approved for road use up to 40 km/h. Comes with lights, VIN and CoC documents, with possibility to apply for number plates.

# TIMBER TRAILER WITH CARGO BOX OPTIONS

Accessories	Code
Lifting crane	23.3000
Electric winch package	06.000
Cargo box	86.2000
Cargo box extensions (+300mm)	86.2500
Battery box	86.3500
Timber bolsters	86.1010S
Accessories box	86.3000
PVC cover	86.4000





# TIMBER TRAILER WITH FLATBED OPTIONS

Accessories	Code
Flatbed (2080x1320mm)	86.5000
Flatbed side panels (350mm)	86.5100
Flatbed side extensions	86.5200
PVC cover	86.5400
Towbar height adjuster	14.11800
Watering pipe 1400mm	91.1030
Drinking watering trough 55L	91.1020
IBC container 600L	91.2000
Log bolsters	86.5300




LIFTING



### **ACCESSORIES**

Accessories	Code
Flatbed side extensions (350mm)	86.5200
Water tank installation module / log bolsters	86.5300
Water tank 1000L (IBC container)	38.2000
Watering pipe (1400mm)	91.1030



### **ACCESSORIES**

Accessories	Code
Electric winch	06.000
Lifting tongs / log grapple	23.3070
Log bolsters	86.1010S
Accessory box with a chain saw holder	86.3000
PVC cover (cargo box)	86.4000
PVC cover (FD-1200)	86.5400
Drinking trough 55L	91.1020
Towbar height adjuster	14.11800
Battery box	86.3500





#### **BATTERY BOX**

Size 385x240x90mm Includes switches and wires 86.3500





#### **ELECTRIC WINCH**

Load Capacity 2500lbs (1134kg) Rope 6.3mm x 12m **06.000** 



## TOWBAR HEIGHT ADJUSTER

Offset adjustable into 4 positions: 75 / 95 / 125 / 145 mm **14.11800** 



Weatherproof cover for the cargo box **86.4000** 



### **TIMBER BOLSTERS**

Additional pair of log bolsters for shorter log transport **86.1010S** 



# LIFTING TONGS / LOG GRAPPLE

Lifting tongs for moving logs up to 350mm in diameter 23.3070



### **ACCESSORIES BOX**

Accessory box with a chain saw holder, mounted on the log guard grille

86.3000

87



### LOG HAULER

The log hauler hitched to an ATV, UTV or any other kind of off-road vehicle forms a light and compact, easy-to-use transportation solution which can be used for hauling long logs out of the woods. It is easy to manoeuvre between trees and pass through wet areas and ditches with it towed behind the off-road vehicle and haul the logs out from areas where access with larger and heavier vehicles is restricted or would be more difficult.

A wheeled rear support allows to lift the rear end of the log so that it can be transported cleanly, without damaging the forest ground with the dragging log and without further damages to the log itself. The logs can be pulled and lifted clean into the hanging position with the choice of either a manual or electrical winch set.

The log hauler set includes a hanging system for transporting logs with a larger diameter. A rotating carrier frame for smaller logs is available as an additional accessory. The carrier frame is for loading the smaller logs, branches, brush etc.


- Load capacity 500kg (1000kg combined capacity with the rear support used)
- Strong, rigid steel square tube frame 50 x 50 x 3 mm construction
- Maximum log diameter 50 cm / 20"
- Off-road tires 22x11-8"
- 360° swivel hitch
- Hand winch or electric winch option to pull logs out of the forest
- Chains for hanging logs and carabiners for fastening
- Optional rotating carrier frame for transporting smaller logs
- Optional rear support



31.6000

31.8000

14.11800





### **HAND WINCH**

Pull force 725kg Steel wire 5mm x 10m

31.4000



### **ROTATING CARRIER FRAME**

For transporting smaller logs or twigs 31.6000



Rotating carrier frame

Towbar height adjuster

Tiltable cargo box for log hauler

06.000



TILTABLE CARGO BOX FOR LOG HAULER 31.8000



# LOG SKIDDING PLATE

A log skidder connected to an all-terrain vehicle forms a light, compact and easy-to-use solution for hauling logs out of the forest. With this log skidding plate, it is possible to maneuver between trees, pass through wet areas and ditches, transporting logs out of the forest without getting stuck in the ground. Suitable for dragging individual large logs as well as smaller, thinner logs.

- · Width 760 mm
- Telescopic tow bar
- Chain for securing logs

Product	Code
Log skidding plate	14.11700





### **CHAINSAW HOLDER**

A universal adjustable chain saw holder that is easy to install and remove. The holder, made from durable plastic, has a socket that fits most sizes of chain saw guide plates and does not damage the chain. The chainsaw holder can be attached to the front or rear rack of an ATV or UTV or to other vehicles equipped with a suitable tubular mounting point using U-clamps. The bolted connection version is ideally suited for attaching to trailer cargo boxes or cases etc.




# ProductCodeChainsaw holder (tubular frame)14,7000Chainsaw holder (bolted connection)14,7200

### CHAINSAW HOLDER 14.7000



#### CHAINSAW HOLDER





# **WOOD CHIPPER G3**

A wood chipper with a drum cutting method to produce wood chips from branches or smaller diameter trees. This can be used to cover sidewalks as mulch, for heating, etc. The compact size of the chipper ensures that it is easy to maneuver when mounted on an off-road vehicle. It can thus be used in dense or other hard to reach areas without damage to the surface. It is suitable for small-scale forestry work as well as park and real estate maintenance.

Optional battery (not included, connecting wiring included) 183x78x170mm Type: 6-DZM-20

ProductCodeWood chipper G3 - electric starter76.7000

Spare parts	Code
Cutting blades kit	76.0003
Belts (pair)	76.7003
Clutch	76.0002

- Cutting method drum
- Productivity 6–10 cbm/h
- Wood diameter max 150 mm
- Engine 14hp (B&S 2100 XR Series) with electric starter
- 360° rotating ejection tube
- Semi-Synthetic oil 10W-40











14HP B&S ENGINE
WITH E-START
Powerful and
dependable engine
with electric start for
convenience and coldweather use.

150MM / 5.9IN CHIP CAPACITY Handles thick branches and small trees with ease perfect for demanding

PRODUCTIVITY 6-10 CBM/H High output lets you chip large volumes in a short amount of time.

CUTTING

76.0003

**BLADES KIT** 

EMERGENCY BRAKE ON FEED CHUTE Instantly stops the feed for safety in critical situations

360° ROTATING DISCHARGE CHUTE Freely direct chip output wherever you need it without

repositioning the

BELTS 76.7003

76.0002

**CLUTCH KIT** 

TWIN REVERSIBLE BLADES

Durable double-edged blades can be flipped to extend service life before replacement.

BATTERY BOX
Houses optional
battery for electric start
functionality in remote
areas

WIDE TRACK &
WHEELS
Enhanced stability
and smooth towing
even on uneven or soft

ground

QUICK ADJUSTABLE SUPPORT WHEEL Stabilizes the unit during operation and adjusts in seconds for varied terrain.

TOWABLE
CONSTRUCTION
Built for transport
behind an ATV or UTV,
ideal for remote or offroad worksites.

QUICK ACCESS TO BLADES FOR EASY MAINTENANCE

Service the blades quickly through the top cover—no complex



### STUMP GRINDER SG-8


The Stump Grinder SG-8 is specifically designed for the efficient and quick removal of tree stumps. Powered by a 14hp Briggs & Stratton engine and equipped with eight carbide-tipped teeth, it ensures excellent cutting performance, making it easy to grind stumps up to 300mm above ground level and down to 230mm below ground. This makes it suitable for removing stumps of any diameter. The multi- position handle simplifies maneuvering and allows grinding from various angles.

Compact and light enough to be towed by an ATV or a small tractor, it's easy to transport and maneuver in tight spaces, such as forests or gardens. The tow-behind stump grinder is an effective and convenient solution for those needing to remove stumps in challenging terrains or areas inaccessible to larger machines.



Key features:

- Strong steel structure with a powder-coated finish
- Towbar with a 50mm / 2" coupler and trolley wheel
- Multi-position adjustable handle
- Powered by a 14HP Briggs & Stratton gasoline engine
- · Adjustable rotation handle
- Tire fixation with brake lever
- 8 replaceable carbide teeth
- · Emergency stop bar





Spare partsCodeStump grinder SG-8 Cutting teeth set (pair)951050Stump grinder SG-8 drive belt set (pair)951080Stump grinder SG-8 teeth holder (angled) pair951070Stump grinder SG-8 teeth holder (straight) pair951060



MULTI-POSITION
ADJUSTABLE HANDLE
Allows comfortable
control and grinding
from different angles
and terrains

EMERGENCY STOP BAR Immediate stop function enhances user safety during operation

POWERED BY 14HP BRIGGS & STRATTON ENGINE

Reliable power source designed for heavy-duty use in forestry applications





95.1050



DRIVE BELT SET

95.1080



TEETH HOLDER (ANGLED) PAIR

95.1070





TEETH HOLDER (STRAIGHT) PAIR

95.1060





TYRE FIXATION SYSTEM Integrated brake lever locks wheels in place for added control while grinding

8 CUTTING BLADES WITH CARBIDE TIPS

Hard-wearing tips grind through hardwood stumps



FRONT TROLLEY WHEEL
Provides extra balance and support
during transport and operation

ALL-TERRAIN WHEELS 145/70-6 Tackle uneven surfaces and tight spots with dependable mobility WIDE TRACK & WHEELS
Stable footprint enhances
safety and makes maneuvering
easier over rough ground



### **LEAF VACUUM**

The leaf vacuum is equipped with a reliable 6hp Briggs & Stratton engine that is used to run a durable turbine 4 blade impeller made from Hardox 400 steel, with a productivity of 70m<sup>3</sup>/h. The product is equipped with a suction tube with a diameter of 180mm and a length of 3.5m, with a light and convenient wheeled nozzle.

The product set consists of the BASIC 500 (61.1000) modified trailer and the leaf vacuum module (81.2500) attached to it. The leaf vacuum module (vacuum, load surface grille, PVC cover) is easy to install onto the trailer and can easily be removed for the off-season period so that the trailer may be used for other purposes as well if desired.

Product Code
Leaf Vacuum Trailer 812000

- Cargo box capacity 1.2m<sup>3</sup>
- Vacuum productivity 70m³/min
- Load capacity 500kg
- Engine 6hp Briggs & Stratton
- Off-road tires 22x11-8"
- Flexible suction tube diameter 180mm / length 3.5m
- Oils and biological acids resistant suction tube materials
- Tiltable cargo box
- Removable PVC cover and hatches
- · Adjustable support leg
- Use Semi-Synthetic oil 10W-40











### HYDRAULIC POWER UNIT

The compact, electric motor-powered hydraulic unit is for ATV / UTV coupling devices. The hydraulic station has two ½" quick release hydraulic couplers, to which it is possible to attach cylinders for turning and lifting the snow plow, controlling the bucket or setting the working positions of other coupled equipment. Allows to use the "free floating" option on one cylinder – good to use on a plow up-down movement cylinder. The unit is controlled via a wired remote control which can be mounted to the vehicle's control panel or any other convenient location using the supplied mounting bracket. The electrical power for the equipment to be taken from the electrical system of the vehicle.

- Productivity 2.5l / min (0.45cm³ / rev)
- · Operating pressure 180 bar
- Motor 800W / 12V DC
- Oil tank 1 liter
- Hydro output 2 x ½"
- Floating and fixed position adjustable from the remote control







Spare parts	Code
Hydraulic hose extensions 3500mm	71.100
Hydraulic cylinder with hoses 250/1400	71.3100
Hydraulic cylinder with hoses 250/1600	71.5100
Hydraulic cylinder with hoses 178/1400	71.10000
Hydraulic cylinder kit with solenoid V-Plow 1800 turning	71.11850
Hydraulic cylinders kit with solenoid V-Plow 1500 turning	71.11860


To use with:	
Standard plow turning & lifting	Page 18
V-plow turning	Page 26
Bucket lifting / tilting	Page 28-31
Adjusting the working position of the grader	Page 81

### HYDRAULIC CYLINDER WITH HOSES 250/1400

#### (71.3100)

- Cylinder diameter 32mm
- Mounting size min 380mm
- Cylinder stroke 250mm
- Hose length 1400mm

Mid-mount and front-mount system plow turning. V-plow G2 1800 Blade turning.



- Cylinder diameter 32mm
- Mounting size min 380mm
- Cylinder stroke 250mm
- Hose length 1600mm
- Quick connection ¼ "

Adjusting the working and transport position of the grader.

# HYDRAULIC CYLINDER WITH HOSES 178/1400 (71.10000)

- Cylinder diameter 32mm
- Mounting size min 300mm
- Cylinder stroke 178mm
- Hose length 1400mm
- Quick connection 1/4 "

V-plow G2 1500 blade turning.

### HYDRAULIC HOSE EXTENSIONS 3500MM

#### (71.100)

- Hoses length 3500mm
- Quick connection ¼ "

# HYDRAULIC CYLINDER KIT WITH SOLENOID V-PLOW 1800 TURNING (71.11850)

This kit consists the hydraulic cylinders with hoses and solenoid valve allowing to move both sides of the Iron Baltic 1800mm V-plow.

# HYDRAULIC CYLINDER KIT WITH SOLENOID V-PLOW 1500 TURNING (71.11860)

This kit consists the hydraulic cylinders with hoses and solenoid valve allowing to move both sides of the Iron Baltic 1500mm V-plow















# **ELECTRO-HYDRAULIC CYLINDER**

Compact electro-hydraulic cylinders are intended for exterior use, for setting the work and transport positions of different products. The product can easily be transferred from one piece of equipment to the other. The 12V DC power it requires to operate, taken from the electrical system of the vehicle. The selection includes MAP (Korea) and KYB (Japan) cylinders as well as different sets of control panels with power cables.

- Pull force 1800lbs (816kg)
- Cylinder rod diameter 20mm
- Mounting eye diameter 16mm
- Mounting gap min 380mm
- Stroke 250mm
- Power supply 12V DC

Product	Code
Electro-hydraulic cylinder MAP	70.700
Electro-hydraulic cylinder KYB	70.1000

Accessories	Code
One cylinder control kit	70.2500
Two cylinder control kit	70.2600
Power extension cable 3m	70.2700
Cylinder extension cable 1.2m	70.2750

Standard plow turning and lifting	Page 18
Adjusting the working position of the grader	Page 80
Trailer IB-165 cargo box tilting	Page 48
Trailer Offroad 500 cargo box tilting	Page 50
Receiver mount system motion	Page 69
Riding arena leveler	Page 67





### ONE CYLINDER CONTROL KIT (70.2500)

Control panel set with power cables and mounting devices for controlling one electrohydraulic cylinder.







### TWO CYLINDERS CONTROL KIT (70.2600)

Control panel set with power cables and mounting devices for controlling two electrohydraulic cylinders.





# **QUICK RELEASE CLAMPS**

Universal quick-release clamps for fastening tools with a diameter up to 50mm. The product selection includes clamps for tubular material racks or versions with an anchor connection for attaching to CFMOTO and POLARIS or any other racks with matching mounting hole diameter and depth.



Product	Code
Quick release clamps (frame connection)	14.10850
Quick release clamps POLARIS (anchor connection 25mm)	14.10860
Quick release clamps CFMOTO / SEGWAY (anchor connection 22mm)	14.11050



### **TUBULAR FRAME CONNECTION**

#### 14.10850

For installation on round products up to 26mm in diameter





### **TIE DOWN ANCHOR (POLARIS)**

### 14.10860

For installation in openings with a diameter of 25 - 30mm.





# ANCHOR MOUNT (CFMOTO / SEGWAY)

#### 14.11050

For installation on luggage racks and cargo boxes of CFMOTO or SEGWAY



### **ECCENTRIC CLAMP**

Product	Code
Eccentric clamp Polaris	14.10000
Eccentric clamp CFMOTO 22mm	14.11000

Eccentric clamps with anchor connection for attaching accessories to POLARIS or CFMOTO luggage racks.



ECCENTRIC CLAMPS
(POLARIS)
14.10000



ECCENTRIC CLAMP
CFMOTO 22MM
14.11000

### WINCH ROPE FAIRLEAD

Product	Code
Winch rope fairlead	14.001



WINCH ROPE FAIRLEAD

14.001

### **PLOW LIFT STRAP KIT**

Product	Code
Plow lift strap kit for winch	14.11300

PLOW LIFT STRAP KIT
FOR WINCH
14.11300





## **SNATCH BLOCK**

Product	Code
Snatch block	14.10200

SNATCH BLOCK 14.10200



### **BED WALL EXTENDERS**

Product	Code
CanAm Outlander 6x6 Bed Wall	14.10700
Polaris Big Boss 570 6x6 bed wall extender	14.10600
Polaris Big Boss 800 6x6 safety cage	14.8000





POLARIS BIG BOSS 570 6X6 BED WALL EXTENDER 14.10600



POLARIS BIG BOSS 800 6X6 SAFETY CAGE 14.8000



Suspension lock to lock the vehicle's suspension. The lock with its universal design attaches to the vehicle's front or rear a-arms, and a connecting rod with a pin connection fixes and locks the suspension travel. Installation is quick and easy, fitting most ATV models with "A"-style arms. Recommended for use when working with heavier receiver mount implements or front mounted plows/buckets.



DEMO VIDEO:



### SUSPENSION SPRING LOCK


Product	Code
Suspension spring lock pair Universal ATV	14.12200

Product

The suspension spring lock is attached to the shock absorber of the vehicle with a clamp and stroke of the shock absorber is limited with adjustable plates. It fits most ATV shock absorbers with a diameter up to 45mm. Recommended for use when working with heavier receiver mount implements or front mounted plows/buckets.







### **MULTI-MOUNT WINCH**

Multi-mount winch is a compact universal electric kit which allows mounting and transferring a winch between different vehicles equipped with a 50mm ball hitch. The winch plate is installed onto the rear 50mm hitch of the vehicle. The kit includes wiring and power socket for quick detachment and reinstallation. Suitable for all winches up to 4000 lbs.

•	Pulling f	orce 1134	kg (250	oo lbs)
---	-----------	-----------	---------	---------

- Motor 1kw, 12V DC
- Transmission 138:1
- Pulling speed 2.1 7.5 m/min
- Strong nylon cord 6.3mm x 12m (0.24 in x 39 ft)
- Wireless remote control and wired standby switch
- · Line guide with large base roller







### **EQUIPMENT BOXES**

The steel made equipment box with a universal design solution is for installation on POLARIS SPORTSMAN models but is suitable for attaching to front and rear racks of other ATV models as well. The product's separating inner walls have adjustable locations and the bottom is covered with a rubber that prevents slipping. The box is attached to the rack using U-clamps that come with the set or with eccentric clamps that can be ordered as an additional accessory.

The equipment box can be ordered, if desired,
together with the universal chainsaw holder. The
holder, made from durable plastic, has a socket
that fits all sizes of saw chain guide plates.

A PVC cover for the equipment box, which protects the box contents from rain, snow or dirt, is available as an optional accessory.

Product	Code
Universal cargo box (Polaris)	56.5000
Universal cargo box with chainsaw holder	56.6000

Accessories	Code
PVC cover	56.5100
Eccentric clamp Polaris	14.10000
Eccentric clamp CFMOTO / SEGWAY	14.11000

Product	Code
Front basket universal	56.7100
Luggage rack (rear) CanAm Renegade	14.1200



LUGGAGE RACK

14.1200







UNIVERSAL CARGO BOX 56.5000 / 56.6000



### **CLUTCH KITS**

ATV and UTV performance depends heavily on the clutch system setup. Stock clutches are designed for standard tires and general use, but when you start towing heavy loads, navigating technical terrain, or upgrading to oversized wheels, the original setup no longer performs at its best.

Our Stage 3 clutch kits are designed to optimize power delivery, improve throttle response, and protect your drivetrain under demanding conditions. These kits are not one-size-fits-all - they're tailored for specific terrain types to ensure your machine performs exactly how you need it to.

#### **TRAIL**

Our best all-around use kit helps to transfer the engine power better to the wheels. Better acceleration and an overall improved riding experience. Quicker backshift which results in crisp throttle response. Reduces belt slip and minimizes heat generation. Suitable for vehicles with tyres sized between 25" - 29".

#### **MUD**

Mud kit is for riding in thick mud or have big tyres. Helps to transfer the engine power better to the wheels. Quicker backshift which results in crisp throttle response. Reduces belt slip and minimizes heat generation. Suitable for vehicles with tires sized between 29"-34".

### SKEG MÖNSTER

Skeg Mönster kit is best for Mud/Skeg riding with overized tyres. Helps to transfer the engine power the best to the wheels. Quicker backshift which results in crisp throttle response.

Reduces belt slip and minimizes heat generation. Suitable for vehicles with tyres sized between 30"-34".



Our model-specific clutch kits include a detailed installation and set-up manual. Installation is not complicated but may require special tools and some technical knowledge, therefore professional installation and set-up is recommended.

Our clutch kits are developed in cooperation with Vauhti Varikko.



		Stage 3	
СГМОТО	TRAIL 25"-29"	MUD 29"-34"	SKEG MÖNSTER 30''–34'
CFORCE 450/520	80.5200	80.8600	80.5300
CFORCE 625/625 Touring	80.1300	80.5400	80.8500
CFORCE 850	80.1400	80.5500	80.5600
CFORCE 850 G3 (2024+)	80.9500	80.9600	
CFORCE 1000 G3 (2024+)	80.9500	80.9600	
CFORCE 1000	80.1500	80.5700	80.5800
CFORCE 1000 Overland	80.1500	80.5700	80.5800
UFORCE 600	80.4200	80.6600	
UFORCE 1000	80.6200	80.6300	80.6400
UFORCE 1000 XL	80.6200	80.6300	80.6400
ZFORCE 950	80.8400	80.2000	80.5900
ZFORCE G2 950 Sport	80.6100	80.2000	80.5900
ZFORCE G2 950 Sport XL	80.6100	80.2000	80.5900
ZFORCE 1000	80.8400	80.2000	80.5900

SECWAY	Sta	age 3
SEGWAY	TRAIL	MUD
Snarler AT5	80.8700 (25"-28")	80.8800 (28"- 34")
Snarler AT6		80.5000 (25"- 30")
Villain SX10	80.6900 (29"-32")	80.7000 (32"- 35")
Fugleman	80.9700 (27"-34")	

AODES	Stage 3 TRAIL 26"-29"
Pathcross 650	80.10000
Pathcross 1000	80.9400

#### **SECONDARY CLUTCH SPRINGS**

СЕМОТО	29"-34"
CFORCE 450/500/520	80.1000
CFORCE 625/625 Touring	80.1000
CFORCE 850 (until G2)	80.1000
CFORCE 1000 (until G2)	80.1000
CFORCE 1000 Overland (until G2)	80.1000
UFORCE 600	80.1000
UFORCE 1000	80.1000
UFORCE 1000 XL	80.1000
ZFORCE 950	80.1000
ZFORCE G2 950 Sport	80.1000
ZFORCE G2 950 Sport XL	80.1000
ZFORCE 1000	80.1000

Secondary clutch spring is designed for riding with oversized wheels (28" and up). It reduces belt slipping and protects clutch for overheating, it gives better low-end power, torque and quicker backshift which results in crisp throttle response.



#### SECONDARY CLUTCH HELIXES

Model	Angles	Code
CFORCE 450/520/625	40"	80.1110
CFORCE 850/1000 / UFORCE 1000	35"	80.1120
CFORCE 850/1000	50"	80.1130
CFORCE 850/1000 / UFORCE 1000	38"-52"	80.1140
CFORCE 450/520/625	40"-48"	80.1150
CFORCE 520	32"-42"	80.1160
CFORCE 1000 / ZFORCE 950/950H/10000	43"-56"	80.1170
Segway Snarler AT6	38"-48"	80.1180

HELIX versions depending on the machine configuration for optimal power transmission.

Straight, fixed angle Helixes for getting linear upshifting behavior;

- 35° for mud use (for all engines)
- 40° for mud use (for all engines)
- 50° for small tyres and fast acceleration (recommended for upgraded two-cylinder engines)

Multi-angle/progressive Helix to get the best of both worlds;

- 40°-48° for all single cylinder, all-around use
- 38°-52° for all two cylinders, all-around use
- 32°-42° for SKEG MÖNSTERs
- 43°-56° for On-Road use

#### **ENGINE HIGH FLOW INTAKES**

Product	Code
High Flow intake CFORCE 1000 (incl 80.6730)	80.6710
High Flow intake CFORCE 850 (incl 80.6740)	80.6720
Max airflow inlet pipe CFORCE 1000	80.6730
Max airflow inlet pipe CFORCE 850	80.6740


- Optimizes the air flow in the AirBox and Engine
- Increases the air flow speed
- More engine power (dyno proven)
- Flow bench tested to achieve the best design and eliminate air turbulence
- Better throttle response
- Recommended for use with ECU tune





### **CLUTCH TOOLS**

Product	Code
Clutch compression tool, universal	80.400
Clutch holding tool CFMOTO (CVTech LP3	80.1700
Clutch holding tool Can-Am	80.1800
Clutch holding tool (Segway)	80.3900
Clutch Holding Tool Segway Villain SX10	80.7600







# **POWER ECU**

СҒМОТО	Year	ECU	Code
CFORCE 400/450	2019-2022	BOSCH MSE6.0	96.1000
CFORCE 500/520	2019-2022	BOSCH MSE6.0	96.1100
CFORCE 400/450 gen2	2023+	BOSCH MSE6.0	96.1200
CFORCE 500/520 gen2	2023+	BOSCH MSE6.0	96.1300
CFORCE 500/520 gen2	2023+	BOSCH MSE8.0	96.1350
CFORCE 600/625	2020-2022 Models with regular cable throttle	BOSCH MSE6.0	96.1400
CFORCE 600/625	2023+ Model with Drive by Wire throttle	BOSCH ME17	96.1500
CFORCE 800/850 gen2	2018-2023	DELPHI MT05.3	96.1600
CFORCE 1000 gen2	2018-2023	BOSCH US6	96.1700
CFORCE 1000 L7 gen2	2018-2023	BOSCH MSE6.0	96.1750
CFORCE 800/850 gen3	2024+	BOSCH ME17	96.1800
CFORCE 1000 gen3	2024+	BOSCH ME17	96.1900
CFORCE 1000 ABS gen3	2024+	BOSCH ME17	96.1950
UFORCE 1000	2023+	BOSCH ME17	96.2000
UFORCE 1000 XL	2023+	BOSCH ME17	96.2000
ZFORCE 950	2021-2022	BOSCH ME17	96.2300
ZFORCE 950 Sport	2023+	BOSCH ME17	96.2100
ZFORCE 950 Sport 4 seater	2023+	BOSCH ME17	96.2100
ZFORCE 950 H.O. Sport	2023+	BOSCH ME17	96.2200
ZFORCE 1000 Sport R	2023+	BOSCH ME17	96.2200

SEGWAY	Year	ECU	Code
Snarler AT5	2024+	BOSCH MSE8.0	96.2400
Snarler AT6	2021-2025	BOSCH MSE6.0	96.2500
Villain	2022-2025	BOSCH ME17	96.2600

The Power ECU is a full replacement for your ATV's original ECU, designed to take engine performance and drivability to a completely new level. Developed through extensive real-world testing and fine-tuning, this ECU is engineered for riders who want maximum power, improved control, and enhanced rideability — whether for off-road adventure or competitive racing.

By optimizing all key engine management parameters and eliminating factory limitations, the Power ECU unlocks performance gains that are simply not possible with the stock unit. Installation is easy, a true plug-and-play solution with no additional modifications required.



- More power over +10 hp to the wheels (depending on model)
- · Increased torque throughout the rev range for stronger acceleration and better pulling power
- Optimized air-fuel ratio (AFR) to balance power output and efficiency
- · Completely reworked ignition timing maps to safely extract maximum performance
- Refined and smoother throttle response through newly calibrated throttle maps
- Drive modes individually tuned for improved usability in various conditions
- Torque limiters adjusted to let the engine deliver its full potential
- Downhill assistant function retuned for softer operation eliminates throttle sticking or jerky feel when descending
- · Higher speeds and more torque available in both Low (L) gear and Reverse (R) gear
- Maximized top speed capability without factory speed restrictions
- Full plug-and-play installation no permanent changes to your ATV required

## FOR OFF-ROAD/RACING USE ONLY!

# SPEED LIMITER REMOVED ECU

СFМОТО	Year	ECU	Code
Cforce 400/450	2019-2022	BOSCH MSE6.0	96.2700
Cforce 500/520	2019-2022	BOSCH MSE6.0	96.2800
Cforce 400/450 gen2	2023+	BOSCH MSE8.0	96.2900
Cforce 500/520 gen2	2023+	BOSCH MSE8.0	96.3000
Cforce 600/625	2023+ Model with Drive by Wire throttle	BOSCH ME17	96.3100
Cforce 800/850 gen2	2018-2023	DELPHI MT05.3	96.3200
Cforce 1000 gen2	2018-2023	US6.0	96.3400
Cforce 800/850 gen3	2024+	BOSCH ME17	96.3300
Cforce 1000 gen3	2024+	BOSCH ME17	96.3500
Uforce 1000	2023+	BOSCH ME17	96.3700
Uforce 1000 XL	2023+	BOSCH ME17	96.3800
Uforce 600	2024+	BOSCH ME17	96.3600
Zforce 950 Sport	2023+	BOSCH ME17	96.3900
Zforce 950 Sport 4 seater	2023+	BOSCH ME17	96.4000



The Iron Baltic Speed Limiter Removed ECU is a plug-and-play replacement for the factory ECU, developed for riders who want to remove the built-in speed restrictions imposed by the manufacturer. Whether you're riding on open trails, private roads, or racing off-road, this ECU allows your ATV or UTV to reach its true top speed without electronic limitations.

Unlike full performance ECUs, this unit focuses specifically on removing speed caps while maintaining stock drive modes and fuel maps, making it ideal for users who don't need full retuning but want more freedom from factory restrictions.

#### Key benefits:

- Removes OEM speed limiter restrictions
- Increases top speed in both High and Low gears
- Plug-and-play installation no additional tuning required
- Retains factory drive modes and engine behavior
- Ideal for utility, recreational, or sport use where unrestricted speed is desired

Note: For off-road or closed-course use only. Not intended for public road use.



FOR OFF-ROAD/RACING USE ONLY!

# MODEL SPECIFIC MOUNTING KITS

# FRONT-MOUNT ADAPTERS

Model specific adapters for mounting frontmount system.



# FRONT WINCH MOUNTING KITS

Model specific adapters for "WARN " or "Bronco" type of ATV winches with mounting pattern of 76x124mm



# HITCH BALL MOUNTING KITS

Model specific reinforced design rear hook adapters. Most kits include a 50 mm hitch ball and a 16mm pin connection.



# MID-MOUNT ADAPTERS

Model specific adapters for mounting midmount system.



# REAR WINCH MOUNTING KITS

Model specific adapters for "WARN " or "Bronco" type of ATV winches with mounting pattern of 76x124mm



# LIFT CYLINDER ADAPTERS

Model specific adapters for installing hydraulic and electro-hydraulic cylinders for up-down movement of plows, push brooms and buckets.



# MODEL SPECIFIC MOUNTING KITS

VOCES	Mid-morning	2	Total of the state		Eront with the	Doarwinsh mount	tvo/coll	tanom robalizo #i
		ATV narrow	ATV wide	VTV	mount			
AX 650/700/800 U (short models)	03.4400		03.10900			05.9400	05.9400	
ARCTIC CAT								
Arctic Cat 500/550/700 (-2014)	03.4600					05.5100		
Arctic Cat 550/700 Limited (-2014)	03.4600					05.5100		
Arctic Cat 550/700 Alterra	03.8000		03.8100			05.7800	15.1400	71.9000
Arctic Cat 1000 XT (-2014)	03.4500					05.5100		
ArcticCat Alterra TRV 700 (2017-)	03.4200					05.8000		
ArcticCat Alterra TRV 1000 (2017-)	03.4200					05.8000		
AODES								
AODES WorkCross 650/1000	03.15700			03.15600			15.1400	
AODES 800	03.9100	03.9200				05.8400		71,3000
AODES Pathcross 1000/850/650 L (2021+)	03.12800	03.12900				05.10400	15.2700 / 15.1400	
AODES Pathcross 1000/850/650 S (2021+)	03.12800	03.12900				05.10400	15.2700 / 15.1400	
BRP CAN-AM								
Outlander G1 (-2011)	03.1500				02.800	06.3000	15.300	71,3000
Outlander G1 MAX (-2012)	03.1500				02.800	06.3000	15,300	71.3000
Outlander G2 L (-2016)	03.3500		03:9900			06:5000	15.1900	71,3000
Outlander G2 L MAX (-2016)	03.3500		03.9900			05.5000	15.1900	71,3000
Outlander G2 (2012-2016)	03.3500		03.6300			06.5000	15.1900	71,3000
Outlander G2 MAX (2013-2016)	03.3500		03.6300			05.5000	15.1900	71,3000
Outlander G2 450/570 L (2017+)	03.3500		03.9900			05.5000	15.1900	71.3000
Outlander G2 450/570 L MAX (2017+)	03.3500		03.9900			06.5000	15.1900	71.3000
Outlander G2 570 T3 (2017-2018)	03:3500		03.6300			06.5000	15.1900	71,3000
Outlander G2 570 T3 (2019+)	03.3500		03.6300			06.5000	15.1900	71,3000
Outlander G2 570 MAX T3 (2017-2018)	03.3500		03.6300			05:5000	15.1900	71,3000
Outlander G2 570 MAX T3 (2019+)	03.3500		03.6300			06.5000	15.1900	71,3000
Outlander G2 (2017-2018)*	03.3500		03.6300			05.5000	15.1900	71.3000
Outlander G2 (2019-2024)*	03.3500		03.6300			05:5000	15.1900	71,3000
Outlander G2 MAX (2017-2018)*	03:3500		03.6300			05.5000	15.1900	71.3000
Outlander G2 MAX (2019-2024)*	03.3500		03.6300			05.5000	15.1900	71,3000

BRP CAN-AM	Mid-mount adapter	Fin	Front-mount adapter		Front winch	Rear winch mount	Hook ext	Lift cylinder mount
		ATV narrow	ATV wide	VTV				
Outlander G3 500/700 (2023+)	03.14500	03.14600					15.1900	71.11700 / 71.3000
Outlander G3 MAX 500/700 (2023+)	03.14500	03.14600					15.1900	71.11700 / 71.3000
Outlander G3 850/1000 (2025+)	03.14500	03.14600					15.1900	
Outlander G3 MAX 850/1000 (2025+)	03.14500	03.14600					15.1900	
Outlander G2 6x6 (-2016)	03:3500		03.6300			0092:50	15.1900	71,3000
Outlander G2 6x6 (2017-2018)	03.3500		03.6300			06.7500	15.1900	71.3000
Outlander G2 6x6 (2019+)	03.3500		03.6300			0092'90	15.1900	71,3000
Outlander G2 6x6 MAX (2017-2018)	03.3500		03.6300			06.7500	15.1900	71,3000
Outlander G2 6x6 MAX (2019+)	03.3500		03.6300			0092.200	15.1900	71,3000
Outlander G2L 6x6 450	03:3500		03:9900			0092'90	15.1900	71,3000
Outlander G2L 6x6 450 MAX	03.3500		03.9900			06.7500	15.1900	71.3000
Outlander X MR 650/800/850 (2012-2016)	03.3500		03.6300			0005:50	15.1900	71,3000
Outlander X MR 650/850 (2017-2018)	03.3500		03.6300			0005:50	15.1900	71,3000
Outlander X MR 650/850 (2019-2024)	03.3500		03.6300			0005:50	15.1900	71.3000
Outlander X MR 1000 (2013-2016)	03.3500		03.6300			0005:50	15.1900	71.3000
Outlander X MR 1000 (2017-2018)	03.3500		03.6300			0005:50	15.1900	71.3000
Outlander X MR 1000 (2019-2024)	03.3500		03.6300			0005:50	15.1900	71,3000
Renegade G1 (-2011)	03.1500				05.1100	02:3000	15,300	
Renegade G2 (2012-2016)	03.3500				05.4800	02:5000		
Renegade G2 (2017-2018)	03.3500				05.4800	05.5000	15.1900	
Renegade G2 (2019-2022)	03.3500				05.4800	0005:50	15.1900	
Renegade XXC (2023+)	03:3500					0005:50	15.1900	
Renegade X MR (-2016)	03.3500					05.5000	15.1900	
Renegade X MR (2017-2018)	03.3500					05.5000	15.1900	
Renegade X MR (2019+)	03.3500					05.5000	15.1900	
Commander (-2014)	03.3800							
Maverick (-2014)	03.4700				05.5600			
Maverick Trail (2018 - )	03.16000			03.16100			15.1400	71.12200 + 71.10850
Traxter/Defender (-2018)	03.8700			03.8600		06.7900	15.1400 / 15.1900	
Traxter/Defender (2018+)	03.8700			03.8600			15.1400 / 15.1900	
СЕМОТО								
500-2 / 500-2A / X5 / X5-A / X6 / X6-A			03.6400					
CFORCE 550/600	03.6600		03.5900			05.6700		
CFORCE 450/520-S (-2021)	03.6600	03.6500				0069:50	15.1400	

СЕМОТО	Mid-mount adapter	Fr	Front-mount adapter		Frontwinch	Rear winch mount	Hook ext	Lift cylinder mount
		ATV narrow	ATVwide	UTV	mount			
CFORCE 450/520-L (-2021)	03:6600	03.6500				02:6900	15.1400	
CFORCE 450/520-S (2022+)	03.6600	03.13300				05.10500 (2" rec)	15.1400	71.11300
CFORCE 450/520-L (-2022+)	03:6600	03.13300				05.10500 (2" rec)	15.1400	71.11300
CFORCE 625 (-2022)	03.11300	03.11400				02:9600	15.1400	71.10700
CFORCE 625 Touring (-2022)	03.11300	03.11400				02:9600	15.1400	71.10700
CFORCE 625 (2023+)	03.11300	03.11400				05.10800	15.1400	71.10700
CFORCE 625 Touring (2023+)	03.11300	03.11400				05.10800	15.1400	71.10700
CFORCE 800/820 (X8) - Terralander	03.3700		03.5900					
CFORCE 800 LUX (X8 LUX) - Terralander	03.3700		03.5900					
CFORCE 850 / 1000 G2	03.8500		03.8400			06.7700	15.1400	71.10400
CFORCE 1000 Overland G2 (2021-2023)	03.8500		03.8400			06.7700	15.1400	71,3000
CFORCE 850 / 1000 G3 (2024+)	03.15400	03.15500				06.7700	15.1400	
ZFORCE 550 EX (Z5 EX)	03.5200					05.6300	15.1700	
ZFORCE 600 (Z6)	03.2900				05.3700			
ZFORCE 600 EX (Z6 EX)	03:5200				05.3700			
ZFORCE 800 EX (Z8 EX)	03:5200					05.6300	15.1700	
ZFORCE 1000	03.5200					05.6300	15.1700	
ZFORCE 1000 Sport	03.11700			03.11800		05.9700	15.1300 / 15.1400	
ZFORCE 1000 Sport R	03.11700			03.11800		05.9700	15.1300 / 15.1400	
ZFORCE 950 Sport (2023+)	03.14300			03.14400	05.11100	05.11000	15.1300 / 15.1400	71,3000
ZFORCE 950 Sport XL (2023+)	03.14300			03.14400	05.11100	05.11000	15.1300 / 15.1400	71,3000
UFORCE 550	03.4100						15.1300	
UFORCE 600	03.12600			03.12700		05.10300	15.1300 / 15.1400	71.11100 + 71.10850
UFORCE 800	03.4100						15.1300	
UFORCE 1000 (-2021)	03.10000			03.10600		05.9300	15.1300 / 15.1400	71.10300 + 71.7030
UFORCE 1000 (2022+)	03.10000			03.10600		05.9300	15.1300 / 15.1400	71.10300 + 71.7030
UFORCE 1000 XL (2022+)	03.10000			03.10600		05.9300	15.1300 / 15.1400	71.10300 + 71.7030
U10 PRO (2025+)	03.16200			03.16300				
CORVUS								
Terrain DX4 (-2020)	03.12200			03.12100				71.10800 / 71.10900 / 71.10850
Terrain DX4 (2021+)	03.12200			03.13000				71.10800 / 71.10900 / 71.10850
GOES								
Cobalt / Iron	03.6600		03.6800			05.7200 (-2020)		
Cobalt / Iron MAX	03.6600		03.6800			05.7200 (-2020)		
Terrox 500 L	03.6600	03.6500				05.6900	15.1400	
Terrox 400 L	03.6600	03.6500				05.6900	15.1400	

GOES	Mid-mount adapter	Fre	Front-mount adapter		Frontwinch	Rear winch mount	Hookext	Lift cylinder mount
		ATV narrow	ATVwide	VTV	mount			
UTX 520	03:3000							
UTX 700	03:3600							
HISUN								
550 UTV	03.15800			03.15900		05.11700 (2" rec)	15.1400	71.12000
700 UTV	03:3600							
Tactic 550 / 750 2-UP	03:9000	03.8900				05.8200 (2" rec)	15.1400	71.3000
HONDA								
TRX 420 FA (-2013)	03.900				05.5400			
TRX 420 FE/FM (-2013)	03.900				05.5400		15.1100	
TRX 420 FA/FE/FM (2014+)	03.3200	03.6000			05.6100		15.1100	
TRX 420 FA6 (IRS)	03.3200	03.6000			05.6100	05.6800	15.2000	
TRX 450 ES/S					05.1900			
TRX 500 FA	03.1300				02.600			
TRX 500 FA (IRS)	03:3200	03.6000			05.6100	05.6800	15.2000	
TRX 500 FE (-2011)	03.1300				02.600			
TRX 500 FE (2012-2013)	03.3200				05.4300			
TRX 500 FE (2014+)	03:3200	03.6000			05.6100		15.1100	
TRX 520 FA (IRS) 2019+	03.3200	03.13900			05.6100	05.6800	15.2000	
TRX 650	03.1200	03.7500			02.500	05.3200	05.3200	
TRX 680 (-2014)	03.1200	03.7500			02:200	05:3200	05.3200	
TRX 680 (2015+)	03.1200	03.7500			05.500	05.3200	05.3200	
JOHN DEERE								
XUV 590M	03.10400							
XUV 865	03.10700							
HPX 815E	03.10800							
KAWASAKI								
KVF 360	03.2300				05.1800			
KVF 650 Rigid	03:300		03.7600		05.100			
KVF 650 / 750 BruteForce (2008+)	03300		03.7600		05.100	05.2800	052800	
MULE SX 4x4 (2017+)	03.14900			03.14700	05.11200		15.2500	
MULE PRO DX 4x4 (2017+)	03.15300			03.15200	05.11400	05.11500	15.1400	71.3000
MULE PRO MX 4x4 (2017+)	03.15300			03:15200	05.11400	05.11500	15.1400	71.3000


		•						
KYMCO	Mid-mount adapter	Fr	Front-mount adapter		Front winch mount	Rear winch mount	Hook ext	Lift cylinder mount
		ATV narrow	ATV wide	ΔIΛ				
MXU 500	03.1120							
MXU 700 (-2019)	03.9400		03:9300			05.8500		71.3000
MXU 700 (2020+)	03.9400	03.12300				05.10100	15.1400	
LINHAI								
400 IRS	03.2800				05.3500			
500	03.2800	03.10100				02:9200		
250	03.2800				05.5700			
900	03.2800							
M550	03.2800	03.11100			05.9500	05.9200		
M550 L	03.2800	03.11100			06.9500	02:9200		
PONCIN								
XWolf 550	03.14100	03.14200				05.11900 (2" rec)	15.1400	71.12100
XWolf 550 L	03.14100	03.14200				05.11900 (2" rec)	15.1400	71.12100
XWolf 700 (-2023)	03.14100	03.14200				05.10700 (2" rec)	15.1400	71.3000
XWolf 700 L (-2023)	03.14100	03.14200				05.10700 (2" rec)	15.1400	71,3000
XWolf 700 (2024+)	03.14100	03.14200				05.11900 (2" rec)	15.1400	71.3000
XWolf 700 L (2024+)	03.14100	03.14200				05.11900 (2" rec)	15.1400	71.3000
XWolf 1000 (2025+)	03.16800	03.16900				06.12000	15.1900	71.12300
POLARIS								
ACE 325/570/900	03.5600.		03.7100.		05.6500		15.1200	
Sportsman 400 (2011+)					05.3900			
Sportsman 500 (-2010 )	03.1560				05.1200	06.6000		
Sportsman 500 (2011+)	03.1560				06:3800	05.5300	15.1200	
Sportsman 550	03.1700				05.3100	05.2700	15.1200	
Sportsman 570/450/ETX/SP (-2020)	035000		03:5700		05.3900	05.5300 / 05.10900 (2" rec)	15.1200	71.4000 / 71.6000
Sportsman 570 (2021+)	035000		03:5700		05.3900	05.5300 / 05.10900 (2" rec)	15.1200	
Sportsman 570 SP "Õhlins" (2021+)	035000		03:5700		05.3900	05.5300 / 05.10900 (2" rec)	15.1200	
Sportsman 800 (-2010)	03.1100				05.1200			
Sportsman 800 (2011+)	03.1560				06:3800	05.5300	15.1200	
Sportsman 850 (-2014)	03.1700				05.3100	05.2700	15.1200	
Sportsman 850 (2015+)	03.1700		03.6200		05.3100	05.2700	15.1200	
Sportsman 1000 (-2016)	03.1700		03.6200		05.3100	05.2700	15.1200	

POLARIS	Mid-mount adapter	Fro	Front-mount adapter		Front winch	Rear winch mount	Hookext	Lift cylinder mount
		ATV narrow	ATV wide	ΛΤΟ				
Sportsman 1000 (2017+)	03.1700		03.7700		05.3100	05.2700	15.1200	71.6000
Sportsman 1000 S (2020+)	03.11500		03.11600			0086:50	15.1300 / 15.1400 / 15.2100	71.6000
Sportsman X2 500	03.2200							
Sportsman X2 570 NordicPro (2025+)	03.5400		03:5700			05.5300 / 05.10900 (2" rec)	15.1200	
Sportsman X2 800	03.1900							
Sportsman Touring 550	03.1700				05.3100	05.2700	15.1200	
Sportsman Touring 570 / X2 / Nordic LE (-2024)	03.5400		03.5700			05.5300	15.1200	71.4000 / 71.6000
Sportsman Touring 570 (2025+)	03.5400		03.5700			05.5300 / 05.10900 (2" rec)	15.1200	
Sportsman Touring 850 (-2014)	03.1700				05.3100	05.2700	15.1200	
Sportsman Touring 850 (2015+)	03.1700		03.6200		05.3100	05.2700	15.1200	
Sportsman Touring 1000 (-2017)	03.1700		03.6200		05.3100	05.2700	15.1200	
Sportsman Touring 1000 (2018+)	03.1700		03.6200		05.3100	05.2700	15.1200	
Scrambler 850 / 1000 (-2014)	03.1700					05.2700	15.1200	
Scrambler 850 / 1000 (2015+)	03.1700		03.6200			05.2700	15.1200	
Scrambler 1000 S (2020+)	03.11500				05.9900	02:9800	15.1300 / 15.1400/ 15.2100	
RZR 570	03:7200		03.7300		05.1700	05.7100	153000	
RZR 800	03.2100		03.7300		05.1700	05.2400		
RZR 800 S	03.2100		03.7300		05.1700	05.2400		
RZR 900 XP (-2014)	03.3300			03.7000	05.4400	05.4500		
RZR 1000 XP	03.5500				05.6400		15.1800	
RZR 1000 XP Turbo	03.5500				05.6400		15.1800	
RZR 900S / 1000S	03:5500			03.7900	05.6400		15.1200	71.10500
RZR PRO XP	03.12000					05.10000	15.1400 / 15.2100	
Big Boss 6x6 570 (-2024)	03.5400		03.5700		05.3900	05.7400 (fits 1,25" rec) / 05.9100 (fits 2" rec)	15.1200	71,4000 / 71,6000
Big Boss 6x6 570 (2025+)	03:5400		03:5700			05.11600 (fits 1,25"/32mm rec)	15.1200	
Big Boss 6x6 800	03.1100				05.3900		15.1200	
Ranger 400 / EV (-2021)	03.3100			03.7000	05.4200	05.4100	15.1400	71.7000
Ranger 570 (-2014)	03.5100			03.7000	05.4200	05.6200	15.1400	71.7000
Ranger 570 (2015-2021)	03.5100			03.7000	05.4200		15.1400	71.7000
Ranger 570 SP (2022+)	03.13600			03.13500	05.10600		15.1400	71.11400
Ranger 570 NORDIC PRO (2022+)	03.13600			03.13800	05.10600		15.1400	71.11600

POLARIS	Mid-mount adapter	Ą	Front-mount adapter		Front winch	Rear winch mount	Hook ext	Lift cylinder mount
		ATV narrow	ATVwide	UTV	mount			
Ranger 6x6 800				03.7000	05.4200		15.1400	71,7000
Ranger 800 Crew				03.7000	05.4200		15.1400	71,7000
Ranger 900 XP	03.4800				05.5900	02.5800	15.1400	71,7000
Ranger 900 Diesel	03.3400			03.7000	05.4200	05.4600	15.1400	71,7000
Ranger Diesel (-2018)	03.4800				05.5900	05.5800	15.1400	71,7000
Ranger Diesel (2019+)	03.4800			03:9800	05.5900	05.5800	15.1400	713500
Ranger 1000 XP (-2020)	03.4800			03.9800	05.5900	05.5800	15.1400	713500
Ranger 1000 (2021+)	03.4800			03:9800	05.5900		15.1400	713500
Ranger 1000 XP (2021+)	03.4800			03.9800	05.5900		15.1400	713500
General 1000	03.7800			03.7900		06.7300	05.7300	713500
SEGWAY								
Snarler AT5 L	03.15000		03.15100			05.11300	15.1400	71.11000
Snarler AT5 S	03.15000		03.15100			05.11300	15.1400	71.11000
Snarler AT6 L (-2022)	03.12500		03.12400			05.10200	15.1400	71.11000
Snarler AT6 S (-2022)	03.12500		03.12400			05.10200	15.1400	71.11000
Snarler AT6 L (2023+)	03.12500		03.14800			05.10200	15.1400	71.11000
Snarler AT6 S (2023+)	03.12500		03.14800			05.10200	15.1400	71.11000
Snarler AT10 L(2025+)	03.16500		03.16600			05.12100	15.2100	71.11000
Snarler AT10 LW (2025+)	03.16500		03.16700			05.12100	15.2100	71.11000
Fugleman UT10 (2021-2023)	03.13100			03.13200			15.1400	71.11200
Fugleman UT10 (2024+)	03.13100			03.13200			15.1400	71.11200
Villain SX10 G (2021-2023)				03.13400			15.1400	
SUZUKI								
Eiger 400	03.1000				05.1600			
KingQuad 450/500/700/750 (-2018)	03.1000	03.6100			02:300	02.2600	15.200	71.3000
KingQuad 500/7504Xi EPS (all model years)	03.1000	03.6100			05300	02.2600	15.200	71.3000
KingQuad 500/7504Xi (2019+)	03.1000	03.6100			05.8900	05.9000	15.1400	71.10100
тав								
425 Blade	03.2400						_	
520 Blade	03.2400		03.8300					
550 Blade	03.2400		03.8300		02.6600		15.1400	
600 Blade	03.2400		03.8300			06.7600	15.1400	71.3000
600 LT Blade	03.2400		03.8300			06.7600	15.1400	71.3000

ТGВ	Mid-mount adapter	Fre	Front-mount adapter		Front winch	Rear winch mount	Hookext	Lift cylinder mount
		ATV narrow	ATVwide	λΤυ	monut			
600 LTX Blade	03.2400		03.11000			0092.50	15.1400	
1000 Blade	03.8200		03.8300			06.7600	15.1400	71.3000
1000 LTX Blade (2019+)	03.8200		03.11000			0092.200	15.1400	
TRAPPER								
Trapper 550 / 750	03.9000	03.8900				05.8200	15.1400	71.3000
Trapper 550 UTV	03.15800			03.15900		05.11700 (2" rec)	15.1400	71.12000
<b>ТАМАНА</b>								
Grizzly 450 (2006-2008)	03.2000				05.1400			
Grizzly 450 (2009-2010) not EPS	03.600				05.1400			
Grizzly 550	03.600		03.7400		05.200		15.1500	71.3000
Grizzly 660	03.600				05.1300			71.3000
Grizzly 700 (-2013)	03.600		03.7400		05.200		15.1500	71.3000
Grizzly 700 (2014-2015)	03.11200		03.7400		05.200		15.1500	71.3000
Grizzly 700 (2016+)	03.11200		03.6900		05.7000		15.1500 / 15.2100	71.3000
Kodiak 700	03.11200		03.6900		06.7000		15.1500 / 15.2100	71.3000
Kodiak 450 (2017-2021)	03.11200	03.8800				05.8100	15,2200	71.3000
Kodiak 450 (2022+) with WARN VRX 25 winch	03.11200	03.13700				05.8100	15.2200	71.3000
Rhino 700	03.700							
Wolverine 700	03.9600				05.8700	02.8800	15.1400	71.3000

# **NOTES**

# IRON BALTIC OFFROAD

#### **IRON BALTIC OÜ**

Joa tee 17 Vääna 76903, Estonia

#### www.ironbaltic.com

PROOV 1720

IRON

Phone: +372 653 3711 sales@ironbaltic.com